

Please note that at certain locations, consumption advice may be given for some species, or species at lengths which are not legal to possess under the Ontario Fisheries Regulations. Anglers should check the latest "Ontario Sport Fishing Regulations (Summary)" to ensure that the particular waterbody is open to fishing or that all fish which are kept are legal to possess. These publications are available from the Ministry of Natural Resources Information Centre (MacDonald Block, room M1-73, 900 Bay St., Toronto, Ontario, M7A 2C1), the local office of the Ministry of Natural Resources, and from fishing licence issuers.

Consumption advic	e symbols table	
Fish symbol	Consumption advice (meals/month)	
CH	consumption up to eight meals/month *	
4	consumption restricted to four meals/month	
2	consumption restricted to two meals/month	
1	consumption restricted to one meal/month	
484	no consumption advised	

<sup>\*</sup>Women of childbearing age and children under 15 are advised to consume only fish from the \_\_\_\_ category and not to consume more than four meals/month of these fish.

A meal is considered to be 227 grams (eight ounces)

### Contaminants analysed

The number beside the fish species name identifies the contaminant or group of contaminants for which the fish was tested:

- 1 Mercury
- 2 Mercury, PCBs, mirex/photomirex and pesticides
- 3 PCBs, mirex/photomirex and pesticides
- 4 Mercury, PCBs and mirex
- 5 Mercury, other metals, PCBs, mirex/ photomirex and pesticides
- 6 Mercury and other metals
- 7 Dioxins and furans
- 8 Mercury, PCBs, mirex/photomirex, pesticides, chlorinated phenols and chlorinated benzenes
- 9 Polynuclear aromatic hydrocarbons (PAHs)

Please see page 3 for the key to using the guide tables. A location index is on page 178.

# Guide to Eating Ontario Sport Fish

1999-2000

Twentieth Edition, Revised

© 1999, Queen's Printer for Ontario This book may be reproduced for non-commercial purposes with appropriate attribution. ISSN 0826-9653

A limited number of copies of this book are available from:
Public Information Centre
Ministry of the Environment
135 St. Clair Ave. West
Toronto, Ontario M4V 1P5

Distributed free of charge

PIBS 590B09

Cover illustration by Curtis Atwater





### Message From the Honourable Norman W. Sterling

### Minister of the Environment

The quality of Ontario's environment is essential to protecting public health; promoting investment and economic growth: and it is also important for recreational and tourism opportunities.

The Guide to Eating Ontario Sports Fish was first published in 1977 to provide anglers with advice on the consumption of sport fish from Ontario's lakes and rivers. It is jointly produced by the Ministries of the Environment and Natural Resources, and is one of the largest testing and advisory programs of its kind in North America.

Every two years, the guide identifies more than 1,600 testing locations, the types of fish and contaminants tested, and any restrictions on the maximum amount of fish that can be eaten per month.

Bans and restrictions on substances such as DDT, PCBs, mirex, toxaphene, chlordane and dieldrin have made a significant difference at a number of locations that were pollution hot spots back in the 1970s.

Today there are fewer restrictions on fish from Lake Ontario, PCB levels in Lake Huron lake trout have dropped more than 75 per cent; mercury levels in yellow perch from Lake St. Clair have dropped 90 per cent; and all restrictions caused by DDT have been eliminated.

Nevertheless, people should pay attention to what type of fish they eat, how often, and where it was caught. Be sure to follow the advice given in the guide to ensure you are eating fish that are safe.

The Ministry of the Environment is committed to protecting the quality of Ontario's air, water and land. Priority programs such as the Sport Fish Contaminant Monitoring Program, the Great Lakes Renewal Foundation and Ontario's Drive Clean, combined with stiffer penalties against pollution, are working to make this province an attractive place in which to live, work and raise a family.

Our ministry does not act alone in its efforts to protect the environment. Committed groups and individuals across Ontario are contributing to the success of these priority programs and to other programs such as the ministry's Lake Partner Program.

As Ontario's Minister of the Environment, it is my pleasure to thank all our partners for the genuine difference that they are making for all Ontarians.

### Contents

Important changes to 1999 guide	1
The basis for fish consumption advisories	1
Consumption advisory tables	2
How to use the guide	2
Advice for women of childbearing age and children	2
The sport fish contaminant monitoring program	5
Selection of locations for testing	5
Selection of fish species for testing	5
Collection of fish for testing	6
Retesting of locations	6
Testing of fish	7
Preserving and preparing your fish for cooking	7
How to release fish	7
Fish Parasites	8
Tumors in fish	8
Contaminants in fish	9
Inorganic substances	9
Industrial organic chemicals	10
Pesticides	10
Dioxins and Furans	11
Other contaminants	11
Causes of fish consumption advisories	11
Trends in contaminant levels	13
Southern Ontario tables	18
Northern Ontario tables	74
Great Lakes tables	150
Location index	178
Fish identification	182
Fish names	190
Addresses	192
Consumption advice symbols	Inside cover

### **Preface**

It is recommended that both new and long-term users of the guide carefully read over the text before proceeding to the consumption tables. Important new advice for women of childbearing age and children under 15 can be found on the inside cover and in the section "Important changes to 1999 guide."

This 20th edition of the *Guide to Eating Ontario Sport Fish* gives consumption advice for sport and game fish found at more than 1600 locations in the province.

The *guide* is published every other year. An electronic copy of the *guide* is available on the Ministry of the Environment web site at www.ene.gov.on.ca. In alternate years any major changes in consumption advice are made public by the Ministry of the Environment through the Public Information Centre and on the ministry web site. The media is also notified. Any consumer with questions on the status of any specific consumption advisory should call the Sport Fish Contaminant Monitoring Program number at (416) 235-6220 or 1-800-820-2716 or e-mail at sportfish@ene.gov.on.ca.

Staff at the Ministry of Natural
Resources and Ministry of the Environment collect the fish and send them to the
Ministry of the Environment laboratory in
Toronto where they are analysed for a
variety of substances, including mercury,
PCBs, mirex, DDT and dioxins. The
results are used to develop the tables in
this guide which give size-specific
consumption advice for each species

tested from each location. This advice is based on health protection guidelines developed by Health Canada.

Fish collection and testing is a continuing program. Resources are balanced between testing new lakes and rivers and retesting those locations where changes in contaminant levels may be occurring. By testing the same fish species at the same location over a period of years, trends may be determined and the effectiveness of pollution control action may be assessed.

To report pollution or fish kills, contact the nearest office of the Ministry of the Environment or the Ministry Spills Action Centre (see page 192).

Anyone requiring information on fishing licences, angling regulations, limits of catch, open seasons, provincial parks, maps or hunting should contact the appropriate Ministry of Natural Resources office (see page 192).

To obtain detailed data for a specific location tested under the sport fish contaminant monitoring program or further information on the results in this and previous guides, contact:

Sport Fish Contaminant Monitoring Program Ministry of the Environment 125 Resources Rd. Etobicoke ON M9P 3V6 Telephone (416) 235-6220 or 1-800-820-2716 e-mail sportfish@ene.gov.on.ca.

# Important changes to 1999 guide

Women of childbearing age and children under 15 are advised to eat only those fish represented in the consumption tables by the clear fish symbol and to consume no more than four meals per month of these fish. These individuals should further reduce their consumption of sport fish if they consume commercial fish regularly (once per week or more often) and should not consume sport fish if they are regular consumers of shark, swordfish or fresh tuna (not canned tuna). These changes do not apply to the remainder of the population.

More detailed information is included in the section "Advice for women of childbearing age and children."

### Revision of specific guidelines

Health Canada continually reviews toxicological information and when necessary revises the guidelines. Recently Health Canada made its guidelines for mercury and mirex/ photomirex more stringent. These changes are incorporated in the 1999 guide.

Mercury is responsible for the majority of consumption restrictions in Ontario waters. Mirex/photomirex limit the consumption of many fish in Lake Ontario. See the section "Contaminants in fish" for a description of these contaminants.

# The basis for fish consumption advisories

Fish consumption advisories are based on guidelines developed by Health Canada. Health Canada, through research and review of toxicological data, has established a safe dose for an extensive list of contaminants. This amount is referred to as a tolerable daily intake. It is then determined what proportion of the tolerable daily intake can come from each of the environmental pathways (e.g. air,

water, different types of food) including sport fish consumption.

A series of estimates and calculations are then done by the Ministry of the Environment to determine if fish are suitable for consumption. Fish represented by a clear fish symbol have very low contaminant levels. If four meals per month of these fish were consumed by women of childbearing age and children under 15, and no fish in any other category were consumed, then their tolerable daily intake would not be exceeded for any contaminant.

For the general population, if eight meals per month of fish represented by a clear fish symbol were consumed, an individual's tolerable daily intake would not be exceeded for any contaminant. Conversely, fish having a total consumption restriction (black fish symbol) have high contaminant levels and the consumption of one meal per month of these fish would result in an individual exceeding their tolerable daily intake for one or more contaminants.

The consumption advisories in the categories in between the clear fish symbol and the black fish symbol are derived to ensure than an individual's tolerable daily intake would not be exceeded for any contaminants (except for women of childbearing age and children under 15 who are advised not to consume any of these fish).

Please note that laboratory analyses are carried out on the lean, dorsal, skinless boneless muscle tissue of the fish and the consumption guidelines are based on the results of this portion. Other parts of the fish - the whole fish, fish steaks or belly fat - may contain higher concentrations of organic contaminants such as PCBs, mirex, DDT or dioxins as these contaminants are attracted to fatty tissue. It is therefore recommended that only skinless boneless fillets of sport fish be consumed.

### Consumption advisory tables

Contaminant levels for all fish of a given size and species are usually similar within most small or medium-sized lakes or rivers and so one set of consumption advice is all that is required. In large lakes and major river systems, contaminant levels can vary widely within the water body.

Fish consumption advisory tables for the Great Lakes, connecting waterways, large lakes and major river systems are provided in blocks or regions. Contaminant levels for all fish of a given size and species should be similar throughout a block.

The boundaries of the blocks are established in consultation with fisheries biologists familiar with local fish populations and after comparing contaminant levels in fish from several adjacent locations. If minor differences are found in contaminant levels in fish within a block, the most contaminated fish are used to set the consumption advisory for the block. Separate consumption advice is provided for localized areas within a block where the fish community or the contaminant levels are different from the remainder of the block.

Periodic testing is undertaken at several locations within a block to ensure that there are no major differences in contaminant levels within the block.

Detailed maps and written descriptions of the Great Lakes' blocks are provided at the front of each of the Great Lakes' tables.

# How to use the guide To whom does this guide apply?

The advice in this guide is designed to apply to anglers (and their families) who consume moderate quantities of fish. The consumption advice will protect individuals who follow the advice in the guide and consume no more than eight meals of the

fish they catch per month (four meals for women of childbearing age and children under 15).

Many of the fish in the consumption up to the eight meals/month category can be safely consumed more frequently than this. The choice of eight meals/month as the maximum recommended consumption level was based on the results of questionnaires which indicated that most anglers do not consume sport fish more frequently than this. Anyone who consumes sport fish more frequently than eight meals per month is advised to contact the sport fish contaminant monitoring program at the number given in the preface.

# Advice for women of childbearing age and children

Health Canada guidelines have been developed to protect the health of everyone, including the most sensitive individuals. Generally the most sensitive individuals are considered to be pregnant women and children. Consequently, consumption advice for these sensitive individuals is more restrictive than that for the general population. Health Canada recently made its guidelines for mercury intake more stringent. Ontario has therefore taken action to change its consumption advice for mercury in sport fish.

Women of childbearing age (women who are pregnant, intending to become pregnant or are breast-feeding mothers) and children under 15 are advised to consume no more than four meals/month of fish in the clear fish category and not to consume fish from any other category.

Sport fish consumption should be restricted even further if store-bought fish are regularly consumed. Women of childbearing age and children under 15 are advised to reduce their consumption of sport fish if they consume commercial fish once per week or more often.


Furthermore, Health Canada has stated that women of childbearing age and children should not consume more than one or two meals of shark, swordfish or fresh tuna (not canned tuna) per month as these fish are known to contain higher levels of mercury. Women of childbearing age and children under 15 who are regular consumers of shark, swordfish or fresh tuna are advised not to consume sport fish as well. For further advice, contact Health Canada or the Canadian Food Inspection Agency (see page 194).

### Key to using guide tables

The guide provides sport fish consumption advice based on the level of contaminants found in fish according to their species, length and location.

The water body names and locations were obtained from the *Gazetteer of Canada* (Ontario). The location description includes latitude and longitude, enabling anglers to refer to the *Ontario Official Road Map* (which is marked accordingly) to determine the general location of the body of water. Larger scale topographical maps can then be used if necessary to pinpoint the exact location. An alphabetical listing of all locations tested is contained in the index.

The following is a key to the various components of the tables, using a simulated example called Deep Lake.



### Location identifiers

- The tables are divided into three sections by region: Southern Ontario, Northern Ontario and the Great Lakes, as noted at the top of each page.
- The name of the location.
- The latitude and longitude of the location.
- The township, county or territorial district of the location.

### Fish species tested

The species tested are usually those species that are most likely to indicate elevated levels of contaminants or the

most popular species found there (see section **Selection of fish species for testing**).

### Fish length

The total length of the fish is measured, from the tip of the nose to the tip of the tail. The fish length is expressed in the tables in both centimetres and, in brackets, inches.

### Contaminants analysed

The number identifies the contaminant or group of contaminants for which the fish was tested:

- 1. Mercury
- 2. Mercury, PCBs, mirex/photomirex and pesticides
- 3. PCBs, mirex/photomirex and pesticides
- 4. Mercury, PCBs and mirex
- Mercury, other metals, PCBs, mirex/ photomirex and pesticides
- 6. Mercury and other metals
- 7. Dioxins and furans
- Mercury, PCBs, mirex/photomirex, pesticides, chlorinated phenols and chlorinated benzenes
- Polynuclear aromatic hydrocarbons (PAHs)

The fact that fish were tested for a particular group of contaminants does not mean that the fish will contain all of these contaminants. For example, fish analysed for contaminant group 2 may contain only mercury and not PCBs, mirex/photomirex or pesticides.

In a number of locations, particularly inland locations, fish are analysed only for mercury as this is likely to be the only contaminant to cause consumption restrictions.

### Fish consumption symbols

The following consumption symbols are based on Health Canada consumption guidelines for the intake of various contaminants tested in sport fish. The symbols indicate the maximum number of meals per month which are advised for consumption.

- Consumption of no more than eight meals per month for the general population.\*
- Consumption of these fish is restricted, with no more than four meals per month advised.

- © Consumption of fish is further restricted, with no more than two meals per month advised.
  - Consumption of these fish is restricted such that only one meal per month is advised.
- None of these fish should be consumed.
- \* Women of childbearing age and children under 15 are advised to consume only those fish represented by the clear fish symbol and to consume no more than four meals per month of these fish.
- Please note that a meal is considered to be 227 grams (eight ounces) for an average-sized adult (60 kg), more for larger individuals and less for smaller individuals.

### Example:

An angler catches a 40 cm (16 inch) walleye from Deep Lake and wants to determine the suitability of that fish for consumption. The angler should:

• Find Deep Lake in the guide tables

- Note that the symbol given for walleye in the 35-45 cm (14-18 in) range is ④
- The consumption advice symbols indicate four meals per month of that fish may be consumed by the general population. Women of childbearing age and children under 15 should not eat this fish.

# Consuming fish from several locations or consumption categories

Fish can be consumed from several different locations or consumption categories during a month. Advisable consumption can be best understood by converting the meals from the different categories to a percentage of your monthly total of 100% (see table below).

practical or economical to test fish from every water body.

A location may be selected for testing for one or more of the following reasons:

- It is a popular angling area.
- There is a known or suspected source of pollution nearby.
- It is a major source of food for local inhabitants (usually lakes in the vicinity of Native reserves).

	General	population	Won	nen of childbearing age and children under 15
Advisory category	Meals	percentage each meal represents of monthly total	Meals	percentage each meal represents of monthly total
C <sub>1</sub>	8	12.5%	4	25%
<b>(4)</b>	4	25%	0	~-
<b>②</b>	2	50%	0	-
1	1	100%	0	-
484	0	-	0	-

As an example, if you are in the general population and during a month you consume four meals of fish from the

category, this would represent 50 per cent (four times 12.5 per cent) of your monthly total. This would allow for an additional two meals of fish from the 4 category (two times 25 per cent) or for one additional meal from the 2 category (one times 50 percent) to complete the 100 per cent total for the month.

Women of childbearing age and children under 15 can consume only fish from the \( \sum \text{category} \) category and only up to four meals per month.

# The sport fish contaminant monitoring program

### Selection of locations for testing

With more than 250,000 lakes, innumerable rivers and streams and many local areas in the Great Lakes, it would not be

- It is being opened for recreational development.
- It is part of a monitoring program for long-term studies of contaminants in fish

The selection of testing sites is an ongoing process and public input is welcomed.

### Selection of fish species for testing

Most lakes and rivers contain a variety of fish species. When selecting appropriate species for contaminant testing, the fact that not all species accumulate a particular contaminant at the same rate has to be taken into account.

Therefore, one kind of fish of a certain size may have a much lower contaminant concentration than another species of the same size. This is due to the fact that different fish feed on different things, prefer different habitats, grow at different rates and are physiologically different.

For example, walleye (yellow pickerel) and northern pike are likely to contain higher levels of mercury than whitefish of the same size since walleye and pike are top predators, feeding on smaller fish which may also contain elevated mercury levels.

Whitefish on the other hand, feed lower down in the food chain, on aquatic insects and invertebrates which contain less mercury than do small fish.

Therefore, when testing fish for mercury in a specific area, the practice is initially to select those species which are top predators, as they will indicate the highest mercury levels likely to be found. If low levels of mercury are found in predators, the testing of other species may not be necessary.

In testing for organic contaminants such as PCBs and mirex, species with high fat levels, such as salmon, lake trout and smelt, are selected since organic chemicals tend to accumulate in fatty tissue.

Again, if these species do not contain excessive levels of organic contaminants, then species with less fat from the same location may not have to be tested.

### Collection of fish for testing

The fish are collected by staff from the Ministry of Natural Resources and the Ministry of the Environment using various methods. Whenever possible, the selection includes 20 fish of each species with lengths and weights representative of the size range of that species in the locations being tested. The length, weight and sex of each fish collected are recorded. A boneless, skinless fillet of dorsal muscle flesh is removed from the fish (see illustration), packaged and frozen for shipment to the Ministry of the Environment laboratory in Toronto.



### Retesting of locations

Since the mid-1970s the sport fish contaminant monitoring program has continued to add new locations each year.

As well as adding new locations, the program incorporates into its schedule the retesting of lakes and rivers where this is warranted. In areas remote from human activity, where fish are relatively unaffected by pollution, any consumption restrictions are usually limited to elevated mercury levels in the larger and older predatory species such as walleye and northern pike. The source of mercury in these areas is largely natural and does not change much over time; therefore, concentrations in fish do not change substantially.

However, in areas affected by human sources of pollution, the number of possible contaminants may be much larger and the levels found in fish can be significantly affected by changes in the levels of pollution.

Retesting locations are divided into three general groups:

- Areas where contaminant levels for one
  or more pollutants are either unusually
  elevated or change substantially. These
  locations are retested every one to three
  years, depending on their angling
  popularity or whether they are a major
  food source for local inhabitants.
- Areas which show no signs of substantial changes in contaminant levels but which are very popular angling areas.
   These locations are retested at least every five years.

 All other areas - usually relatively remote locations with no major sources of pollution nearby and no indication of changing contaminant levels in fish. These locations are retested as available resources permit, approximately every 10 years.

### Testing of fish

A boneless, skinless dorsal fillet sample not only provides the most consistent test results, but is also the best edible portion of most sport fish.

The fish tissue is analysed for contaminants at the Ministry of the Environment laboratory using a variety of methods depending on the particular contaminant.

# Preserving and preparing your fish for cooking

If you decide to keep and eat your catch, you should keep it in the best possible condition until it reaches the table.

Freshly caught fish should be chilled on ice or in a refrigerator as soon as possible to avoid spoilage. Then, at the earliest opportunity, the fish should be cleaned, dressed and refrigerated or preserved for future use.

The following is one of the procedures commonly used for gutting, filleting and skinning fish:

- Slit open the belly from the vent (anal opening) and remove the internal organs.
- · Trim away the head and fins.
- Lay the fish on its side on a cutting board. With a thin sharp knife, cut through the skin and flesh just behind the head down to the backbone. Turn the knife blade along the backbone and, with a sawing motion of the blade, follow the backbone down to the tail, keeping as close to the backbone as possible.
- Repeat for the fillet on the other side of the fish.

 Laying each fillet skin-side down on the board, remove the rib bones by inserting the knife blade just under the ribs and separating them from the fillet with as little flesh left on them as possible. Trim away the pelvic fin and any belly fat from the ventral portion of the fillet.

7

 Lay the fillets skin-side down and, starting at the tail with the knife blade parallel to the skin and as close to it as possible, slice forward with a sawing motion to separate the skin from the fillet. You are then left with skinless, boneless fillets. Wash in clean cold water and cook, refrigerate, freeze or preserve as desired.

### How to release fish

A number of anglers fish for the thrill of the catch, and release their fish to allow them to be caught again. If you decide not to keep a particular fish, here are some tips to apply to safely return the fish to the water:

- 1. Time is essential, so quickly play and release the fish. A fish played for too long will be too exhausted to recover. A fish hooked in deep water should be brought up slowly to prevent stress due to pressure and temperature changes.
- 2. Keep the fish in the water as much as possible, since fish out of water will suffocate. Do not allow the fish to flop on the ground or on the rocks. Just a few inches of water under a thrashing fish will act as a protective cushion.
- 3. Gentle handling of the fish is essential and hands should be kept wet at all times while handling any fish. Do not put your fingers in the gills or in the eye sockets. Small fish should not be squeezed but should only be lifted by the lower lip. A net is helpful while handling fish, but keep it in the water.

4. Remove hooks quickly using long nosed pliers. If the fish is deeply hooked, cut the line and leave the hook in, as it will dissolve and will not harm the fish. Do not try to tear out hooks.

5. To revive an unconscious fish, hold it upright in the water heading upstream (if there is a current). Apply artificial respiration by moving the fish forward and backward so that water runs through the gills. It may take a few minutes for the fish to revive. When the fish does begin to struggle, release it.

### Fish parasites

Anglers sometimes catch fish which contain worms, grubs, cysts or nodules in the flesh. When cleaning fish, anglers may notice worms in or around the intestines of the fish or fungus growths on the skin, fins or gills. These parasites are a normal part of the ecosystem in which the fish lives. While not aesthetically pleasing, the edible portions containing parasites, if properly and thoroughly cooked, do not present a health hazard.

Some of the most commonly seen parasites associated with fish are black spot in bass and yellow perch, yellow grubs, leeches, lamprey, fish lice and gill flukes.

### Tumors in fish

Occasionally, anglers catch fish with external growths, tumors, sores or other lesions. Such abnormalities generally result from viral or bacterial infections. Abnormalities in the liver or intestine are sometimes seen in coarse fish such as white suckers and brown bullhead, and can be caused by parasites or tumors. Concern about the potential effects of these diseases on the fish themselves and the possible role of pollution in causing tumors in some coarse fish has prompted ongoing investigations into these abnor-

malities. Growths on game fish caused by viruses include lymphocystis, dermal sarcoma and lymphosarcoma.

Lymphocystis, a viral disease affecting walleye and perch, is common throughout Canada. Viruses infect the fish's skin through contact with infected fish during the spring spawning run, forming pale or white cauliflower-like growths. Lymphocystis does not kill affected fish. Tagging studies have shown that these fish can lose the growths by the following spring.

Dermal sarcoma, another viral disease affecting walleye, is caused by viruses which infect cells and cause growths just under the skin. These growths can be removed by skinning the fish.

A study by the Ministry of the Environment and the Ministry of Natural Resources has shown that walleye with external skin lesions such as lymphocystis and dermal sarcoma do not have higher contaminant levels than unaffected fish.

Lymphosarcoma is a viral disease affecting muskellunge and northern pike. This virus is transmitted at spawning, but the lesions caused by it can vary depending on the season and stage of the disease. In the spring, affected fish have thick white patches on their skin from which viruses are shed and these in turn infect other fish. Later in the year these patches may heal, forming blotchy red sores or even normal skin. The virus causing lymphosarcoma infect the white blood cells of the fish and can spread throughout the body during the summer or over several years. This disease can kill infected fish.

Coarse fish in various parts of the Great Lakes have been found to have lip and skin growths similar to human warts in appearance. Growths on coarse fish kept in the laboratory often disappear and new ones can develop very quickly, suggesting that viruses likely cause these tumors.

Studies on Canadian and American areas of the Great Lakes have found an increased rate of lip and skin growth on coarse fish captured in polluted areas; in some extremely polluted areas, liver and intestinal tumors have been found in these fish. Studies suggest that pollution may cause the liver tumors and may indirectly cause skin growths — warmer water often found in polluted areas attracts larger numbers of fish, thus increasing their risk of becoming infected with viruses. Considerable research, much of it conducted or funded by the Ontario and Canadian governments, has been undertaken to determine whether pollution is a cause of these tumors.

While the appearance of viral or bacterial infections in fish is unsightly, there is no known health risk from consuming an infected fish that meets the consumption guidelines.

### Contaminants in fish

There are many naturally occurring substances, such as mercury which, at levels normally found in air, water and food, pose no hazard to the environment or to human health. A number of synthetic substances, such as PCBs, mirex and dioxins, may also be found in the environment.

The following section describes some of the broad range of substances which may be tested for in Ontario sport fish and the levels which result in consumption restrictions. Consumption guidelines developed for use by Ontario anglers are based on tolerable daily intakes guidelines provided by Health Canada. For more information on these substances and their health implications, please contact the office of the sport fish contaminant monitoring program at the number listed in the preface.

### Inorganic substances Mercury

Mercury is a naturally occurring metal, which is found in very low levels in air, water, rocks, soil and plant and animal matter.

At one time mercury was widely used in industry; however, government and industry took action to reduce its use in the late 1960s and early 1970s and direct discharges of mercury from major industrial sources have been virtually eliminated. Residual contamination from these point sources is still evident in fish in a few locations in Ontario. Significant quantities of mercury still enter the aquatic environment from the atmosphere from both man-made and natural sources.

Mercury is attracted to particles in the water and settles to the bottom sediments where it can be converted by microorganisms into methylmercury. Methylmercury is rapidly absorbed by a fish either directly from water passing over its gills or ingested with the organisms which form its diet. Since fish eliminate mercury at a very slow rate, concentrations of this substance gradually accumulate.

Health Canada recently revised downward the tolerable daily intake for mercury for women of childbearing age and children but not for the general population. The new tolerable daily intake is temporary pending the completion of a long-term study of high fish eaters in the Seychelle Islands. As a result, consumption restrictions for sport fish containing mercury begin at levels above 0.45 parts per million, with total restriction advised for levels above 1.57 parts per million.

### Other metals

Lead, copper, nickel, zinc, cadmium, manganese, chromium, arsenic and selenium are found in fish tissue but not at levels which would suggest a need for consumption restrictions.

### Industrial organic chemicals Polychlorinated biphenyls (PCBs)

PCBs are a group of chlorinated organic compounds first commercially developed in the late 1920s. They are not formed naturally in the environment, so their presence can always be attributed to human activity.

PCBs persist for years in the natural environment and bioaccumulate readily in the aquatic ecosystem. As a result, top predator species of fish with a high fat content such as salmon and trout (but not walleye and pike which have a low fat content) have, in some Ontario waters, accumulated PCBs to levels which restrict consumption. PCBs have been banned in all new products and are now only found as an insulating fluid in existing closed electrical power transformers and capacitors. Strict regulations for the storage and disposal of PCBs and PCBcontaminated equipment minimize the chance of further releases of PCBs into the environment and have resulted in declining levels of PCBs in the aquatic environment.

Consumption restrictions for sport fish containing PCBs begin at levels of 0.5 parts per million, to total restriction advised for levels above 4.0 parts per million.

### Mirex/photomirex

Mirex is a chlorinated carbon compound that was used as a pesticide in the southern United States but never registered for such use in Canada. Mirex has been detected in fish primarily from Lake Ontario. The sources were found to be a former processor of mirex in Niagara Falls, New York and a manufacturing plant in Oswego, New York. This problem is being addressed through the Niagara River Toxics Management Plan. In the environment some mirex is modified and transformed into a similar compound called photomirex. The behaviour of mirex and photomirex in the aquatic environment is similar to that of PCBs in that they remain in the environment for a long period of time and have a high affinity for fats.

Separate consumption guidelines have been developed by Health Canada for mirex and photomirex. Consumption restrictions for mirex in sport fish begin at 0.07 parts per million with total restriction advised for levels above 0.56 parts per million. Photomirex consumption restrictions begin at 0.013 parts per million with total restriction advised for levels above 0.100 parts per million.

### Pesticides DDT

DDT, which was developed during World War II, gained widespread use as an insecticide for agricultural and public health purposes. DDT, like PCBs and mirex, is only slowly broken down in the natural environment.

However, levels of this substance in fish flesh have declined in the two decades since the use of DDT was severely restricted and today there are no cases where DDT is a consumption-limiting contaminant.

### **Toxaphene**

Toxaphene is an insecticide that is extremely persistent in the aquatic environment. It was removed from general use in Canada in 1974 and restricted in the United States in 1982.

Consumption restrictions for sport fish containing toxaphene begin at levels above 0.2 parts per million, with total restriction advised at levels above 1.6 parts per million.

Toxaphene is found at levels which restrict the consumption of sport fish from Lake Superior and some parts of northern Lake Huron.

### Other pesticides

As part of the sport fish contaminant monitoring program, a number of pesticides and other chlorinated organic compounds used widely in the past throughout North America are routinely analysed. These substances are hexachlorobenzene, and the pesticides lindane, heptachlor, aldrin, and chlordane. At sampling locations in Ontario they have not been detected at levels which would require any restrictions on the consumption of fish.

### Dioxins and furans

Dioxins and furans are byproducts of several industrial processes and in some cases, incomplete combustion. They have never been intentionally manufactured.

Although there is a total of 210 different dioxins and furans only 17 are toxic enough to be of concern. The Ministry of the Environment monitors these 17 toxic forms of dioxins and furans in sport fish. The results for these 17 forms are multiplied by an equivalency factor to convert them into a number which represents the overall toxicity relative to the most toxic form of dioxins -2,3,7,8-TCDD.

Consumption restrictions for sport fish begin at levels of 10 parts per trillion, to total restriction advised for levels above 81 parts per trillion for toxicity equivalents of 2,3,7.8-TCDD.

### Other contaminants


The sport fish contaminant monitoring program tests for all known substances for which there is a reasonable probability that levels of the substance are of concern to the health of consumers.

Recently, the Ministry of the Environment laboratory has developed the methods to analyse the levels of the different PCBs having dioxin-like activity in fish. Other substances added to the list in recent years include chlorinated phenols, chlorinated benzenes and polynuclear aromatic hydrocarbons (PAHs). Based on the results, the latter substances are only found occasionally in fish and at such low levels that they would not affect consumption.

# Causes of fish consumption advisories


Although fish from many locations listed in the guide have been tested for a wide variety of contaminants, most of the consumption restrictions are caused by five contaminants or groups of contaminants. These five contaminants are mercury, PCBs, mirex/photomirex, toxaphene and dioxins. The pie charts below illustrate the percentage of the consumption restrictions caused by each of the contaminants in the four Ontario Great Lakes and their connecting channels and inland locations.

### Lake Superior consumptionlimiting contaminants



Consumption restrictions on lake trout, whitefish and chinook salmon are usually because of toxaphene, whereas consumption restrictions on northern pike and walleye are because of mercury. In total, 37.4 per cent of the advice given for sport fish from Lake Superior results in some level of consumption restriction.

### Lake Huron (including Georgian Bay, North Channel and St. Marys River) consumption-limiting contaminants



Generally, the restrictions on trout, salmon, carp and channel catfish are caused by PCBs. The restrictions on other species are usually caused by mercury. In total, 21.1 per cent of the advice given for sport fish from Lake Huron results in some level of consumption restriction.

### Lake St. Clair and St. Clair and Detroit rivers consumptionlimiting contaminants




In total, 37.4 per cent of the advice given for sport fish from these locations results in some level of consumption restriction.

## Lake Erie consumption-limiting contaminants



Compared to the other Great Lakes, Lake Erie has the lowest proportion of sport fish with consumption restrictions at 17.0 per cent. The majority of consumption restrictions are because of PCBs.

### Lake Ontario (including Niagara and St. Lawrence rivers) consumption-limiting contaminants



In the various species of trout and salmon found in Lake Ontario, PCBs, mirex/photomirex, and dioxins often occur together in the same fish to levels that restrict consumption. In the majority of cases, PCBs are the consumption-limiting contaminant. Species such as walleye, pike, bass and perch are usually not restricted because of PCBs, mirex/photomirex and dioxins and if consumption restrictions are advised, they are usually because of mercury. In total, 43 per cent of the advice given for sport fish from Lake Ontario results in some level of consumption restriction.

# Inland locations' consumption limiting contaminants



Very few inland locations have been exposed to discharges of pesticides and other organic compounds which cause the majority of consumption restrictions on Great Lakes fish. Consequently, more than 99 per cent of all consumption restrictions on sport fish from inland locations are the result of mercury. In total, 42.6 per cent of the advice given for sport fish from inland locations results in some level of consumption restriction.

# Trends in contaminant levels


The persistence of contaminants in the aquatic environment varies from substance to substance. The breakdown or transformation of contaminants into forms that are inactive or less toxic may take anywhere from minutes to years. As a result, for the more persistent substances such as PCBs and DDT, it may take many years of collecting and assessing data for trends to become clear. The data collected through the sport fish contaminant monitoring program are particularly effective in detecting increases or decreases in contaminant levels over time. One notable trend observed through the program is the general decline over time in the level of a contaminant in fish once the source of that contaminant has been curtailed or eliminated as a result of government or

industry actions. This type of trend has been found in contaminants such as PCBs, DDT and mercury.

Mercury has been found in fish everywhere in Ontario and mercury concentrations result in more consumption restrictions in sport fish than any other contaminant monitored by the program. Major industrial sources of mercury such as from chlor-alkali plants and pulp and paper mills were virtually eliminated by the early 1970s. Mercury from sources such as the burning of fossil fuels can still enter the aquatic environment through precipitation.

In 1970, industrial discharges of mercury from a chlor-alkali plant in Sarnia into the St. Clair River contaminated sport fish downstream in Lake St. Clair. Commercial fishing was halted and anglers were advised not to consume the fish. At the same time, action was taken by the Province of Ontario to halt this industrial discharge of mercury.

### Figure 1 Lake St. Clair mercury in 45cm walleye



Sport fish from Lake St. Clair have been monitored on an annual basis since 1970. Mercury levels have declined dramatically so that many sizes of sport fish can now be consumed without restrictions. Figure 1 shows the mercury levels in 45 cm walleye from Lake St. Clair from 1970 to 1997.

Mercury levels in inland Ontario lakes often do not change significantly over time within a species. As an example, Figure 2 shows that mercury levels have not changed substantially between four selected sampling years from 1977 to 1996 for largemouth bass tested from Rice Lake, which is found in the Kawartha area of Southern Ontario.


### Figure 2 Rice Lake mercury in largemouth bass

Mercury (ppm) 0.5 1977 △ 1989 □ 1996 @ 1983 0.4 0.3 0.2 0.1 Λ 25 40 45 50 30 35 Fish length (cm)

Several factors affect the mercury concentration in fish. Fish exposed to mercury for long periods tend to have higher concentrations in their flesh. This is clearly demonstrated in Figures 2 to 4 which show increasing mercury concentrations in fish flesh with increasing fish length.

Mercury concentrations in fish are influenced by other factors such as the contaminant level in the food they consume. Minnows and other small fish have higher mercury concentrations than aquatic insects and invertebrates. Consequently, species such as walleye and pike, which feed on other fish, tend to have higher mercury levels than whitefish and other species that feed on organisms lower down the food chain. This is demonstrated in Figure 3 which shows mercury levels in walleye, pike and whitefish from Ball Lake in northwestern Ontario.

# Figure 3 Ball Lake mercury in 3 species




There are wide variations among water bodies in the mercury concentrations found in fish of the same species and size. Figure 4 shows the variability in mercury levels in walleye sampled from three natural systems (unaffected by industrial discharges) in Ontario. The variability stems from differences in physical, chemical and biological conditions within individual water bodies.

stay in a more localized area than do sport fish species. Trend information has been obtained by this program as a result of long-term monitoring in a large number of Great Lakes locations.

# Figure 4 mercury in walleye in 3 natural systems





As well as the sport fish contaminant monitoring program, the Ministry of the Environment also has a young-of-the-year program which can detect responses to more localized contamination sources and provide an early indication of anticipated contaminant trends in sport fish. The program tests for contaminants in species such as spottail shiners, common shiners and juvenile yellow perch, which tend to

# A message from the Ontario Provincial Police and the Canadian Coast Guard on Boating Safety.

Did you know that, when it comes to recreational boating fatalities, anglers are among the most at risk groups in Canada?

The two most common factors in boating deaths are failure to use life jackets and alcohol consumption.

Responsible fishing includes knowing and following Ontario's rules for boating and liquor consumption. For more information contact your local Ontario Provincial Police.

Starting April 1, 1999 Ontario will have new safety regulations concerning the age of the operator and boat horsepower, as well as proof of competency requirements. To find out more about the new regulations contact the Canadian Coast Guard at 1-800-267-6687, or visit their web site at www.ccg-gcc.gc.ca

Fish safely – and live to fish again

# Guide de consommation du poisson gibier Fish Consumption Tables

An index of the locations listed in these tables is found on page 178.

Voir l'index des emplacements à la page 178.

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Longueur du poisson en centimètres (pouces)

Fish size in centimetres (inches)

4

4

000000000

000 7 0

Yellow Perch²

Carpe<sup>2</sup>

Carp<sup>2</sup>

Perchaude<sup>2</sup>

Crapet de roche2 Brown Bullhead<sup>2</sup>

Rock Bass<sup>2</sup>

Barbotte brune<sup>2</sup>

4

Crapet de roche<sup>2</sup>


Rock Bass<sup>2</sup>

Vorthern Pike<sup>2</sup>

Location/ Emplacement

Brochet<sup>2</sup>

# Southern Ontario Sud de l'Ontario



15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30) Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)

Location/ Emplacement

Grand corégone<sup>2</sup> Truite de lace \_ake Trout? Whitefish<sup>2</sup> Carp<sup>2</sup> Carpe<sup>2</sup> Dickens Twp. /Canton de Dickens Nipissing Dist /Dist de Nipissing Sollege Ponds **Aylmer Police** Aylen Lake Lac Aylen

Étang Aylmer Police College

Maiahide Twp /Canton de Malahide Eigin Go /Cté d'Eigin

0000

(N)

4 4

Achigan à grande bouche¹

argemouth Bass

0000

70

Longnose Sucker<sup>2</sup>

White Sucker<sup>2</sup> Meunier noir<sup>2</sup>

Sarpe<sup>2</sup>

Carp<sup>2</sup>

Meunier rouge<sup>2</sup>

(2)

4

4504/7723

1429/8115

		Fish size in centimetres (inches) Longueur du poisson en centimetres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) - (30)
Bass Lake Lac Bass	Smallmouth Bass¹ Achigan à petite bouche¹	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Belmont Lake Lac Belmont	Yellow Perch² Perchaude²	0
4436/7930 Oro & Orillia Twps Cantons d'Oro et d'Orillia	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	4	Continued/Suite	Rock Bass¹ Crapet de roche¹	(A)
SIMCOB CO /CIP de SIMCOB	Rock Bass¹ Crapet de roche¹	7 7		Pumpkinseed¹ Crapet-soleil¹	₹ Ö
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	~	Belwood Lake	Northern Pike <sup>2</sup>	
	Pumpkinseed¹ Crapet-soleil¹	\{\bar{\}}	Lac Delwood 4346/8020 W Garafraxa Twp Canton de Garafraxa-O.	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	
Basshaunt Lake Lac Basshaunt	Smallmouth Bass¹ Achigan à petite bouche¹	(A)	Wellington Co /Cté da Walington	Yellow Perch² Perchaude²	7
45077828 Guilford Twp /Canton de Guilford Hairburton Co /Cté de Hairburton				Rock Bass¹ Crapet de roche¹	(A)
Bay Lake Lac Bay	Walleye <sup>1</sup> Doré <sup>1</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	
4530/7912 Perry Twp /Canton de Perry Parry Sound Dist	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)		Carp <sup>2</sup> Carpe <sup>2</sup>	8 8 8
Dist de Parry Sound	Smallmouth Bases		Bennett Lake	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	8
Rivière Bayfield	Achigan à petite bouche <sup>2</sup> Rock Rass <sup>2</sup>	V .	4455/7628 Bathurst Twp /Canton de Bathurst Lanark Co /Cté de Lanark	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	8
Below County Rd. 31 En aval du chemn de comté 31 Huron Co /Cté de Huron	Crapet de roche <sup>2</sup>	<ul><li>(4)</li><li>(4)</li><li>(5)</li><li>(7)</li><li>(8)</li><li>(9)</li><li>(9)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li></ul>		Waileye <sup>s</sup> Doré <sup>s</sup>	<b>4</b>
Lake of Bays Lac de Bays	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		Northern Pike <sup>5</sup> Brochet <sup>5</sup>	8
4515/7900 Muskoka D M Mun de dist de Muskoka	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>			Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>	7 7
Bear Lake	Smallmouth Bass <sup>5</sup>			Bluegill <sup>5</sup> Crapet arlequin <sup>5</sup>	No.
4520/7842 Lynngstone Twp Canton de I wongstone	Acrilgan a penre boucher Lake Trouts Truite de lacs		Bentshoe Lake Lac Bentshoe	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	
Hairburton Co /Cie de Hairburton			4503/7655 Hindon Twp /Canton de Hindon Haiburton Co /Cté de Haliburton	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	7

Bear Lake	Smallmouth Bass1 Achinan a netite houche1	(2) (4)	Berford Lake	Yellow Perchi	
Santon de Monterth st ound	Northern Pike¹ Brochet¹		Lac Deriold 4448/8111 Albemarie Twp./Canton d'Albemarie Bruce Co./Cte de Bruce	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup> Northern Divel	0.00
Beatty (Wolfe) Lake	Walleye <sup>1</sup>	\(\frac{1}{2}\)		Brochet	8
Lac beatty (Wolfe) 4602/7932 Nipissing Twp./Canton de Nipissing Parry Sound Dist.	Dore.		Lake Bernard Lac Bernard	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	
Beaver Lake	Walleye <sup>2</sup>		Strong Twp./Centon de Strong Parry Sound Dist Dist de Parry Sound	Achigan à petite bouche	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Lac Beaver 4430/7702 Sheffleld Twp /Canton de Sheffleld Lennox & Addington Co.	Dore	<del>D</del>	Big Clear Lake Lac Big Clear	Smallmouth Bass¹ Achigan à petite bouche¹	(D)
ngton	Broum Trout?		4433/1020 Bedford Twp./Canton de Bedford Frontenac Co./Cté de Frontenac	Lake Trout' Truite de lac'	
e Beaver	Truite brune <sup>2</sup> Brook Trout <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Big Clear Lake Lac Big Clear	Walleye¹ Doré¹	(A) (A) (B) (C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A
44 10/00.23 Euphrasia & Artemesia Twps Cantons d'Euphrasia et d'Artemesia Grey Co./Cie de Grey	Omble de fontaine <sup>2</sup>	Ŏ Ŏ	4443/7655 Kennebec Twp /Canton de Kennebec Frontenac Co./Cté de Frontenac	Northern Pike¹ Brochet¹	(4) (4) (4)
Beaver River	Brown Trout?			Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>	(d)
Riviere Beaver 4421/8033 Euphresse Twp /Centon d'Euphresse	Trute brune	} } }		Largemouth Bass¹ Achigan à grande bouche¹	(A)
rey			Big Creek	Carp1	-
Bella Lake Lac Bella	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Ruisseau Big south of Delhi/sud de Delhi	Carpe¹ Brook Trout¹	я я
4526/7902 Sinclair Twp./Canton de Sinciair			4247/8030 Haldmand-Norfolk R M Mun réal de Haldmand-Norfolk	Omble de fontaine	000000000000000000000000000000000000000
Muskoka U M/Mun de dist de muskoka	Mollow?			Barbotte brune	
Ir Lake Imont	walleye- Doré <sup>2</sup>			Rock Bass <sup>4</sup>	4
4431/7749 Belmont Twp /Canton de Belmont Pelerborough Co./Cté de Peterborough	Northern Pikei Brocheti	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Yellow Perch*	
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		White Sucker	
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	<b>*</b> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Medities floir	
Continued top right Suite colonne de droite					
		15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)			15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
					21

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Big Gull Lake Lac Big Gull 4450/F588 Barine Clerendon & Kennebee Twps Gentors de Barine, de Clarendon	Walleye <sup>2</sup> Doré <sup>2</sup>	Ø	Black Lake Lac Black Continued/Sute	Walleye <sup>5</sup> Doré <sup>5</sup> Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Find or substituted from the substitute of the s	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Blue Chalk Lake Lac Blue Chalk 4512/7856 Ridoul Twp Clanton de Ridoul Musicke D M.Mun de dist de Musicke	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	<ul><li>♥</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li>&lt;</ul>
Big Porcupine Lake Lac Big Porcupine As277637 Lawrence Two Carlot de Lawrence Hallourion Co/Cle de Halburton	Lake Trouf <sup>5</sup> Truile de lac <sup>5</sup> Brook Trouf <sup>5</sup> Omble de fontaine <sup>5</sup>	<ul> <li>♥ 0</li> <li>0 0</li></ul>	Blue Hawk Lake Lac Blue Hawk 4500/7827 Dyserf Ywp./Carlon de Dyserf Hailburton Col/Cle de Hailburton	Walleye' Doré' Smallmouth Bass² Achigan à petite bouche² Largemouth Bass² Achigan à grande bouche²	
Big Rideau Lake Lace Big Rideau 446/7613 S Burgess Yup Canton de Burgess-S Leeds Co./Cie de Leeds	Lake Trout?  Truite de lac?  Largemouth Bass³³  Brown Bullitead²³  Brown Bullitead²³  Banotie brune³	\( \frac{1}{2} \)	Blue Rock (Lowry) Lake Lac Blue Rock (Lowry) 445/778 Momenth Two, Canton de Momenth Hallburton Co /Clé de Hallburton	Brook Trout <sup>s</sup> Omble de fontaine <sup>s</sup>	0 0 0
	Pumpkinseed <sup>28</sup> Crapel-soleil <sup>26</sup> Smallmouth Bass <sup>28</sup> Achigan à petite bouche <sup>28</sup>		Bob Lake Lac Bob 4455/7847 Anson Twp./Canton d'Anson Haltourton Co./Cite de Haitourton	White Sucker' Meunier noir'	<b>⊕</b>
	Perchaude <sup>2,8</sup> Northern Pike <sup>2,8</sup> Brochet <sup>2,8</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Bobs Lake Lac Bobs 441/7636 Bedood Twp./Canton de Bedord Frontenac Co./Cté de Frontenac	Walleye' Doré' Smallmouth Bass' Achigan à petite bouche'	
Big Salmon Lake Lace Big Salmon 432/Fc30 Bedford Iwp/Canton de Bedford Frontenec Co./Cle de Frontenac	Largemouth Bass' Achigan à grande bouche' Lake Trout' Truite de lac'	<ul><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li>&lt;</ul>	Boleau Lake Lac Boleau 4854/934 Wood Twp Canton de Wood Musicka D M.Mun de dist, de Musicka	Largemouth Bass' Achigan à grande bouche'	(a)

	-6								H	<b>8</b> 8 8
	4					0		0	¥ 3	20.25 25-30 30-38 35-45 45-55 55-65 65-75 (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30)
	4			-		•		0	0	2) (2-26
# # # # # # # # # # # # # # # # # # #	<ul><li>∅</li><li>∅</li></ul>				д	(G) (A) (A)		4	0	15 45-5 18) (18-2
N N	$\begin{array}{c c} & \bigoplus \\ \hline \begin{pmatrix} 1 \\ 1 \end{pmatrix} & \bigoplus$		<u>©</u>	4	<ul> <li>◆</li> <li>♠</li> <li>♠</li> <li>♠</li> </ul>	(O) (D)	40       60	(A)	4	35 35- 14) (74-
7	7 7	7	7	4	<b>⊕ ⊕</b> ∅	4	<ul><li>⊕ </li><li>∅</li></ul>		() s	.30 30 -12) (12-
- <del>Š</del>	0 0	Ä	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		<ul><li>∅</li><li>∅</li><li>∅</li><li>∅</li></ul>	<b>(4)</b>			8	85 85 85
V	\frac{\alpha}{\alpha}   \frac{\alpha}{\alpha}  \frac{\alpha}{\alpha}   \	<u>0</u>	Š	0	◆		7		8	15-20 20 (6-8) (8
Lake Trout <sup>s</sup> Truite de lac <sup>s</sup>	Lake Trout? Truite de lac? Smallmouth Bass¹ Achigan à petite bouche¹	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Largemouth Bass? Achigan a grande bouche? Yellow Perch? White Sucker! Meunier noir!	Smallmouth Bass¹ Achigan à petite bouche¹ Northern Pike¹ Brochet³	uth Bass¹ à grande bouche¹	Rainbow Trout <sup>2</sup> Truite arc-en-ciel <sup>2</sup>	Brown Trout <sup>27</sup> Truite brune <sup>2,7</sup>	
Bonnechere Lake Lac Bonnechere 428/7835 Lawrence Twp./Canton de Lawrence Halburton Co./Cite de Halburton	Boshkung Lake Lac Boshkung 4504/7844 Stambop Twp, (Canton de Stambope Haitburton Co, Cite de Haitburton	Boston Creek Ruisseau Boston 430/8001 Oneda Wp./Canhon d'Oneda Haldmand-Natoliek R.M. Mun rég. de Haldmand-Nortok	Bow Lake Lac Bow 4501/7756 Faraday Twp/Canton de Faraday Hastings Co/Cle de Hastings	Brady Lake Lac Brady	Hudon Two /Carton de Hndon Haitourton Co./Cte de Haitourton	Brandy Lake Lac Brandy 4508/7931 Monck Twp/Canton de Monck Mussowa D. M.	Mun de dist de Muskoka	Bronte Creek Ruisseau Bronte	downstream of Lowville(an aval de Lowville (spawning run/tayeres) 4324/7953 Halton R M/Mun, règ de Halton	
	1 1									
				•					(S)	^ (30)
	д			•					(S)	5 65-75 > 75 (5 (26-30) > (30)
	T A A			•		<b>1</b> 5			(4) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	22) (22-26) (26-30) > (30)
В	0 0	(4) (4)				7 1	(4) (4)	4	4 4 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	-45 45-55 55-55 65-75 > 75
7	0 0 0 0	4	<b>8</b>			<ul> <li>∅</li> <li>∅</li> <li>∅</li> <li>∅</li> </ul>	() (d) (d) (d) (d) (d) (d) (d) (d) (d) (	(A)	(4) (4) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	(12-14) (14-18) (16-22) (22-26) (26-30) > (30)
0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4		}			\( \frac{1}{1} \) \( \theta \)	(4) (4)	C (	25-30 31-35 35-45 45-55 55-45 65-75 > /5 10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
0 0 0 0	0 0	4		}	7	∅ ⊕		4	(A)	20-22 25-30 30-35 35-45 45-55 55-65 55-75 > /5 (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		}	T T		<ul><li></li></ul>	4	(A)	15-20 72-25 72-30 30-35 35-45 45-55 55-55 65-75 > /5 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
Brown Trout*  Truite brune*  Brook Trout*  Ombie de Lontaine*	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup> Rainbow Trout <sup>2</sup> Truite arcen-cie <sup>2</sup>	(A)	4         6           4         6	nuple de toname.	Brook Trout? Omble de tontaine?	ouche!	<ul><li></li></ul>	SS <sup>5</sup> de bouche <sup>5</sup> (4) (4)	(A)	15-20, 20-55, 25-33, 30-54, 14-48 (16-22) (25-38 (25-39 (25-34) (14-48) (16-23) (25-38) (25-3

0
ıtar
ŏ
Ē
p
S
0
Jtai
Õ
ern
ŧ
Sol
6

Location/	Species/	Longueur du pois 15-20 20-25 25-30	Longueur du poisson en centimètres (pouces) 15-20 20-25 25-30 30-35 35-45 45-55 55-65 68	20-25 - 25-30 30-35 35-45 45-55 55-65 65-75 > 75	Location/	/species/	Longueur du poisson en centimètres (pouces) 15-20 20-25 25-30 30-35 35-45 45-55 55-65 68	(pouces) 55-65 65-75 > 75
	Especes Smallmouth Bass <sup>2</sup> Achinan à netite houche <sup>2</sup>	(6-8) (8-10) (10-12)	(12-14) (14-18) (18-22)	8-22) (22-26) (26-30) - (30)	Cameron Lake	Especes Pumpkinseed¹	(6-8) (8-10) (10-12) (12-14) (14-18) (18-22)	) (22-26) (26-30) > (30)
4503/7703 Miller Twp /Canton de Miller Frontenac Co /Cite de Frontenac	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	Ö	8	0 0	Continued/Suite	Bluegilli Crapet arlequini	0 0	
Buchanan Lake Lac Buchanan	Brook Trout <sup>2</sup> Omble de fontaine <sup>2</sup>	Ö	- W		Cameron Lake Lac Cameron	Walleye¹ Doré¹	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	4
4519/7908 Brunel Twp /Canton de Brunel Muskoka D. M./Mun, de dist de Muskoka					4513/8134 St Edmunds Twp Canton de St Edmunds Bruce Co /Clé de Bruce	Smallmouth Bass¹ Achigan à petite bouche¹	9	
	Lake Trout¹ Truite de lac¹	8	Ö	0 0	Camp Lake	Lake Trout <sup>2</sup>		{
4432/7626 Bediord Twp /Canton de Bediord Frontenac Co /Ctê de Frontenac	Largemouth Bass¹ Achigan à grande bouche¹	0 0	\{\bar{\bar{\bar{\bar{\bar{\bar{\ba		Lac Camp 4526/7855 Fridayson Two /Canton de Finlayson Minskoka D M Min de diet de Missona	Truite de lac <sup>2</sup>	) } } }	}
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	4	4		Canagagigue Creek	Rock Bass <sup>27</sup>		
4523/7900 Sinclair Twp /Canton de Sinclair Mwis-ivez D. M. Mun de dist. de Muskoka	Lake Trout' Truite de lac'		Š Š	0 0	Ruisseau Canagagigue upstream of Einnralen amont delmira 43378035 Windigent Tan Pranch de Woolwech	Crapet de roche? White Sucker? Meinnier noir??	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	
	Smallmouth Bass <sup>†</sup> Achigan à petite bouche <sup>†</sup>	©	İ		Waterloo R M./Mun rég de Waterloo	Carp <sup>27</sup> Carpe <sup>27</sup>	0 0 0	Ö
4525/7923 McMurnch Twp /Canton de McMurnch Parry Sound Dist	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>	(4) (4) (4)	(a)			Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup>	4	4
	Northern Pike¹ Brochet¹		4	(S) (S)	Canagagigue Creek White Sucker?7 Ruisseau Canagagigue Meunier noir?7	White Sucker?7 Meunier noir?7	0 0	
Buck (McCann) Lake	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	()	5 5 5	4	downstream of Elmira/en aval d'Elmira 4336/8033 Woolwich Twp / Canton de Woolwich	Rock Bass <sup>27</sup> Crapet de roche <sup>27</sup>	(A)	
4541/7910 Proudfoot Twp./Canton de Proudtoot Paro, Sound Diet				)	Waterloo R M /Mun reg de Waterloo	Brown Bullhead <sup>17</sup> Barbotte brune <sup>1,7</sup>	₹ 	
						Carp <sup>27</sup>	(A)	4
Buckhorn Lake Lac Buckhorn 44297823 Pelerborough Co./Cle de Pelerborough	Walleyes  Dorés  Smallmouth Bass  Achigan à petite bouches	0 0 0 0 0 0	0 0	(A) (A)		Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup>	4	9
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>	Ö Ö						

	Carp² Carpe²		\frac{7}{5}	<u>8</u>	Canal Lake Lac Canal	Walieye¹ Doré¹	\frac{\dagger}{\dagger} \frac\	4 4	1
Buckshot Lake Lac Buckshot	Walleye⁴ Doré⁴		(4) (4) (4)	•	4434/7903 Carden & Eldon Twps. Carlons de Carden et d'Eldon	Northern Pike <sup>1</sup> Brochet <sup>1</sup>		0 0	
4500/7704 Miller Twp./Canton de Miller Frontenac Co./Cté de Frontenac	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>	Ö	4		VICTORIA COJUTE DE VICTORIA	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	0	- A	
Buller Lake	Ciscal		Ö			Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	0	7	
4448/7846 Lutterworth Twp./Canton de Lutterworth	Cisco					Yellow Perch¹ Perchaude¹	0 0		
Burns Lake	lake Trout¹					Black Crappie <sup>1</sup> Marigane noire <sup>1</sup>	7 7		
Lac Burns 4519/705 Griffith Turn (Canton de Griffith	Truite de lac'	7	8			Rock Bass¹ Crapet de roche¹	7 7		
Rentrew Co./Cté de Rentrew						Pumpkinseed¹ Crapet-soleil¹	()		
Cache Lake Lac Cache	Smallmouth Bass¹ Achigan à petite bouche¹	⟨}	4			Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	7 7 7		
4532/7835 Camsbay Twp /Canton de Canisbay Nipissing Dist Dist de Nipissing	Lake Trout* Truite de lac*		S S	м Ф Ф		Carp <sup>2</sup> Carpe <sup>2</sup>		Ş	
Calabogie Lake Lac Calabogie	Walfeye <sup>2</sup> Doré <sup>2</sup>	0 0	(A)	•	Canisbay Lake Lac Canisbay	Lake Trout⁴ Truite de łac⁴	V	(4) (2) (4) (4) (5) (4) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	
4516/7645 Blithfield & Bagot Twps Cantons de Blithfield et de Bagot	Northern Pike¹ Brochet¹		0	4	Canisbay Twp./Canton de Canisbay Nipissing Dist./Dist. de Nipissing				
Henirew Co./Cle de Henirew	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	4	(4) (4) (4)		Canonto Lake Lac Canonto	Smallmouth Bass¹ Achigan à petite bouche¹	Š	7	1
on Lake Imeron	Walleye¹ Doré¹	\( \frac{5}{5} \)	4	<b>\$</b>	South Canonto Twp /Canton de S. Canonto Frontenac Co./Cté de Frontenac	nto			
4433/7846 Fenelon Twp./Canton de Fenelon Victoria Co./Cte de Victoria	1che <sup>2</sup>	\frac{1}{2}	4		Cardwell Lake Lac Cardwell	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(A)	<b>♦</b>	1
	Largemouth Bass¹ Achigan à grande bouche¹	7	(4) (2) (2) (3) (4) (5) (5) (4) (5) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6		4516/7755 Wicklow Twp./Canton de Wicklow Hastings Co./Clé de Hastings	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	(4) (4) (4)		1
	Yellow Perch¹ Perchaude¹	7			Caribou Lake	Lake Trout <sup>2</sup>		(e) (e)	ı
	Rock Bass¹ Crapet de roche¹	4			Lac Caribou 4556/8004 McConkey Twp /Canton de McConkey Parry Sound Dist, Dist de Parry Sound	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	4	Ð	1
Continued top right Suite colonne de droite						Walleye <sup>2</sup> Doré <sup>2</sup>		•	İ
		15-20 20-25 25-30 (6-8) (8-10) (10-12)	30-35 35-45 45-5 (12-14) (14-18) (18-2	20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)			15-20 20-25 25-30 30-35 3 (6-8) (8-10) (10-12) (12-14) (1	20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-16) (16-22) (22-26) (25-30) > (30)	×, (30) (30) 25

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	s) mètres (pou	ces) *
Location/ Emplacement	Species/ Espéces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22)	5 45-55 55-6 8) (18-22) (22-2	55-65 65-75 > 75 (22-26) (26-30) > (30)
Cashel Lake Lac Cashel	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	7	Charleston Lake Lac Charleston	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	.0	7	
4455/7733 Casher Twp /Canton de Cashel Hastings Co /Cté de Hastings			Continued/Suite	Northern Pike <sup>2</sup> Brochet <sup>2</sup>		Д Ф	(9)
Cataraqui River Rivière Cataraqui	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	7	Cheddar Lake Lac Cheddar	Brook Trout <sup>2</sup> Omble de fontaine <sup>2</sup>	0 0 0 0 0	Д Ф	
Bella Island area Environs de 171a Balla 4416/7628	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>		4458/7808 Cardiff Twp /Canton de Cardiff Haliburton Co./Clè de Haliburton			)	
Leeds Co /Cie de Leeds	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	\{\}	Chemung Lake	Walleyes	{		
	Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Lac Chemung 4424/7824 Ennismore & Smith Twps	Dorés Smallmouth Bass <sup>5</sup>	3 8	<del>1</del>	
	Bluegill <sup>2</sup> Crapet arlequin <sup>2</sup>		Cantons d'Ennismore et de Smith Peterborough Co./Cté de Peterborough	Achigan à petite bouches Yellow Perchê	3	4)	
	Brown Builhead <sup>2</sup>			Perchaude <sup>6</sup>			
	Carpe <sup>27</sup>	0 0	Chesley Lake Lac Chesley	Smallmouth Bass¹ Achigan à petite bouche¹		4	
Cataraqui River	Largemouth Bass <sup>2</sup>	V V	44.35/6114 Amabel Twp /Canton d'Amabel Bruce Co /Cté de Bruce	Walleye¹ Doré¹	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	4	8
Colonel By Lake/Lac Colonel By 44 19/7627 Leeds Co /Clé de Leeds	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>		Christie Lake Lac Christie	Walleye¹ Doré¹	<b>(4)</b>	(A) (A)	4
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>		4448/7626 Bahurst Twp /Canton de Bathurst Lanark Co./Cte de Lanark	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	,	4	4
	Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	-		Smallmouth Bass¹ Achigan à petite bouche¹	( <del>1</del> )		
	Bluegill <sup>2</sup> Crapet arlequin <sup>2</sup>	Ü	Claireville Reservoir Réservoir Claireville	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4	
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>		Wast Humber Rivar Rivière West Humber 4345/7940	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
	Carp <sup>2</sup> Carpe <sup>2</sup>	7	Toronto Twp /Canton de Toronto Peel R M /Mun reg de Peel ~	Carp² Carpe²	()	J.	
Cecebe Lake Lac Cecebe	Walleye¹ Doré¹	(d) (d) (d) (2) (e) (e) (d) (d) (d) (d) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e		White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	0	7	
4538/7933 Chapman Twp (Canton de Chapman Parry Sound Dist /Dist de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)					

Perchaude Crapet de roche Crapet de roche	Walleye' Doré'	Largemouth Bass² Achigan à grande bouche² Smallmouth Bass² Achigan à petite bouche²	Lake Trout? Truite de lac² E Musicorea	Lake Troute de lac <sup>6</sup> Truite de lac <sup>6</sup>	orn Smallmouth Bass? Calcolled Achigan à petite bouche?	orn) y Sound	Smallmouth Basss Achigan a petite bouche' Calcal Calcal (4)	- 1	Walleyer Doore		Achigan à petite bouche <sup>2</sup>	Lake Iroult Truite de lac <sup>2</sup>	Whitelish? Grand coregone?	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-3) (6-10) (10-12) (12-14) (14-16) (18-27) (22-26) (26-30) > (30)
(d) (2) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	7	A 20 United & Barnisay Twips. Landark & Barnisay Twips. Cantons de Landark et de Barnisay Landark Co./Cle de Lendark	(d) Clear Lake Lac Clear 450277951 450277951 Oskley Ywo,Canton d Oskley Muskoke D M.Nun de dst. de Muskoke	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	4       4       4       6	3	(2) (2)	)	Sebastopol Two,/Canton de Sebastopol Two,/Canton de Sebastopol Two,/Canton de Sebastopol Two, Canton de Sepastopol Two, Ca			Continued next page Surle page survarile	20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-18) (18-22) (122-26) (126-30) > (30)
Truite de lac' Walleye'	Whitelish ' Grand corégone'	Smallmouth Bass <sup>2</sup> Achigan à pellie bouche <sup>2</sup> (4)	Largemouth Bass* Achigan à grande bouches*  (A) (A) (A) (A) (A)		Large Houut Truite de lac' Achigan à grande bouche!	Smailmouth Bass¹ Achigan à petite bouche¹ Walleye¹	\frac{1}{2}	Largemouth Bass <sup>2</sup> Achinan à grande houche <sup>2</sup> (4) (4)	0 0	0	Yellow Perch²	Bluegill?		15-20 20-25 25-30 30-35 (6-8) (8-10) (10-12) (12-14
Cedar Lake Lac Cedar 4601/7828 Walle Bescon Wac/Centon de Descon Nipssing Dist/Dist de Nipossing	Whii			portion	Lac Chandos Truit 44897803 Chandos Twp,/Centon de Chandos Peterborough Co,/Cile de Peterborough Achti	Sma Achi Wall	Doréi Cisco <sup>2</sup> Cisco <sup>2</sup>	Charleston Lake Larg	nsdowne		Yelle	Blue	Continued top right Suite colonne de droite	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pauces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-28) (26-30) - (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 -75 (6-8) (9-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Lake Clear Lac Clear Continued/Suite	Yellow Perch² Perchaude² Rock Bass² Crapet de roche²	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Cranberry Lake Lac Cranberry 450/1787 Guillord Twp / Ganton de Guillord Histiburton Co /Cité de Haliburton	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	<u>V</u> V
	Brown Bullhead? Barbotte brune? Ling? Lotte? White Sucker? Meunier noir?		Crane Lake Lac Crane 4513/7957 conger twp/Canton de Conger Parry Sound Dist. Det de Perry Sound	Largemouth Bass¹ Achigan à grande bouche¹ Smallmouth Bass¹ Achigan à petite bouche¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Clearwater Lake Lac Clearwater A448191 War Do Dealou de Morrson Muskoke D. M. Mun de dist de Muskoke			Fivier Credit Red Dam at Stretsville Bargapa Red a Stretsville 4335/943 Toronto Two /Canton de Toronto	Controper's Saumon quinnaf5789 Saumon quinnaf5789 Coho5789 Saumon coho5789 Rainbow Trout5789 Truite arc-en-cite[5789	
Clinto Lake Lac Clinto AS19/782 McClintook McClintook Two /Canton de McClintook Heliburton Co./Cile de Heliburton	Lake Trout² Truite de lac²	<b>♥</b>	Crosby Lake	Brown Trouts789 Truite brune5789 Walleye	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Commanda Lake Lac Commanda 460/7024 Penterson Tup /Canton de Patterson Penty Sound Dist (Dist de Peny Sound	Walleye¹ Doré¹	<b>→</b> • • • • • • • • • • • • • • • • • • •	4445/766 N Crospy Twy Canton de Crosby.N Leeds Co /Cife de Leeds Cross (Lyell) Lake	Smallmouth Bass* Achigan a petite bouche* Smallmouth Bass*	
Conestogo River Arivier Conestogo Owenstean of Conestogo Dem era quel da usuage Conestogo Dem era quel da usuage Conestogo Peal Two Conton de Peal Wellington Co (Ze de Wellington	Northern Pike <sup>2</sup> Brochet <sup>2</sup> Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup> Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>		Lac Cross (Lyell) 45947757 Lyell Two Centon de Lyelt Npssnag Des/Das de Norssnag Crotch Lake Lac Crotch 445776848 Permeston Two Zenton de Parmerston		
Consecon Lake Lac Consecon Adolfrica Ameliasburgh & Hiller Twps Cantons of Ameliasburgh et de Hiller Phince Edward Co/Clé de Prince Edward	Walleye¹ Dore¹ Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Frontieras Co./Die de Hondenac Crowe Lake Lac Growe Lac Growe Belmont Two Canton de Belmont Peterborough Co./Cie de Peterborough	Achigan a penie boucher Waleye? Done? Northern Pike' Broche! Smallmouth Bass' Achigan à petite bouche?	9 9 9

0 0 0 0 0 0 0 0 0	<b>⊕</b>	0 0 0 0 0 0 0		7			0	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	8	0 0	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-2) (22-26) (26-30) > (30)
Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup> Rock Bass <sup>1</sup> Crapet de roche <sup>1</sup> Vellow Perch <sup>3</sup> Perchande	Black Crapbie <sup>2</sup> Marigane noire <sup>2</sup> Pumpkinseed <sup>1</sup> Crape-soleil <sup>1</sup> Brown Bullhead <sup>2</sup>			Truite de lac <sup>2</sup>	Walleye¹ Doré¹ White Sucker² Meunier noir²	Walleye¹ Doré¹	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	Rock Bass¹ Crapet de roche¹	
		Grown Lake Lac Grown Last Saffrado Livrogstone Two Canton de Livrogstone Haliburton Co, ICte de Haliburton	Crystal Lake Lac Crystal 4485/7829 Galway Twp ICamon oe Galway Peterborough Co /Clé de Peterborough		Dalhousie Lake Lac Dalhousie A488/789 Jahousie Two /Canton de Daihousie Lanark Co /Cite de Lanark	Dalrymple Lake Lac Dalrymple	4439/7907 Carden Twp /Canton de Carden Victoria Co /Cté de Victoria				Continued next page Suite page suivante	The state of the s
				_			_					
<ul><li>●</li><li>∴</li></ul>	8 8		<ul><li>∅</li><li>∅</li></ul>	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)	(a)     (b)       (c)     (c)       (c)     (c)	(4)		\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	(4 4 2 2		<ul><li>∅</li></ul>	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-16) (16-22) (22-26) (26-30) > (30)
	7 6		Smallmouth Bass? Achigan a petite bouche?	4 4 2	Che <sup>2</sup> (A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	oche¹	7	\$\frac{1}{2}\$	(A) (A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B		0	15.20 20.25 25.30 30.35 35.45 45.55 55.65 65.75 > 75 (6.4) (10.12) (12.14) (10.12) (12.26) (25.30) > (30)

0	
. 2	
(1)	
0	
0	
m	
Ε	
9	
모	
=	
m	
$O_{J}$	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pauces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) < (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 46-55 55-65 65-75 >75 (5-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (30)
Dalrymple Lake Lac Dalrymple	Pumpkinseed¹ Crapet-solei¹¹ Brown Bullhead² Barbute hrune²		Dog Lake Lac Dog 4425/7621 Two Canton de Stormgton Frontanger Co. (774 de Frontange)	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Deer Creek Reservoir Réservior Deer Creek	Rock Bass <sup>1</sup>			Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	
4245/8035 Haidimand-Nortoik R M Mun rég de Haidimand-Nortoik	Bluegill' Crapet arlequin'	(A)	Dog Lake Lac Dog	Brook Trout <sup>2</sup> Omble de fontaine <sup>2</sup>	† † †
	Black Crappie® Marigane noire®	Ü	4513/7830 Eyre Twp /Canton d'Eyre Hairburton Co./Cté de Hailburton		
	Pumpkinseed <sup>6</sup> Crapet-soleil <sup>6</sup>	(A)	Dollars Lake	Walleye <sup>5</sup> Dords	(4) (5) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>	(A)	4556/8013 Blarr Twp /Canton de Blarr Borre, Second Brit And Borre, Second	200	
	Brown Trout <sup>2</sup> Truite brune <sup>2</sup>	7	Don River	White Sucker78	
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>		Rivière Don Pottery Road area	Meunier noir <sup>78</sup>	→
	Yellow Perch¹ Perchaude¹	(b)	4341/7921 Toronto		
	Carp² Carpe²	<ul><li>∅</li></ul>	Lake Doré	Smallmouth Bass <sup>2</sup>	
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	( <del>+</del> )	Lac Dore 4537/7707 Wilberforce Twp /Canton de Wilberforce	Achigan a petite bouche Northern Pike <sup>1</sup> Rrochet <sup>1</sup>	() (E
Deerock Lake Lac Deerock	Northern Pike <sup>1</sup> Brochet <sup>1</sup>		HBITTEN COJCIG OF HBITTEN		
444// Tb Anglesea & Kaladar Twps Canlons d'Anglesea et de Kaladar Lennox & Addington Co Cte de Lennox et d'Addington	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Drag Lake Lac Drag	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Delano Lake Lac Delano	Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>	(d)	Dudiey & Dysart Twps Cantons de Dudiey et de Dysart Haliburton Co /Cté de Haliburton	Truite de lac <sup>2</sup> Cisco <sup>1</sup> Cisco <sup>1</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Canadosy Mp. Canadosy Np. Canad	,			Rock Bass¹ Crapet de roche¹	₩ ₩

8	8			0		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	0 0 0 0	35 20 20 25 25 20 20 25 35 45 45 55 55 55 55 55
Brook Trout? - Omble de tontaine?	Brook Trout? Omble de fontaine?	Smallmouth Bass¹ - Achigan à petite bouche¹ White Sucker¹ Meunier noir¹	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup> Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup> Carp <sup>2</sup>	Carpe <sup>2</sup> Brook Trout <sup>2</sup> Omble de (ontaine <sup>2</sup>	Brook Trout <sup>2</sup> <b>St)</b> Omble de fontaine <sup>2</sup>	Black Crappie <sup>1</sup> Marigane noire <sup>1</sup> Yeilow Perch <sup>1</sup> Perchaude <sup>1</sup>	B Walleye¹ Dore¹ Yellow Perch¹ gn Perchaude¹	
Dropledge Lake Lac Dropledge 4516/1731 Regian Twp. Camon de Regian Rentrew Co./Cité de Rentrew	Duck Lake Lac Duck 4513/7831 Guillord Twp /Centon de Guillord	Duck Lake Lac Duck 4500/7839 Minden Twp /Canton de Minden Haliburton Co /Cile de Haliburton	Duffin Creek Marsh Marais Duffin Creek Apx (1943) Aps (1943) Durham R. M Mun rég de Durham	Duffin Creek (east) 48uisseau Duffin (est) Proteing (ww.)Canton de Proteing Duniam R. M.Mun reg de Duniam	Duffin Creek (west) Brook Trout? Ruisseau Duffin (ouest) Omble de fontaine? 4361911 Troperng Tvo Centon de Pokemg Dumam H. M. Mun reg de Dumam	Dumbell Lake Lac Dumbell 449/7934 Matchedssh Two Canlon de Matchedash Simose Co, ICté de Simose	Dummer (White) Lake Lac Dummer (White) 443/78/66 Perebrorugh Co./Cle de Pelerborugh Perebrorugh Co./Cle de Pelerborugh	
	- O		<ul><li>(4)</li><li>(5)</li><li>(7)</li><li>(8)</li><li>(9)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(1</li></ul>		•	(A)		25 35 25 25 35 36 36 36 36 36 36 36 36 36 36 36 36 36
0 0		0 0 0 0 0 0		\( \begin{array}{c cccc} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(A)	0	4 4 4 4 5 4 4	15 20 20 26 20
Bluegill¹ Crapet arlequin¹ Pumpkinseed¹ Crapet-soleil¹	White Sucker <sup>1</sup> Meunier notr <sup>1</sup>	Lake Trout¹ Truite de lac¹ Smallmouth Bass¹ Achigan à petite bouche¹	Lake Trout¹ Truite de lac¹	Lake Trout? Truite de lac? Smallmouth Bass? Achigan a petite bouche? Rock Bass? Crapet de roche!	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Brook Trout? Omble de fontaine?	Northern Pike <sup>2</sup> Brochel <sup>2</sup> Walleye <sup>2</sup> Dore <sup>3</sup> Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>	
Delhi Reservoir Réservoir Delhi 42516030 Middeton Twp /Canton de Middeton Haldmand-Norther R Middeton Myn rec de Haldmard-Northik	Depot Lake Lac Depot 4515/1832 4515/1832 Eyre 'Iray, Canlon of Eyre Heirburton Co./Cle de Haliburton	Devil Lake Lac Devil , 4435/7627 Bedrof Ywp,Canton de Bedford Frontense Co./Cite de Frontense	Diamond Lake Lac Diamond 4504/7802 Harschel Wo./Canton de Harschel Hastings Co./Cie de Hastings	Dickey Lake Lac Dickey Lata/77744 Lata/77744 Lasings Oc/Oe de Hasings	Dickie Lake Lac Dickie 4599/305 Meteora Din Minn do det de Meteor	Dickson Lake Lac Dickson  Section 1997  Control of the control of	Doe Lake Lac Doe Note 1	e l'0

**∮** 

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (30)	Location/ Emplacement	Species/ Espèces	15-20 20:25 25:30 30:35 35-45 45:55 55-65 65- (6-8) (8-10) (10:12) (12:14) (14:18) (18:22) (22:26) (26:
Dutton Lake Lac Dutton	White Sucker¹ Meunier noir¹	- 0 - 0 - 0 - 0 - 0	Fanshawe Reservoir Réservoir Fanshawe	Walleye <sup>2</sup> Doré <sup>2</sup>	7
4516/7831 Eyre Twp /Canton d'Eyre Hairburton Co /Cté de Hairburton			4304/8111 London Twp./Canton de London Middiesex Co /Cte de Middiesex	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\frac{1}{2}
Eagle Lake Lac Eagle	Lake Trout¹ Truite de lac¹			Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	#\ #\ #\
4441/7642 Olden Twp /Canton d'Olden Frontenac Co /Cité de Frontenac	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>	0 0 0		Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	0
	Smallmouth Bass¹	(4)		Carp² Carpe²	7 7
Eagle Lake	Smallmouth Bass <sup>1</sup>	()		White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	0 0
Lac Eagle 4550/7930 Machar Twp /Canton de Machar	-	(S)		Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup>	Ö Ö
Fast lake	Smallmouth Bass4		Faraday Lake	Smallmouth Bass <sup>2</sup> Achigan 3 posite pouche <sup>2</sup>	\frac{\beta}{\beta} \fract
Lac East 4355/7712 Alhof Twp /Canton d'Athol	Achigan à petite bouche	4) (4) (4) (4) (4) (4) (4) (4) (4) (4) (	4504/7755 Faraday Twp /Canton de Faraday Hastings Co /Cté de Hastings		
Prince Edward Co Cté de Prince Edward	Dore		Farlain Lake	Smallmouth Bass <sup>2</sup>	
Eastern Lake	Largemouth Bass <sup>2</sup>		Lac Fariain	Achigan a petite boucher	)
Lac Eastern	Achigan à grande bouche <sup>2</sup>	( <del>4</del> )	Tiny Twp./Canton de Tiny Simcoe Co /Cte de Simcoe	Achigan à grande bouche <sup>2</sup>	(4)
Matchedash Twp Canton de Matchedash SImcoe Co /Cté de Simcoe			Farrel Lake Lac Farrel	White Sucker* Meunier noir*	0
Echo Lake Lac Echo	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(4) (4) (2) (3) (4) (5) (4) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	4457/7806 Cardit Twp /Canton de Carditt Haliburton Co /Cte de Haliburton		
45 11/904 McLean Twp /Canton de McLean Muskoka D. M //Mun. du dist de Muskoka	oka		Farrell (Farren) Lake Lac Farrell (Farren)	Smallmouth Bass¹ Achigan à petite bouche¹	\$\frac{1}{2}\$
Eels Lake Lac Eels	Lake Trout? Truite de lac <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	4446/7630 S Sherbrooke Twp Canton de Sherbrooke-S	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	0 0
4454/7808 Anstruher Twp /Canton d'Anstruther Peterborough Co./Cté de Peterborough		)	Lanark Co /Cte de Lanark	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	0 0 0
				Cisco¹ Cisco¹	3

		Southern Ontario	Southern Ontario/Sud de l'Ontario		34
		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Fortune Lake Lac Fortune 4566/1770 Miller Two Canton de Miller Frontenac Co JCte de Frontenac	Largemouth Bass' Achigan à grande bouche'	<b>9</b>	George Lake Lac George 45 1281818 Si Edmunds Twp Canton de St Edmunds Pure Co Clot de Brune	Smallmouth Bass* Achigan à petite bouche* Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Four Mile Lake Lac Four Mile 444/7845 Somervile Twp Canton de Somerville Victoria Co /Cle de Victoria	Walleye* Doré* Smallmouth Bass* Achigan à petite bouche*		Gibson Lake Lac Gibson 445/7345 Gibson Twp Canton de Gibson Maskoka D M Mun de dist de Muskoka	Walleye¹ Doré¹ <sup>ka</sup>	<b>→ → → → → → → → → →</b>
Fox Lake Lac Fox 45277921 Sisted "My Carton de Sisted Missoka D W Mon. de dist de Musicoka D	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup> Largemouth Bass <sup>3</sup> Achigan à grande bouche <sup>3</sup> Northern Pike <sup>3</sup> Brochet <sup>3</sup>		Lake Gibson Lac Gibson 4366/74 Trorold Two Canton de Trorold Magara R. M. Mun. reg de Nagara	Northern Pike <sup>1</sup> Snothet <sup>1</sup> Smallmouth Bass <sup>1</sup> Achgan à petite bouche <sup>1</sup> Yellow Perch <sup>1</sup>	
Fraser Lake Lac Fraser Gartiffya Gartow Iwo Canton de Carlow Hasings Co /Cie de Hasings	Smallmouth Bass* Achigan à petite bouche* Walleye! Dord! Northern Pike!			Perchadude Brown Bullhead? Barbotte brune? Carp? Carpe? Freshwaler Drum? Malachigan?	0 0
Fraser Lake Lac Fraser 4603/8005 I R 9/Res md 9 Parry Sound Dist/Dist de Parry Sound	Largemouth Bass¹ Achigan à grande bouche¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	. 1	Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup> White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	0 0
French River Rivière des Français Lae Nissang to compan Bay ente Lac'Aprasarg at Bae Georgeme Googloof Parry Sound Dist. Dist de Parry Sound	Walleye' Doré' Northern Pike' Brochet' Smallmouth Bass' Achtigan a petite bouche? Yellow Perchaude' Perchaude' Rock Bass' Crapet de roche'		Caillies Lake Lac Gillies Ast Gillies Ast 28120 Fundsy Two Carton de Indeay Gloucester Pool Bassin Gloucester Ast 1724-8 Massicka D M Mann de dast de Massicka	Cisco* Cisco* Cisco* Lake Trout* Truite de lac* Smallmouth Bass* Achgan à peilte bouche* Brochei* Walleye* Doré*	0.0     0.0       0.0     0.
					Annual Commence of the Commenc

Black Cappie!  Marigane notice!  Largemouth Bass!  Achigan à grande bouche!  Call (A) (A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	The Bass 1	Achigan à grande bouche¹ Achigan à grande bouche¹ Achigan à petite bouche² Minte Sucker¹ Meunier noir¹  Malleye²  Cal (A) (A) (B)	0 0 0	Smallmouth Bass* Achigan à petite bouche²  —	Achigan a grande bouche*	Northern Pike <sup>1</sup> Brochel <sup>1</sup>	Northern Pike <sup>2</sup> Brootlet Andiga a petite bouche <sup>2</sup>	Yellow Perch?	15-20 70-25 25-30 25-35 25-45-
M M La Co Home Lake M Co Home Lake M M	Gibson dist de Muskoka	S: onfrew		ake am de Glamorgan	Graham Lake La Lac Graham Ac 4434/7553 Fortical Yonge Twp Sin Control Yonge Twp		Grand River No Rivière Grand Bur above Belwood Dam en armont du barrage Belwood Ac 4346/8020	,, =,=0	Continued next page Suile page survante
<u>A</u> A A A		(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)				© 6 © ©	9 4		55-65 65-75 > 75 ) (22-26) (26-30) > (30)
	7		0 0			⊚ ∈	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	<b>⊕</b>	(52) 202 25.00 30.25 35.46 45.55 56.65.75 575 (66) (60) (10.12) (12.16) (14.16) (18.22) (22.26) (23.30 5.30)
<b>∅</b>	Galeairy Lake Smallmouth Bass* Lac Galeairy Achigan à peilte bouche* Achigan à peilte bouche* Achigan à Peilte bouche* Achigan à Peilte bouche* Achigan à Peilte bouche*	Largemouth Bass² Achigan à grande bouche²  Back Crappie¹  Marigane noire¹  Northere Pike²  Brochet²	equin² seed¹	Crapet-soleil  Brown Bullhead*  Barbotte brune*  Vellow Perch*	uche <sup>2</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		0	1520 2025 33.0 30.8 33.4 45.5 55.6 65.75 575 (65) (65.0) (62.0) (62.0) (62.0) (62.0) (62.0) (63.0) (63.0)

		Southern Ontario/Sud de l'Ontario	Sud de l'Ontario		36
		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ • Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > <b>75</b> (6 R) (8-10) (10 12) (12 14) (14-18) (18-22) (22-26) (26-30) × (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 \cdot 75 (6-8) (9-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (30)
Grand River Rivière Grand	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup> Carp <sup>2</sup>	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Grass (Sweny) Lake Lac Grass (Sweny) 4541/7912 Proudtoof Twp / Canton de Proudfoot	Lake Troul <sup>?</sup> Truite de lac <sup>2</sup>	<b>(4)</b>
	Calpe-		Parry Sound Dist /Dist de Parry Sound	Alexander Control	
Rivière Grand	Achigan à petite bouche <sup>27</sup>	(4) (4) (4)	Green Lake Lac Green	Northern Pike Brochet	
Below Betwood Dam to Breslau en aval du barrage Belwood à Breslau 4334/8029	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4509/7636 Lavant Twp /Canton de Lavant Lanark Co /Cté de Lanark	Brook Trout <sup>4</sup> Omble de tontaine <sup>4</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
W. Garatraxa Iwp / Canton de W. Garafraxa Weilington Co. Cte de Weilington	Rock Bass <sup>17</sup> Crapet de roche <sup>1,7</sup>	ð		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>	<b>(b)</b>
	Brown Trout <sup>2</sup> Truite brune <sup>2</sup>	7 7 7 7	Grenadier Pond	Largemouth Bass <sup>1</sup>	7 7 7
	Carpe <sup>2</sup>	7 7	4340/7927 Toronto	Black Crappies	
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Yellow Perch	
	Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup>	(A)		Perchaude: White Perch <sup>5</sup> Barel <sup>5</sup>	
Grand River Rivière Grand	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>			Pumpkinseed <sup>5</sup> Crapet-soleil <sup>5</sup>	J
Below Breslau to above Parkhill Dam (Gait)/en aval de Breslau jusqu'en amont du barrage Parkhill (Gait)				Bluegill <sup>2</sup> Crapet arfequin <sup>2</sup>	Š
43£3/802£ Watertoo R M /Mun. rég. de Waterloo	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	7		Brown Bullhead <sup>2</sup> Barbotle brune <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
	Carp² Carpe²	<b>9</b> 0 0		Carp² Carpe²	0 0 0
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	G. Ross Lord Reservoir	Rock Bass' Crapet de roche?	ġ
Grand River Rivière Grand Below Parkhill Dan (Gall) to Catedonia Danvien avai du barrage Parkhill (Gall)	Smallmouth Bass <sup>2</sup> Achigan â petite bouche <sup>2</sup>	4 4 4	Réservoir G. Ross Lord Brown Bullhaad was bon Reuffiwere West Don Barbotte brune* North York	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup> Carp <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
ILSNU BUT GENERAL CONTROL OF A SHORT OF A SH				ad ba	

Black Crappie <sup>2</sup> Margane noire <sup>2</sup> Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	Largemouth Bass*  Carps*  Carps*  Carps*  Carps*	White Sucker? Meurier noil? Small mouth Basss And Small beautiful Basss	Vellow Perch?	Lake Truite de lac <sup>4</sup> Cal Cal Cal Cal Cal Cal Cal Cal Cal Cal		Smallmouth Bass 'Achigan a petite bouche'	Largemouth Bass? Achigan à grande bouche?		Smallmouth Bass <sup>1</sup>	Acrigan a penne bouche	While Sucker	Medinel stoll	Whitelish	Grand corégone'	Lake Troute de lac²	15-20, 20-25, 25-30, 30-28, 35-45, 45-85, 45-45, 45
Guelph Lake Lac Guelph 4335/8015 Guelph Twp./Canton de Guelph Weilington Co./Ote de Weilington				Gull Lake Lac Gull	4451/7847 Lutterworth Twp /Canton de Lutterworth Hairburton Co /Cte de Hairburton		Haas Lake Lac Haas	4502/7827 Dysart Twp /Centon de Dysart Haliburton Co/Cte de Haliburton	Haines Lake	Lac haines 4221/7956 Foley & McDougail Twps Cantons de Poley et de McDougail Parry Sound Dist/Dist de Parry Sound	Halfway Lake	LaC Tall Way 4507/7914 Macaulay Twp /Canton de Macaulay Muskoka D M Muln de dist de Muskoka	Haliburton Lake	Lac Haliburton	4512/7824 Harburn Twp /Canton de Harburn Hailburton Co./Cté de Hailburton	
<ul><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li>&lt;</ul>	(A)		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	,		0   0   0   0									20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
	7	\( \frac{1}{0} \)	{}	0 0	3 3	\$ 8 <b>4</b>	V	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	3		0 0		0	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	}	15-20 20-25 25-30 30-35 35-45 (6-8) (8-10) (10-12) (12-14) (14-18)
ass¹ le bouche¹	Ö	0 0		Ö	Smallmouth Bass¹ Achigan à petite bouche¹	Ö		7		1 Cattish <sup>27</sup> Catchington	Š Š		Redhorse Sucker² Suceur rouge²	1 d	}	15-20 20-25 25-30 30-35 35-45 (6-8) (8-10) (10-12) (12-14) (14-18)

37

Fish size in centimetres (inches) Longueur du paisson en centimètres (pouces)	Location/ Species/ 15-20 (20-28-20-30-30-35-30-44-54-55-50-50-50-20-2-26) (6-3) (8-10) (10-12) (12-16) (18-22) (12-2-26) (29-30) (10-12) (10-12) (12-16) (18-22) (12-2-26) (29-30) (10-12)	Holland River Northern Pike' Srochet' Sochet' A Cal Cal Cal Cal Cal Cal Cal Cal Cal Cal	442777 AV Gowillmbury Tup Achigan à grande bouche i	Simpose to Acte on summore Black Chappie <sup>1</sup> Addition on the one summore Marigane notice and the one of the one	Yeliow Perchi	Pumpkinseed Chapel-soleil?	Brown Bullhead*	Carpe Carpe	Bowfin' Poisson-casion'	0	Perchaude	Party Sound Dist, Dist de Party Sound Horsochop Lake Janemouth Bace?	Achigan à grande bouche? Rock Bass <sup>1</sup>	rton	Horseshoe Lake Largemouth Bass' Lac Horsehoe Achigan a grande bouche' Cal Cal Cal Cal Cal Cal Cal Cal Cal Cal		Lac Hungery 48377977 Omble de fontaine! 44 (4)	Parry Sound Dist./Dist de Perry Sound	
Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)			253	4		3		(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	\$\begin{align*} \begin{align*} \begi	7	SS <sup>2</sup>	251 The boundhe! (4) (4) (2)	)	(0)		SS <sup>4</sup> CH CH CH CH CH (4) (4)	SS' de bouche'	
	Location/ Species/ Emplacement Espèces	Halls Lake White Sucker¹ Lac Halls Meunier noir¹	4506/7845 Stanhope Twp /Canton de Stanhope Haitburton Co /Cté de Haitburton	Hamlock Lake #1 Largemouth Bass¹ Lac Hamlock n° 1 Achinan à grande bouche¹	arry Sound	1		Parry Sound Dist /Dist de Parry Sound Perchaude		Harp Lake Lake Trout <sup>2</sup> Lac Harp Truite de lac <sup>2</sup>	A523/7907 Chaffey Twp./Canton de Chaffey Muskoka D. M./Mun de dist de Meunjer noir I	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Harris Lake Largemouth Bass <sup>1</sup> Lac Harris Achinan à grande houche <sup>1</sup>	Dist de Parry Sound	Head Lake Muskie¹ Lac Head	4503/7831 Dysart Twp /Canton de Dysart Hailburton Co./Cte de Hailburton	Head Lake Smallmouth Bass¹ Lac Head Achigan à peilte bouche¹	4444/18555- 44444/18555- Largemouth Bass¹ Carlonor ac Lation to Edge Action of the Carlonor action of the Carlonor	Rock Bass¹ Craoet de roche

		Southern Ontario/Sud de l'Ontario	/Sud de l'Ontario		40
		Fish size in centimetras (inches) Longueur du polsson en centimètres (pouces)	q		Fish size in continuutres (inches) Longueur du poisson en centimétres (pouces)
Location/ Emplacement	Spocies/ Espécos	15-20 20-25 25-30 30.35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-13) (16-22) (22-26) (26-30) < (30)	Location/ Emplacement	Species/ Espèces	15.20 20.25 25.40 30.35 35.45 45.55 55.65 65.75 75 (6.8) (8.10) (10.12) (12.14) (14.18) (10.22) (22.26) (26.30) (30)
Jordan Lake Lac Jordan 4594/1994 Additt I yap (Canton de Cardill Haliburton Co Acte de Haliburton	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	(A)	Kernick Lake Lac Kernick 48377997 Amour Nap /Canton d Amour Purry Sound Dist /Dist do Purry Sound	Smallmouth Bass? Achigan à petite bouche? Yellow Perch? Perchaude?	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Lake Joseph As: Use Joseph As: Use Joseph As: Use Joseph As: Use Joseph Assert Daraman de Madora Musicki D M-Mun der det de Musicea E	Smallmouth Bass* Achigan a petite bouche? Rainbow Smell* a Eperlan arc-en-clef? Lake Trout* Truite de tac* Cisco*		Kerr Lake Lac Kerr Lac Kerr Lacksurgaz Launer kwy.Canton de Larank Launer Co /Cle do Larank	Brown Butlhead* Barbotte brune* Smallmouth Bass? Achigan a pelite bouche? White Soucker White Soucker White Soucker Yellow Perch?	
	Whitelish <sup>2</sup> Grand corégone <sup>2</sup> Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	₹ ₹ ₹	Kettle Creek Ruisseau Kettle 423481 13 Yamouth Iya /Ganton de Yamouth Egin Co /Ge dt Ugen	Carp² Carpe	म - - - - -
Julian Lake Lac Julian 4486/909 Butteigh 1 wp. /Canton de Burfeigh Peterborough Co. /Cite de Peterborough	Smallmouth Bass* Achigan à petite bouche*	Caca (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Key River Rivière Key 455/48034 Purv Sound Dist Das de Parry Sound	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	
Kahshe Lake Lac Kahshe Asa0/29 Manison Musison Yup/Camon do Morison Musison's D. M. Mun de dist de Musikokin	Walleye¹ Doré¹ Smallmouth Bass² Achigan à petrte bouche²	(4)		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup> Black Crappie <sup>1</sup> Marigane noire <sup>1</sup>	
Kamaniskeg Lake 4.526774 Lac Kamaniskeg 4.526774 Lac Kamaniskeg Capton & Sayawacı Vivas Cantons de Branze et de Sherwood Dies de Hustings at de Rentrew	Lake Trout? Truite de lac? Smallmouth Bass* Achigan à petite bouche* Yellow Perch*			Brown Bullhead Barbotte brune¹ Redhorse Sucker¹ Suceur rouge¹ White Sucker¹ Meunier noir¹	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Kashagawigamog Lake/Lac Kashagawigamog 4482/7886 Mmdar Twp/Centon de Mindan Haliburion Co/Cité de Haliburion	Walleye¹ Dore¹ Smalmouth Bass⁴ Achigan à petite bouche⁴		Kimball Lake Lac Kimball ASZIVAN LUNGSHORE IMPOSIONE Haitburton Co /Ctê de Heliburton	Lake Trout <sup>®</sup> Truite de lac <sup>a</sup> Smallmouth Bass <sup>®</sup> Achigan à petite bouche <sup>®</sup>	

	Whitefish Candone		Kloshkokwi Lake	Wintefish	
Kashwakamak Lake Lac Kashwakamak	Walleyer Dase:	© (P) 12 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -	HODGERS HOUSEND IN ACTION OF PRINTERING PRIN	trans coregone Lake Troul Truits de lac	
49hpp/(0) Clarability & Barrie Twos Cartisties de Clararistich et de Barries Frindelses Clark de de Frindelses	Smalimouth Bass <sup>1</sup> Achigan a potite bouche <sup>1</sup>	(F)	Koshlong Lake Lac Koshlong		(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Kasshabog Lake Lag Kasshabog 433/758 Mallinar Ong R affatt de Maltinett	Smallmauth Bass <sup>a</sup> Achigan à petite bouchs <sup>a</sup> Largemouth Bass <sup>a</sup> Achigan à ceande bouchs <sup>a</sup>	**************************************	Gloningari Iyir Kantoo nii slamuugan Laituuton Co Alla na Laituufan	Continuo sanen Chefan arc-en ciel <sup>c</sup> Smalmouth Bara <sup>c</sup> Achigan à petite bouche <sup>c</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Teledindright on the field been retrieved.		(F) R	Kushog Lake Lac Kushog Lack Kushog Analytet Statistical Light of a hard the Statistical Idelitation Cost (a set herbardon	Lake Trout" Truffe de lac" Smallmouth Bass Achigan a petite bouche	(a) (b) (c) (d) (d) (e) (e)
	Pumpkinsed* Capet soleil!	4	L'Amable Lake Lac l'Amable	Take Trout! Trute de lac.	7 7 7
Katchewanooka Lake Lao Katchewanooka	Yellow Peiché Perchaude	Ť Ť	45b1/7749 Foraday Lwy / author de Faraday Hastings Co./ de de Hastings	Smallmouth Bass' Achigan à petits bouche	<b>1</b>
Assirtation (1908) Spirit & Fanco (1908) Carbons dis Spollt of the Douto Pateriarion (1) (1) (1) de de l'éteriarion (1)	Sanalinaudi Basis* Actingao a petite bouches Walleye† Darë	(b) (b) h - h - h - h - h - h - h - h - h - h	Lake La Muir Lac La Muir Hebitigan Bestept Jen America Bestep Nijnesing Jest Alles de Nijnesing	Lake Toul <sup>e</sup> Fruite de lac <sup>e</sup>	(3) (3) (7)
Kawagama Lake Lac Kawagama shi niyasi ya pi antar da bal jubrak Hallandan cod ta da (baladan)	Lake Irinif* Friife de lac Sinallinoulli Bass² Achigari à pelife bouche⁵	n	Lake Lavielile LaC Lavielile ten (1814 stujina Unasan Ingo	Brock Fronts Ourble de fondatues Whiteliste	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Kennebec Lake Lac Kennebeo	Largemouth Rass <sup>1</sup> Achtgan à grande bouche <sup>1</sup> Employeeth Hosel	(A) (A)	Applies of Anguin at the Lin Sparit	Lake Lunde Truite de lac	(P) (P) n
Political May Anathar de Participasion Principalismo. Principalismo Por Principalismo.	Achigan à public harchet	(3) (4) (5)	Le Grou Lake Lac Le Grou	Smallmouth Bass! Achigan à petite four he!	(P) (P) (P) (P)
Kennisis Lake Lac Kennisis	Lake front? Trute de lac		App Policy and the Addis to Face be remained that the Pace and the Pac		
Hoselings & trailleded bytes cantons the targetock to be trailled. Tentions to the religious	Methier touge	⊕ ⊕	Leonard Lake Lac Leonard - Part Barren - Part Barren - Manne Praga, ander de diel de Monande - Monade D. M. Mart de diel de Monade	Singlineuth Bass <sup>1</sup> Achigan a pelite four he <sup>1</sup>	(F) (F) (F)
		किहा है। इस देन का अप के कि कि कि कि कि ते कि कि कि कि कि कि कि कि कि कि कि कि कि	1997		र रका काथ राम भक्ष सक्ष कर दक्षिता

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 >75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Limerick Lake Lac Limerick	Smallmouth Bass¹ Achigan à petite bouche¹	(b)	Little MyKiss Lake Lac Little MyKiss	Splake <sup>3</sup> Truite moulac <sup>3</sup>	0
4453/7737 Lmerick Twp /Canton de Limerick Hastings Co /Cté de Hastings	Lake Frout* Fruite de fac*	(A) (A) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	4541/7814 Preston Twp /Canton de Preston Nipissing Dist /Dist de Nipissing	Brook Trout <sup>3</sup> Omble de fontaine <sup>3</sup>	Ö Ö
	Largemouth Bass¹ Achigan à grande bouche¹	(d) (d) (d)	Little Silver Lake Lac Little Silver	Largemouth Bass¹ Achigan à grande bouche¹	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Lingham Lake Lac Lingham	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	(4) (4) (4) (4)	4448/7630 S Sherbrooke Twp /Canton de Sherbrooke-S	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
4446/7725 Grimsthorpe Twp./Canton de Grimsthorpe Hastings Co /Clé de Hastings			Latan CO / Cot de Latian	White Sucker¹ Meunier noir¹	7
Lake Lisgar Lac Lisgar	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	7		Bluegill¹ Crapet arlequin¹	7
Tillsonburg 4252/8044 Dereham Twp /Canton oe Dereham Oxford Co./Cté d'Oxford	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	0 0	Livingstone Lake Lac Livingstone	Lake Trout' Truite de lac'	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Little Credit River	Brook Trout		Livingstone Twp /Canton de Livingstone Haliburton Co /Cté de Haliburton		
A350/7953 Caledon Twp./Canton de Caledon Peal R M/Mun rég de Peel	Olinie de fondanie		Long Lake Lac Long	Yellow Perch¹ Perchaude¹ Northern Pive¹	
Little Crooked Lake Lac Little Crooked	Brook Trout¹ Omble de fontaine¹	- O	N Burgess Twp /Canton de Burgess-N Lanark Co /Cté de Lanark	Brochet¹ Largemouth Bass¹	
4550/7811 Olckson Twp./Canton de Dickson Nipissing Dist./Dist de Nipissing			ade I (nombin) and I	Achigan à grande bouche	
Little Dudmon Lake	Lake Trout <sup>4</sup>	{	Lac Loon (Dudmon)	Truite de lac	0 0 0 0 0 0
Lac Little Dudmon 4502/7821 Dudley Two /Canton de Dudley	Rock Bass <sup>1</sup>	}	Cantons de Dudiey et de Monnouth	Walleye¹ Doré¹	(a) (b) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d
Haliburton Co./Cté de Haliburton	Crapet de roche¹	7	nation to /ote de nation of	Smallmouth Bass¹ Achigan à petite bouche¹	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Little French River Rivière Little French	Northern Pike¹ Brochet¹	8			
I B 9/Rés autochtone 9 Parry Sound Dist /Dist de Parry Sound		7			
	Rock Bass <sup>1</sup> Crapet de roche <sup>1</sup>	Ö			

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c			(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7 7 7			(4) (4)				(5-20 20-25 25-30 30-35 35-45 45-55 56-65 65-75 > 75 (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Loon (Pevensey) Lake Lake Trouts Lac Loon (Pevensey) Truite de lacs sagging 13 Proudrout Twp (Canton de Proudrout	Lorimer Lake Lac Lorimer Lake Lac Stary Search Lac Roman & Frequent Northern Pike Happennan & Frequent Independent Search Sound Data Las Larges are Press Sound British Labert Sound	Loughborough Lake Lake Trout? 422/1825 423/1825		Sa Lake Tout <sup>5</sup> ra Truite de lac <sup>5</sup>	Lawrence Twp /Canton de Lawrence Haliburton Co./Cte de Haliburton	Lower Beverley Lake White Sucker?  Lac Lower Beverley Meunier noir?	4436/7608 S. Crosby, E. Bastard Twps. S. Crosby, E. et de Bastard Barbotte brune?		Largemouth Bass <sup>2</sup> Achigan à grande bduche <sup>2</sup>	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	Bluegill <sup>2</sup> Crapet arlequin <sup>2</sup>			
	(A)	<b>*</b> • • • • • • • • • • • • • • • • • • •		( <del>+</del> )	Lawrence Two /Canton de Lawre		4436/7608 S. Crosby & Basta Cantons de Crost	Laeds Co /Clé de			•	0 0	-	45-55 55-65 66-75 >75 (18-22) (22-26) (26-30) > (30)
©	Bass¹ Iffe bouche¹	* 0 * 0 * 0	Bass¹ Carl Carl (🍎 (🍎	7		Bass¹ Call (4)	- Par - Par	0 0		Ö	and and and and and and and and and and			15-20 20-25 55-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Little Gull Lake Splake² Lac Little Gull Truite moulac² Lac Little Gull Truite moulac² Lac Little Gull Truite moulac²	Late Hawk Lake Loc Little Hawk Loc Little Hawk September 1 Truite de lacit September 1 Truite 1 Tru	Little Kennisis Lake Lac Little Kennisis Lac Little Kennisis Truite de lac <sup>2</sup> Truite de lac <sup>2</sup> Truite de lac <sup>2</sup> Truite de lac <sup>2</sup> Truite de lac <sup>2</sup> White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	Little (Midland Park) Largemouth Bass¹ Lake/Lac Little (Midland Park) (Midland Park) Addityss Addityss Addityss Sancoe Co. Oct et service	Walleye' Doré'	near Barrie/prés de Barrie Northern Pike 4425/7940 Vespra Twp /Cahton de Vespra Brochet¹		Rock Bass¹ Crapet de roc	Yellow Perch¹ Perchaude¹	Black Crappie <sup>1</sup> Marigane noire <sup>1</sup>	Pumpkinseed Crapet-soleil	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	Carp² Carpe²		

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-16) (16-22) (22-26) (26-30) - (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) \$ (30)
Lower Buckhorn Lake Lac Lower Buckhorn	Walleye¹ Doré¹		Madawaska Lake Lac Madawaska	Walleye¹ Doré¹	(4) (4) (4)
Smith & Harvey Twps Cantons de Smith et de Harvey	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	<b>(b)</b>	McNab Twp /Canton de McNab Rentrew Co /Cté de Renfrew	Northern Pike' Brochet'	(4) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
Peterborough CD /CLB de Peterborough	Yellow Perchi Perchaude	7		Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(A) (B) (B) (C)
Lower Fletcher Lake Lac Lower Fletcher AG2//1967 McClintook Twp /Canton de McClintook Haliburton Co /Cite de Haliburton	Lake Trout? Truite de lac?		Magnetawan River Rivière Magnetawan Poventy BayBase Poverty 454/17944 Coff Twy Canton de Contro Sound Dist Inject de Party Sound	Smallmouth Bass¹ Achigan à petite bouche¹	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)
Lower Hay Lake Lac Lower Hay	Smallmouth Bass¹ Achigan à petite bouche¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Maitland River Rivière Maitland	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Sabine Twp /Canton de Sabine Nipissing Dist /Dist de Nipissing			Wroxeter to below Auburn/ de Wroxeter jusqu'en aval d'Auburn 4354/8120	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	(4)
Lower Paudash Lake Lac Lower Paudash	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(C) (A) (A) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	Huron Co /Cle de Huron	Carp¹ Carpe¹	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )
445B/7801 Cardiff Twp./Canton de Cardiff Haliburton Co./Cté de Haliburton			Manitouwaba Lake Lac Manitouwaba	Smallmouth Bass¹ Achigan à petite bouche¹	
Lower Rideau Lake Lac Lower Rideau	Lake Trout¹ Truite de lac¹	(A) (B) (B)	4524/7942 Monteith Twp /Canton de Monteith Parry Sound Dist /Dist de Parry Sound		
4491/76U/ N & S Emsley Twps Cantons d'Elmsiey N et S Lanark & Leeds Cos	Walleye¹ Doré¹	(C)	Manitouwabing Lake Lac Manitouwabing	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	
Cies de Lanark et de Leeds Lucknow River	Brook Trout <sup>2</sup>		4529/7954 McKeller Twp /Canton de McKellar Parry Sound Dist /Dist de Parry Sound	Walleye¹ Doré¹	(d) (d) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e
Rivière Lucknow 4357/8131 Kinloss Twp / Canton de Kinloss	Omble de fontaine <sup>2</sup>	(4)	Marl Lakes Lacs Marl	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	
Bruce Co /Cté de Bruce Lutterworth Lake	Vellow Derchi		4410/8103 Brant Twp /Canton de Brant Bruce Co /Cté de Bruce	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	7
1			Martindale Pond Étang Martindale	Yellow Perch¹ Perchaude¹	7
Haliburton Co./Cté de Haliburton	Meunier noir	4	4311/7916 Grantham Twp /Canton de Grantham Nisoara R M Minn reo de Nisoara	Brown Bullhead <sup>2</sup>	7 7
	Truite de laci	<i>₹</i>	, market 1 and 1 a	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	† †

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)
McCraney Lake Lac McCraney 4594/7894 McCraney Twp /Centon de McCraney Niprissing Dist/Dist, de Niprissing	Lake Trout' Truite de lac'	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Mink Lake Lac Mink Massa/Town Miserforce Two./Centon de Wilberforce Rentrew Co./Cté de Rentrew	Whitelish² Grand corégone²	V V
McFadden Lake Lac McFadden 450/781 McCimock Twp /Cemton de McCimock Haliburton Co./Cle de Haliburton	Lake Trout¹ Truite de lac¹	<b>♥</b>	Miskokway Lake Lac Miskokway 45398014 Burton Twp (Cantor de Burton Parry Sound Dist (Dist de Parry Sound	Smallmouth Bass <sup>®</sup> Achigan a pelite bouche <sup>®</sup> Cisco <sup>®</sup> Cisco <sup>®</sup> Cisco <sup>®</sup> Cisco <sup>®</sup> Cisco <sup>®</sup> Cisco <sup>®</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
McGarvey Lake Lac McGarvey 456/7834 Lawrence Tay (Canton de Lawrence Haliburton Co /Cte de Haliburton	Lake Trout¹ Truite de lac¹	<ul><li>♥</li><li>♥</li></ul>	Miskwabi Lake Lac Miskwabi	Truite de lac <sup>6</sup> Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	
McKay Lake Lac McKay 4593/290 Disper Two ICentor de Draper Muskoke D. M/Mun, de dist de Muskoke	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	0 0 0	Dudiey We, Canton de Dudiey Haliburion Co, Cté de Heliburion Mississagagon Lake Lac Mississagagon	Smallmouth Bass' Achigan à petite bouche' Smallmouth Bass² Achigan à petite bouche?	
McKenzie Creek Ruisseau McKenzie 4301/8017 Tuscaroa Two /Canton de Tuscarora Brant Co./Cté de Brant	White Sucker¹ Meunier noir¹ White Crappie² Marigane blanche²	<b>3</b> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Barre Twp./Canton de Barre Frontenac Co /Cte de Frontenac	Perchaude <sup>2</sup> Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup> Northern Pike <sup>1</sup>	
McKenzie Lake Lac McKenzie 4522/801 P. W. J. Canton de Sabrne Nupssong Dist, Des Nipossong	Smallmouth Bass¹ Achigan à petite bouche¹	(d)		Brochet¹ Walleye¹ Doré¹	
MCNab Lake Lac MoNab 44888104 Keppel Myo/Canfor de Keppel	Northern Pike¹ Brochet¹	<b>⊕</b>	MISSISSAGUA LAKE Lac Mississagua 4442/819 Hervey Two, Canton de Hervey Peterborough Cor/Cité de Peterborough	Lake Tout' Truite de lac' Smailmouth Bass' Achigan à petite bouche'	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
McQuaby Lake Lac McQuaby Lac McQuaby Noissing Two Carton de Nijessing Penry Sound Dest./Dest. de Penry Sound	Walleye¹ Doré¹	<b>⊕</b>	Mississippi Lake Lac Mississippi Lac Mississippi Durimond Twp Canton de Durimond Lanerk Co /Ole de Lanerk	Walleye² Doré² Largemouth Bass³ Achigan à grande bouche³ Smallmouth Bass³ Achigan à petite bouche⁵	

	ine,		2	n n	Achigan à petite bouche <sup>5</sup> (4) (2) (Mrite Sucker <sup>5</sup>		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	oche <sup>i</sup>	<b>I</b>	Smallmouth Bass⁵ Achigan à petite bouche⁵	<b>( ( ( ( ( ( ( ( ( (</b>	ike <sup>5</sup>	head <sup>5</sup>	ed²	585	Achigan à petille bouche <sup>2</sup>	15-20 20-25 25-30 30-35 35-45 45-55 55-65 15-75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (25-30) (30)
Brochel <sup>2</sup> Yellow Perch <sup>2</sup> Perchaude <sup>2</sup> Brown Builhead <sup>5</sup>	Barbotte brune <sup>5</sup> Rock Bass <sup>5</sup>	Crapet de roches Bluegilis	Crapet arlequin <sup>5</sup> Pumpkinseed <sup>5</sup>	Crapet-soleil <sup>5</sup> Biver Smallmouth Bass <sup>5</sup>		Meunier noir  Tion de Beckwith Brown Bullhead <sup>5</sup> Lanark Borbotte brings	Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	Rock Bass¹ Crapet de roche¹	Walleye <sup>2</sup> Dore <sup>2</sup>			Anark Northern Pikes Brochets	Brown Bullhead <sup>s</sup> Barbotte brune <sup>s</sup>	Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	ı	ISSIPPI arleton	
dip	ě		¥	Mississipol River	Rivière Mississippi Carleton Place - Appleton entre Carleton Place et Appleton	4509/7607 Beckwith Twp./ Canton de Beckwith Lanark Co./Cte de Lanark				Mississippi River Rivière Mississippi	Appleton-4lmonte entre Appleton et Almonte 4511/7608 Pances/Turo (Canton de Br	Lanark Co./Cté de Lanark			Mississippi River	HVIVEER MISSISSIPDI marriembauchure 6267761 (Grawa-Carelon R M Mun rig of Offawa-Carelon Confinent metr page Sure page suwante	20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)
¥	<b>≬</b>		<b>♦</b>		1	K		1								Д	55 55-65 22) (22-26)
<b>№</b>	<b>№</b>	0	(a)	4	(4) (2)	7	(A)	(A)	4	1	0	+		-		0	5-45 45-
<u>4</u>	4	0		- A		Q	7	7		4	<u>4</u>	1				Ö	30-35 3
4	7	4		ð		Ö	ð	Ö	7 7	4		(	<del>-</del>			ğ	25-30
4		4				Q		\displaystart \dint \displaystart \displaystart \displaystart \displayst	()	4		(	<del>1</del>		₹		20-25 (8-10) (
\$		Q				J				7		1	}		7		15-20 (6-8)
Eargemouth bass' Achigan à grande bouche <sup>1</sup>	Walleye¹ Doré¹	Smallmouth Bass¹ Achigan à petite bouche¹	Northern Pike¹ Brochet¹	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	Lake Trout¹ Truite de lac¹	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	Smallmouth Bass¹ Achigan à petite bouche¹	Smallmouth Bass* Achigan à petite bouche*	Largemouth Bass¹ Achigan à grande bouche¹	Smallmouth Bass¹ Achigan à petite bouche¹	Walleye¹ Doré¹	Brook Trout¹	Omble de fontaine		Rock Bass¹ Crapet de roche¹	Carp² Carpe²	
Meadow (Mead) Lake Lac Meadow (Mead) 4522/335 Montelin Twp./Canton de Monteith Parry Sound Dist./Dist. de Parry Sound	Memesagamesing Lake/Lac		Parry Sound Dist./Dist. de Parry Sound			Mephisto Lake Lac Mephisto	4456/7735 Cashel Twp /Canton de Cashel Hastings Co./Cté de Hastings	Methuen Lake Lac Methuen	4443/7755 Methuen Twp./Canton de Methuen Peterborough Co./Cié de Peterborough	Mill Lake ' Lac Mill	rp./Canton de McDougall Dist./Dist. de Parry Sound		Lac Millichamp 4519/7850 MCGiange Tung Contract of McGianger	Haliburton Co./Cté de Haliburton	Milne Reservoir Réservoir Milne	4349/7913 Markham	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	ntimetres (	inches) centimè	ф.	(seon		
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 (6-8) (8-10) (	20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)	35-45	45-55 (18-22) (3	5-65 65 2-26) (26	-75 > 7 -30) > (3	30)
Mississippi River Rivière Mississippi	Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup>		Morrison Lake Lac Morrison	Smallmouth Bass¹ Achigan à petite bouche¹	0	4	<u>@</u>	ě	-	_	
Continued/Suite	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	Ö	4452/7927 Wood Twp /Canton de Wood Muskoka D. M./Mun. de dist. de Muskoka								
٠	American Eel <sup>2</sup> Anguille d'Amérique <sup>2</sup>	7 7	Mountain Lake	Smallmouth Bass <sup>2</sup>		0	4	1		-	ı
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	7 7	Lac Wountain 4443/8041 St Vincent Twp /Canton de St Vincent	Walleyel	Ö	0	0	9	9	1	1
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	7	Grey Co./Clé de Grey	Dolle.				)	9	-	1
	Channel Catfish <sup>2</sup> Barbue de rivière <sup>2</sup>	(A) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	Mountsberg Reservoir Layemouth bass Réservoir Mountsberg Achigan à grande bouche?	Achigan à grande bouche <sup>2</sup>	()	\foating \frac{\dagger}{\dagger}	\dagger \lambda				
	Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	7	Hamilton-Wentworth R.M./ Mun.rég.de Hamilton-Wentworth			_			-	-	
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	7	Mud Lake Lac Mud	Northern Pike¹ Brochet¹			4	<b>4 2</b>	0		
Mitchell Lake Lac Mitchell	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>		Had Jacob I R 9/Res ind 9 Parry Sound Dist /Dist de Parry Sound								
4434/7857 Eldon Twp /Canton de Eldon Victoria Co./Ctô de Victoria	Largemouth Bass¹ Achigan à grande bouche¹	4 <b>(4)</b>	Mud Lake Lac Mud	Northern Pike¹ Brochet¹			₹	7			
	Rock Bass¹ Crapet de roche¹	7	4533/7710 Wilberforce & Gratten Twps Carlons de Wilberforce et de Grattan								
	Yellow Perch¹ Perchaude¹	7	ake Muskoka	lake Tout²	-	+			-	- -	1
	Brown Builhead		Lac Muskoka	Truite de lac	()	0000	4	<b>a</b>	0	V A	ă
Mohawk Lako	Mhite Crafers		4500/7925 Muskoka Twp /Canton de Muskoka Muskoka D M /Mun de dist de Muskoka	Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>	(4) (2)						1
Lac Mohawk	Meunier noirs	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	Q Q	4	-	ě			
Brantford	Carpe <sup>5</sup>	<ul><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><li>(*)</li><l< th=""><th></th><th>Rainbow Smelt<sup>2</sup> Éperlan arc-en-ciel<sup>2</sup></th><th>4</th><th></th><th></th><th></th><th></th><th></th><th></th></l<></ul>		Rainbow Smelt <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>	4						
	Largemouth bass? Achigan à grande bouche <sup>5</sup>	000000000000000000000000000000000000000		Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>		0 0	\displaystart \dint \displaystart \displaystart \displaystart \displayst				
				Northern Pikes Brochets			4	4	4	0	8
				Walleye² Doré²	Ö	(4 (4 (2) (2)	4	0	(3)		

		ŀ		1	-		-				-	ŀ	ŀ	l	-
Moira Lake Lac Moira	Walleye <sup>2</sup> Doré <sup>5</sup>	7	4	4	<b>⊘</b>	¥	ě	Lake Muskoka Lac Muskoka		Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>5</sup>	0	000000000000000000000000000000000000000	(4) (2)		
4430/7727 Huntingdon Twp./Canton de Huntingdon Hastings Co./Cté de Hastings	Northern Pike <sup>5</sup> Brochet <sup>5</sup>				4	4	<u>(4)</u>	Gravenhurst Bay/Baie de Gravenhurst 4456/7924 Muskoka Twp /Canton de Muskoka	de Gravenhurst de Muskoka	Northern Pike <sup>5</sup> Brochet <sup>5</sup>		9	\frac{\delta}{\delta}	0 0	Д Ф
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	4	4	4	4	¥		Muskoka D M /Mun de	dist. de Muskoka	Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>	4				
	Largemouth Bass <sup>6</sup> Achigan à grande bouche <sup>6</sup>		\forall \tag{7}	4	4					Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>	7	Q Q	-		
	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>	9	9							Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	0	9		}	
	Rock Bass <sup>6</sup> Crapet de roche <sup>6</sup>	4	4					Muskrat Lake	0	Lake Trout?			7	9	6
	Pumpkinseed <sup>6</sup> Crapet-soleil <sup>6</sup>	Ö						4540/7655 Westmeath & Ross Twps Canhors de Westmeath of de Bree	SO	Rainbow Smelt <sup>1</sup> Footlan arc-on-cial	4	4		+	-
	Brown Bulthead <sup>6</sup> Barbotte brune <sup>6</sup>	V	0	8				Rentew Co /Cte de Rentrew	nfrew	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	)		4	i	
Monck Lake Lac Monck	Smallmouth Bass¹ Achigan à petite bouche¹	<u> </u>	4	4				Musselman Lake	ake.	White Sucker <sup>2</sup>	7			2	
4500/7807 Cardiff Twp./Canton de Cardiff Haliburton Co./Cté de Haliburton	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	<b>V</b>	9	4	(4) (2)			4420/7916 4420/7916 Whitchurch Two,/Canton de Whitchurch York R M /Mun. rég de York	on de Whitchurch	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	0	}	}	}	-
Moon River Rivière Moon	Walleye <sup>2</sup> Doré <sup>2</sup>			V	7	4	4			Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	8	\displaystart \dint \displaystart \displaystart \displaystart \displayst			
mouth area/embouchure 4508/7959 Parry Sound Dist /Dist. de Parry Sound	Northern Pike <sup>2</sup> Brochet <sup>2</sup>			U	7	T T				Yellow Perch¹ Perchaude¹	0 0	4			
	Smallmouth Bass² Achigan à petite bouche²	7	8	0	4					Pumpkinseed¹ Crapet-soleil¹	Q				
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	Ö	0 0	7	4					Northern Pike¹ Brochet¹			Ö		
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	7	7	4				MyKiss Lake Lac MyKiss		Brook Trout <sup>3</sup> Omble de fontaine <sup>3</sup>	9	<u>A</u>			_
Moot Lake Lac Moot	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	V	7	Q	4			4540/7814 Preston Twp./Canton de Preston Niprssing Dist / Dist. de Nipissing	e Preston Nipissing	Splake <sup>3</sup> Truite moulac <sup>3</sup>		0			
T 4509/1910 Muskoka D. M.Mun. de dist de Muskoka	Largemouth Bass <sup>5</sup> Achigan à grande bouche <sup>5</sup>	9	4	4	<b>♦</b>	Y		Nabdoe Lake Lac Nabdoe		Brook Trout¹ Omble de tontaine¹	8	8			
								. 4541/7305 Butt Twp /Canton de Butt Nipissing Dist/Dist. de Nipissing	ut Nipissing						
de l'Ossaire		15.20 20- (6-8) (8-1	25 25-30	30-35 3 (12-14) (1	5-45 45-5	2) (22-26) (2	(8-10) (10-12) (12-14) (14-18) (18-22) (22-28) (26-30) > (30)				15-20 20-25 (6-8) (8-10	(6-10) (16-12) (12-14) (14-18) (16-22) (22-26) (26-30) (39.3)	35-45 45-55 (14-16) (18-22)	55-65 65-78 (22-26) (26-30	5 > 75 0) > (30) 49

		Fish size in centimetres (inches)			Fish size in centimetres (inches)
l ocalon/	Spaces/	Longueur du poisson en centimetres (pouces)	coation/	Special	Longueur du poisson en centimetres (pouces)
Explacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Localion, Emplacement*	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
Newboro Lake Lac Newboro	Northern Pike <sup>2</sup> Brochet <sup>2</sup>		Oastler Lake Lac Oastler	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	
4438/7620 N. & S. Crosby Twps. Cartions de Crosby N. et S.	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>		4519/7958 Foley Twp./Canton de Foiey Parry Sound Dist /Dist de Parry Sound		
Leeds Co./Cte de Leeds	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	4 <b>(4</b>	Oliphant (Long) Lake	Lake Trout?	
	Brown Bulihead <sup>2</sup> Barbotte brune <sup>2</sup>	U U	Lac Oliphant (Long) 4542/7911 Proudfoot Twp./Canton de Proudfoot	Truite de lac	t
	Bluegill¹ Crapet arlequin¹	Ü	Parry Sound Dist /Dist de Parry Sound		
	Pumpkinseed¹ Crapet-soleil¹		Oliver Lake Lac Oliver	Achigan à petite bouche	<b>4</b>
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	(A)	McKellar Twp /Canton de McKellar Parry Sound Dist./Dist. de Parry Sound		
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	7	Opeongo Lake Lac Opeongo	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	
Niger Lake Lac Niger 4524/7851 McClintock Twp./Canton de McClintock	Brook Trout¹ Omble de fontaine¹	ð 0 0	4542/1823 Bower Twp /Canton de Bower Nipissing Dist /Dist de Nipissing	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup> Whitetish <sup>3</sup> Grand coréoone <sup>3</sup>	
Haliburton Co /Cte de Haliburton					
Nine Mile Lake Lac Nine Mile	Largemouth Bass² Achigan à grande bouche²	(4)	Opinicon Lake Lac Opinicon	Yellow Perchi Perchaudei Modhem Pitei	(a)
Wood Twp./Canton de Wood Wood Twp./Canton de Wood Muskoka D M /Mun. du dist. de Muskoka	m.		Bedford, Storrington & S. Crosby Twps Cantons de Bedford, de Storrington et de Crosby-S	Brochet <sup>1</sup>	\frac{1}{4}
Lake Nipissing	Walleyes <sup>3</sup>		Frontenac & Leeds Cos Cles de Frontenac et de Leeds	Achigan à grande bouche <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
4617/8000 Nipissing Dist./Dist. de Nipissing	Northern Pike <sup>2</sup>			Barbotte brune <sup>1</sup>	7 7 7
	Smallmouth Bass <sup>2</sup>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Bluegill¹ Crapet arlequin¹	7
	Yellow Perch <sup>2</sup>	6		Pumpkinseed' Crapet-soleil'	
	White Bass <sup>2</sup> Bar blanc <sup>2</sup>	O G		Smallmouth Bass' Achigan à petite bouche'	8

Splake <sup>3</sup> Truite moulac <sup>3</sup>		Yellow Perch²	Perchaude <sup>2</sup> Northern Pike <sup>2</sup>		Largemouth Bass' Cod Cod (4) (4)	Northern Pike <sup>1</sup> Brother Vellow Borch Vellow Darbi	0 0	Crapet de roche Pumpkinseed Crapet-soleil	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	Walleye <sup>2</sup> Dore <sup>2</sup>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>			Black Crappie*	Pumpkinseed¹ Crapet-soleil¹	Bluegill Crapet artequin	Brown Builhead?	White Sucker¹ Meunier noir¹	15-20 20-25 55-30 30-35 55-45 65-55 55-65 65-75 > 75 (5-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (25-30) (20) (30)
Oram Lake	4538/7806 4538/7806 Preston Preston Type Canton de Preston Niolssing Data (Data  Orangeville Reservoir	(4) (4) (2) (Assence Lake/Lac Island)	Mono Twp /Carlon de Mono Dufferin Co./Cle de Dufferin	Orr Lake	)					(Application of the Peterborough) on Jackeled Laber (Peterborough) on Jackeled Laber Laber (Peterborough)	List a Lakehold a Lakehold   A23/1814   Douro Tuny (Canton de Douro Lakehold a)   Peterborugh   Pe	(b) (d)			<ul><li>∅</li></ul>	<ul><li>∅</li><li>∅</li></ul>		(8-10) (10-12) (14-18) (18-22) (22-26) (28-30) > (30)	
Cisco <sup>2</sup> Cisco <sup>2</sup>	Brown Bullhead² Barbotte brune²	White Sucker <sup>2,3</sup> Meunier noir <sup>5,9</sup>	Norcan Lake Walleye¹ Lac Norcan Doré¹	A10/7652 Active Active Active de Canonio-N Largemouth Bass? Frontenac Cou/Cis de Frontenac	Norway Lake Walleye'	Lac Norway UDIE 4520/760/2010 de Bagot Bagot Vez/Conto de Bagot Bantes Co./Co de Rentes	Lake Nosbonsing Walteyel	46127933 F Ferris & Boniled Twps Carons of Ferris E and Benfield Nipssing Delf/Dist de Nipssing	Nottawasaga River Walleyet	Yellow Perch²	Rainbow Trout <sup>2,7</sup> Truite arc-en-ciel <sup>2,7</sup>	Chinook <sup>27</sup> Saumon quinnal <sup>27</sup>	Nunikani Lake Smallmouth Bass <sup>§</sup>	de Sherborne			Mehuan Two /Canton de Mathuen Walteye: Peterborough Co /Cité de Peterborough D016 <sup>1</sup>		15-20 20 (6-8)

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	75 Location/ (30) Emplacement	Species/ Espèces	(5-8) (8-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)
Otonabee River Rivière Otonabee	Walleye <sup>2</sup> Doré <sup>2</sup>	<b>**</b>	Ottawa River Rivière des Outaouais	Black Crappie <sup>1</sup> Marigane noire <sup>1</sup>	(A)
Little Lake, (Peterborough) Lac Little, (Peterborough) 4418/7819	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	7 7	Continued/Suite	Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	7
N Monaghan & Otonabee Twps Cantons de Monaghan-N et d'Otonabee Peterborough Co./Cté de Peterborough	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	<ul><li>∅</li><li>∅</li></ul>	1	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	T T
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	0		Channel Catfish <sup>5</sup> Barbue de rivière <sup>5</sup>	(A)
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	7		Sturgeon <sup>5.79</sup> Esturgeon de lac <sup>5.79</sup>	\(\frac{1}{2}\)
	Pumpkinseed¹ Crapet-soleil¹			White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	0 0
	Bluegill <sup>1</sup> Crapet arlequin <sup>1</sup>	7		Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup>	<b>◆ ∀ ∀ ∀ ∀ ∀ ∀ ∀ ∀ ∀ ∀</b>
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	0 0 0		American Eel <sup>2</sup> Anguille d'Amérique <sup>2</sup>	\\ \tau_{\text{\tinx{\text{\text{\text{\text{\text{\text{\text{\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tint{\text{\tinx{\tint{\text{\text{\tinx{\tint{\text{\text{\tint{\text{\text{\text{\tint{\text{\tint{\text{\tint{\text{\tint{\tint{\text{\texi{\text{\tinit}}\\ \text{\text{\text{\text{\text{\text{\text{\text{\tinit}\xi}\\ \text{\text{\text{\text{\text{\text{\tinit{\texi{\text{\tinit{\text{\tinit{\text{\text{\text{\tinit{\text{\text{\tinit}\tint{\text{\tinit}\xi}\\ \text{\text{\text{\text{\text{\text{\tinit}\xi}\\ \tint{\text{\text{\text{\text{\tinit{\text{\tinit{\tinit{\text{\tinit{\text{\tinit}\xi}\tint{\text{\tinithtet{\tinithtet{\text{\tinit}\xi}\\ \tint{\text{\tinithtet{\tinithtet{\tinithtet{\text{\tinit}\xi}\\ \tint{\tinithtet{\text{\tinithtit{\text{\tinithtet{\tinithtet{\tinithtet{\tiint{\tiitht{\tinithtet{\tinithtet{\tiinithtet{\tiint{\tiin}\tiint{\tiint{\tiin}\tit
	Carp² Carpe²	Ŏ Ŏ	Ottawa River Rivière des Outaouais	Walleye <sup>5.9</sup>	
Otonabee River Rivière Otonabee	Walleye <sup>2</sup> Doré <sup>2</sup>	(A)	below Rockland to Carillon en aval de Rockland jusqu' à Carillon 4538/7454	Sauger <sup>5</sup> Doré noir <sup>5</sup>	(2) (4) (5)
downstream of Little Lake (Peterborough) to Rice Lake en aval du lac Little (Peterborough)	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\tag{5} \\ \tag{5} \\\	Prescott & Russell Cos. Clés de Prescott et de Russell	Northern Pike <sup>5</sup> Brochet <sup>5</sup>	(A) (A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B
jusqu' au lac Rice 44.14/7819 Peterborough Co./Cté de Peterborough	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	\text{0} \te		Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	\$\\ \tag{\tau}\$
	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>	(A)
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	7		Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>	0 0
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	- 0		White Sucker <sup>5</sup> Meunier noir <sup>5</sup>	
	Pumpkinseed¹ Crapet-soleil¹	Ŏ	Otter Lake	Black Crappie <sup>2</sup>	
	Bluegill <sup>2</sup> Crapet arlequin <sup>2</sup>	7	Lac Otter 4430/7632 Loughborough Two /Canton	Marigane noire <sup>2</sup>	
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	Ŏ	de Loughborough Frontenac Co./Cté de Frontenac		

Northern Pike² Brochel?	Smallmouth Bass? Achigan a petite bouche?  Cal Call ( ) ( )	Bridan Walphie Marigane noire?	Largemouth Bass* Achigan à grande bouche²	Smallmouth Bass¹ Achigan à petite bouche¹		Lake Trough	Smallmouth Bass'				Lake Trout Truite de lac's A A A A	Whiteish Cand coregone!	Coscoo	Yellow Perch² Perchaude²		Walleyer Onter	)		15-20 20-25 25-30 30-35 35-46 46-55 55-56 65-75 > 75 (6+3) (14-13) (12-14) (14-13) (12-14) (14-13) (12-14) (14-13) (12-14) (14-13) (12-14) (14-13) (12-14) (14-13) (12-14) (14-13) (12-14) (14-14) (1
(a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	44517613  N Burgess Twp /Canton de Burgess-N Lanark Co./Cité de Lanark	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		Oudaze Lake Lac Oudaze	Chaffey Twp /Canton de Chaffey Muskoka D M./Mun du dist de Muskoka	Oxtongue Lake	4522/7855  McClintock Twp /Canton da McClintock		Lace Palmerston Iruite 08 lack 450,77631 Smallmouth Bass' Formerston & Cromon Turke Cantors de Palmerston et les Cannon Actition A pellie hourbhe	Frontenac Co./Cite de Frontenac	Papineau Lake Lac Papineau	(S)	(d) (d)	Park Lake Lac Park	A A Landrice Two /Canton de Dalhouse Landrik Co./Cie de Landrik	Patterson Lake	4605/7947 Patterson Twp/Centon de Patterson Parterson Twp/Centon de Patterson	מייץ לסטים היא ופין ניסי מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין אין פיטים מיין מיין אין פיטים מיין מיין מיין אין פיטים מיין מיין מיין מיין מיין מיין מיין מי	16-22) (22-26) (26-30) > (30)
<u>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>		Ö	che <sup>2</sup>	<u>0</u>	0	S S		0		()	\$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	0	4 4 4	(A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	0 0	che53	- - - - - - -	(A)	15-20 20-28 25-30 30-38 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-28) (26-30) > (30)
Carp <sup>2</sup> Carpe <sup>2</sup>	Ottawa River Walleyes Brière des Outaouais Dorés	below Mattawa to Pembroke/ en avel de Mattawa jusqu' à Pembroke Brochet <sup>2</sup> Brochet <sup>2</sup>	bist and Renfrew Co bissing et Cté. de Renfrew	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>	Cisco¹ Cisco¹	Yellow Perch² Perchaude²	Sturgeon <sup>1</sup> Esturgeon de lac <sup>1</sup>	White Sucker Meunier noir	Ottawa River Walleye <sup>2</sup> Rivière des Outaouais Doré <sup>2</sup>	below Pembroke jusqu' à Arnprior Northern Pike² en aval de Pembroke jusqu' à Arnprior Brochet² 8540/7650	Rentraw Co./Cte de Rentraw Achigan à petite bouche <sup>2</sup>	Channel Cattish <sup>2</sup> Barbue de rivière <sup>2</sup>	Ottawa River Rivière des Outaguais Dorés?	ckland	Carleton Pi rég	Cité de Russell Achigan à petite bouche <sup>5,9</sup> Achigan à petite bouche <sup>5,9</sup>	Rock Bass¹ Crapet de roche¹	Yellow Perch?  Continued top right  Suite colonne de droite	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	(second) se			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-25) (26-30) > (30)	55 55-65 65-75 > 75 22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Paudash Lake Lac Paudash	Walleye <sup>2</sup> Doré <sup>2</sup>		(d)	Pike Lake Lac Pike	Walleye <sup>5</sup> Doré <sup>5</sup>	(2) (4) (2) (3) (4) (5) (4) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6
4458/7803 Cardiff Twp /Canton de Cardiff Haliburton Co /Cté de Haliburton	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		4447/7621 N Burgess Twp Canton de Burgess-N	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	(A)
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>	0 0		Lanark Co./Cté de Lanark	Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>	7 7
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>	0	7,		Northern Pike <sup>5</sup> Brochet <sup>5</sup>	4 4 4
Peninsula Lake Lac Peninsula	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Pine Lake Lac Pine	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(b)
4520/7906 Chaffey Twp /Canton de Chaffey Muskoka D. M./Mun. de dist. de Muskoka	Lake Trout <sup>2</sup> a Truite de lac <sup>2</sup>	(A)	4	4507/7835 Gullord Twp /Canton de Guilford Hailburton Co /Cté de Hailburton	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	0
Percy Lake Lac Percy	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>	0 0 0	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)	Pine Lake Lac Pine	Rainbow Trout¹ Truite arc-en-ciel¹	ð
4512/7822 Harburn Twp /Canton de Harburn Haliburton Co./Cté de Haliburton				4504/7904 Oekley Twp /Centon d'Oakley Muskoka D. M. /Mun. de dist. de Muskoka	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>	
Percy Reach Bief Percy	Walleye <sup>2</sup> Doré <sup>2</sup>	(b)	0 4 2	Pittock Reservoir Réservoir Pittock	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	( <b>b</b> )
Trent River/Privière Trent 4414/7747 Percy Twp./Centon de Percy	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	0	7	Woodstock 4308/8044 Oxford Co./Cté d'Oxford	Rock Bass¹ Crapet de roche¹	7
Northumberland Co Cte de Northumberland	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>				Yellow Perch¹ Perchaude¹	0
	Yellow Perch² Perchaude²	7 7			Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	Ŏ Ŏ
	Rock Bass¹ Crapet de roche¹	(A)			Carp² Carpe²	Ö
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	Ö			White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	7 7
	Pumpkinseed <sup>1</sup> Crapet-soleil <sup>1</sup>	\(\frac{1}{3}\)		Portage Lake	Smallmouth Bass <sup>2</sup>	
	Brown Bulthead <sup>2</sup> Barbotte brune <sup>2</sup>	Q Q		Lac Portage 4500/7823 Dudley Twp./Canton de Dudley	Rainbow Trout?	
	Carpe <sup>2</sup> Carpe <sup>2</sup>		7	תפווסמנסט כפי/כנפ מפ הפווסמנסט	ווחופ מוס-פוו-חופו-	

(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Ü	(C) (D) (T) (T) (T) (T) (T) (T) (T) (T) (T) (T	8	ð 8		V V	ð ð	© ©	15-20 20-25 25-30 30-35 35-45 45-55 55-65 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (
Northern Pike <sup>6</sup> Brochel <sup>6</sup> Black Crappie <sup>2</sup> Marigane noire <sup>2</sup> Bown Bullhead <sup>2</sup>	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Northern Pike <sup>2</sup> Brochat <sup>2</sup>	Walleye <sup>2</sup> Dore <sup>2</sup>	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	Smallmouth Bass' Achigan à petile bouche	
Portage Lake Lac Portage Assemble Assem	Professor's Lake Lac Professor 43447942 Brampton	Prospect Lake Lac Prospect 4485/798 Disper Two /Ganton de Disper Muskoka D M /Mun de dist de Muskoka	Purdy Lake Lac Purdy 4521/77/90 Bangor Two / Canton de Bangor Hastings Co./Cié de Hestings	Pusey Lake Lac Pusey 4503/7813 Cardiff Twp /Canton de Cardiff Haliburton Co. /Cite de Haliburton	Puslinch Lake	432/8016 Puslinch Twp /Canton de Puslinch Weilington Co./Cté de Weilington	Queenston Reservoir Réservoir Queenston 4309/7905 Niagara R M Mun. rég. de Niagara	Rainy Lake Lac Rainy Hosson Two Canton de Ryerson Hosson Two Canton de Ryerson Parry Sound Dist./Dist de Parry Sound	
(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		<b>®</b> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0	3	N N N N N N N N N N N N N N N N N N N	<b>9</b>	Ö	0 0	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-6) (8-10) (10-12) (12-14) (14-15) (16-22) (22-26) (26-30) > (30)
Walleye <sup>5</sup> Doré <sup>5</sup> Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup> Northern Pike <sup>5</sup>	Northern Pike¹ Brochet¹ Walleye¹ Doré¹	Walleye¹ Doré¹ Largemouth Bass¹ Achigan à grande bouche¹	Yellow Perch² Perchaude² Rock Bass¹ Crapet de roche¹	Bluegill' Crapet arlequin¹ Brown Bullhead² Barbotte brune² Carp²	Carpe²	Walleye¹ Doré¹ Yellow Perch¹	Rock Bass¹ Crapet de roche¹ Brown Ruilhead²	Barbotte brune Carpe <sup>2</sup>	
Pickerel Lake Lac Pickerel 454/17918 Annau & Froudion Twps Camons Camon of Amour et al Proution Parry Sound Distribist de Parry Sound	Pickerel River Rivière Pickerel 4540/7918 Mowat Twp./Canton de Mowat Parry Sound Dist./Dist de Parry Sound	Pigeon Lake Lac Pigeon 4427/7830 Victoria Co./Clé de Victoria				Pigeon River Lac Pigeon Emily Provinciel Park area	4418/1832 Emily Twp./Canton d'Emily Victoria Co,/Cie de Victoria	Southern Ontario/Sud da	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Raisin River Rivière Raisin	Walleye <sup>5,7,8</sup> Doré <sup>5,7,8</sup>		Rideau River Rivière Rideau	Northern Pike¹ Brochet¹	(A)
MacGillvrays Bridge/Pont MacGillvrays 4509/7439 Charlottenburg Two.			Smiths Falls to Merrickville Smiths Falls a Merrickville 4453/7556	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	
Canton de Charlottenburg Glengarry Co./Cte de Glengarry			Lanark & Leeds Cos. Crès de Lanark et de Leeds	Rock Bass¹ Crapet de roche¹	\bar{\bar{\bar{\bar{\bar{\bar{\bar{
Raven Lake Lac Raven	Lake Trout¹ Truite de lac¹			Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	₹ ₹
4512/7841 Sherborna Twp./Canton de Sherborne Haliburton Co./Cté de Haliburton	Smallmouth Bass¹ Achigan à petite bouche¹	(S)		Pumpkinseed¹ Crapet-soleil¹	3
Rebecca Lake Lac Rebecca	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)		Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	
4526/7902 Sinclair Twp /Canton de Sinclair Muskoka D. M./Mun. de dist. de Muskoka		(A)	Rideau River Rivière Rideau	Walleye <sup>2</sup> Doré <sup>2</sup>	(A) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C
Red Chalk Lake	Lake Trout?		below Merrickville to Manotick en aval de Merrickville jusqu'à Manotick 4508/7538	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(A)
Lac Fed Chaik 4511/7857 Ridout Twp./Canton de Ridout	lrune de lac		Ottawa-Cerleton R M Mun rég d'Ottawa-Carleton	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	
Millskoka D. M./Mun. de dist de muskoka Bed Deer Lake	Brook Trout			Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	<b>◆</b>
Lac Red Deer	Omble de fontaine			Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	(A)
Laurier I wp./Canton de Laurier Parry Sound Dist./Dist. de Parry Sound				Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Redhorse Lake Lac Redhorse	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>			Pumpkinseed¹ Crapet-soleil¹	Ş
4506/7648 S Canonto Twp./Canton de Cenonto-S. Frontenac Co /Cté de Froftenec				Bluegill¹ Crapel arlequin¹	
Red Pine Lake	Smallmouth Bass <sup>1</sup> Achigan à netite houche <sup>1</sup>	(4) (4)		Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	<ul><li>♣</li><li>♦</li></ul>
4512/7642 Sherborne Twp /Canton de Sherborne-S. Helburton Co./Cie de Helburton				Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	
	מומוס מס ומס			Carp² Carp²	000000000000000000000000000000000000000
Lac Redrock	Omble de fontaine	© 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
4546/1828 Bower Two./Canton de Bower Niprssing Dist./Dist. de Niplssing	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	8			

Walleye¹ Cal Cal Cal (A) (B) (B) (B)	Northern Pike? Bioched:	Smallmouth Bass. Achigan à petite bouche?	Hock Bass Crapet de roche   Charles Aveliana Basek1	Performed States	Biluegill' Crapet arlequin'	Black Crappie <sup>2</sup> Marinane notire <sup>2</sup>	Brown Bullhead?	Carp. Carb.	nouth Rase?	Sindinification boxos	ruilphiliseu Capel-soleil	oche¹ (4) (4)	000000000000000000000000000000000000000	Ö	Dore" (4)	Largemouth Bass' Achigan à grande bouche¹  (4) (4) (2)		Smallmouth Bass* Achingan a pelite bouche*		15-20 20-22 25-30 30-28 35-46 45-55 55-46 86-75 > 75 (6-3) (6-3) (10-12) (12-14) (14-15) (18-22) (22-26) (26-30) > (30)
	Ottawa	Mun. rég d'Ottawa-Carleton	1	1					Robertson Lake	Lac Robertson	Levant Twp./Centon de Levant Lanark Co./Cté de Lenark	@	1	1		Lac Robin	I R 9/Res autochtone 9 Perry Sound Dist./Dist de Parry Sound	Robinson Lake Lac Robinson	4455/7743 Limerick Twp /Centon de Limerick Hastings Co./Cité de Hastings	> 75 > (30)
		7	<b>A</b>	(	4	7						<b>4</b>	4 (4)	75					(1) (2) (1)	-55 55-65 65-75 -22) (22-26) (26-30)
000000000000000000000000000000000000000	4	000000000000000000000000000000000000000	9	1 1	4	<b>♦</b>	0 0	7	Š		8 8 8	0		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	0 0	7	Ü	0 0		15.20 20.25 25.30 30.35 35.45 45.55 55.45 65.75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
	Ö	0		1 1	4	\frac{7}{5}	0	0	Ö		8	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		0 0 0	0		Pumpkinseed* Crapet-soleil?	0 0	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	

Southern Ontario/Sud de l'Ontario

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) < (30)
Rocky Saugeen River/Rivière Rocky Saugeen 44.186040 Glevie, E.phrasa & Arenses Twos. Canons de Gleviel, d'Euphrasa et d'Arenses	Brook Trout⁴ Omble de fontaine⁴	\(\frac{1}{2}\)	St. Catharines — Water Intake Canal Canal de prise d'eau de St. Catharines A30/7915	White Crappie <sup>1</sup> Marigane blanche <sup>1</sup>	<b>(b)</b>
Roger Lake Lac Roger 428/Roger Lengstone Two/Canton de Lungstone Hallburton Co /Cite de Hallburton	Brook Trout² Omble de fontaine²	0 0	Lake St. John Lac St. John 4441/7919 fama i wp. Clandon de Rama Smcoe Co /Cle de Smcoe	Northern Pike² Brochet² Walleye² Doré² Smallmouth Bass²	
Lake Rosseau Lac Rosseau 45/00/2000 Gardwell Musicka D M./Mun de dist. de Musicka	Smallmouth Bass <sup>2</sup> Achigan a petite bouche <sup>2</sup> Lake Trouti <sup>2</sup> Truite de lac <sup>2</sup> Ranbow Smelt <sup>2</sup> Eberlan arc-en-ciel <sup>2</sup>			Achigan a petite boucher Largemouth Bass² Achigan a grande bouche? Perchaude² Rock Basss²	() (4)
	Cisco <sup>2</sup> Cisco <sup>2</sup> Cisco <sup>2</sup> Crapet de roche <sup>2</sup> Whitelish <sup>2</sup> Grand corégone <sup>2</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Urapet de noche- Black Crappie <sup>2</sup> Marigane norire <sup>2</sup> Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup> Brown Bullhead <sup>2</sup>	0 0 0 0
Rouge Marsh Marais Rouge 43467907 Scarborough	Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup> Pumpkinseed <sup>2</sup> Crapet-sole!! <sup>2</sup>	**************************************		Carp <sup>2</sup> Carp <sup>2</sup> Carpe <sup>2</sup> White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	
Round Lake Lac Round 44307753 Belmont Wp.Canton de Belmont Pelentorough Co /Cle de Pelentorough	Walleye <sup>2</sup> Doré <sup>2</sup> Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup> Largemouth Bass <sup>2</sup> Achinana a grande bouche <sup>2</sup>		St. Nora Lake Lac St. Nora Salogy/Reo Salogy	Bass¹ eile bouche¹	
	Yellow Perchaude <sup>1</sup>		Lax St. Peter 45.97/802 McClure Twp Canton de McClure Hastings Co /Cle de Hestings	Lake 110ul* Truite de lac²	<b>♦</b>

		₹ •		Salerno Lake	Smallmouth Bass <sup>1</sup>	
		Ö		4451/7829 Glamorgan Twp /Canton de Glamorgan	Achigair a penie bouche	
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	Ö		Sand Lake	Lake Trout?	(6
Round Lake Lac Round	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	4	Lac Sand 4539/7911 Proudiot Twp./Cartion de Proudioot Parry Sound Dist. /Dist de Parry Sound	Truite de lac²	<u>4</u>
McMurrich   wp./Canton de McMurrich Parry Sound Dist /Dist. de Parry Sound				Sand Lake	Largemouth Bass <sup>2</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
l Lake ound	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>		(4) (2) (4)		Bluegill	
4536/7730 Richards & Hagarty Twps Cantons de Richards et de Hagarty	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>	0	(A)	Ctès de Leeds et de Grenville	Brown Bullhead	0 0
	Walleye <sup>2</sup> . Doré <sup>2</sup>	(A)	0 0		Yellow Perch <sup>2</sup>	
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	0	(4) (4) (2)		Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	
Round Island Lake Lac Round Island	Lake Trout¹ Truite de lac¹	9	(4) (4) (2) ·	Sand (Plevna) Lake Lac Sand (Plevna)	Walleye¹ Doré¹	
Dickson & Preston Twps Cantons de Dickson et de Preston Niptssing Dist./Dist. de Niptssing				4450/7702 Barrie & Clerendon Twps. Cantons de Barrie et de Clarendon Frontenac Co ICIA de Frontenac	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(A)
Round Schooner Lake Lac Round Schooner	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>		Ö Ö		Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
4507/7659 Miller Twp./Canton de Miller Frontenac Co./Cté de Frontenac	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	Ö	0	Sandy Lake #1 Lac Sandy n° 1	Northern Pike¹ Brochet¹	(d) (d) (2)
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(b)	(d)	4607/8003 I.R. 9/Res. autochtone 9 Parry Sound Dist. /Dist. de Parry Sound		
Buth Lake Lac Ruth 4601/7931 Nupssang Tap Canton de Nupssang Parry Sound Dist./Dist de Parry Sound	Walleye¹ Doré¹	\frac{1}{2}	9	Sandy Lake #2 Lac Sandy n° 2 46078002 III 9/fes autochone 9 Parv Sound Dist, Des de Parv Sound	Northern Pike¹ Brochet¹ Yellow Perch¹ Perchaude¹	0 0 0 0
-ake /an	Splake <sup>2</sup> Truite moulac <sup>2</sup>	0,	₹,			
454 1/7806 Preston Twp /Canton de Preston Nipissing Dist /Dist de Nipissing	Rainbow Trout <sup>3</sup> Truite arc-en-ciel <sup>3</sup>	0 0	ŏ			
		15-20 20-25 25-30 30-35 35- (6-8) (8-10) (10-12) (12-14) (14-	20-22 25-30 30-35 35-45 46-55 55-65 65-75 > 75 (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)			15-20 20-25 25-30 30-35 35-45 45-55 55-65 (75-30) < (30) (6-6) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (75-30) < (30) < (30)

0
=
~
(0
=
$\overline{}$
$\cup$
_
(I)
757
$\circ$
73
$\simeq$
-2
(J)
0
. 2
-
a
=
=
$\circ$
~
9
4
$\overline{\Phi}$
_
≒
ō
Sol
Sol
So

Emplacement Espèc	Species/ Espèces Cmallmouth Based	15-20, 20-25, 52-30, 30-35, 52-45, 45-55, 55-56, 55-75, 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (-30)	Location/ Emplecement		Longueur au poisson en cennimetres (pouces) 15-20 20-25 25-30 30-35 35-45 45-55 55-66 (25-30) - (37) (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) - (30)
<b>n</b> Denny	ouche4	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Seymour Lake Lac Seymour	Black Crappie <sup>1</sup> Marigane noire <sup>1</sup> Pumpkinseed <sup>1</sup> Crapt soleiti	0 0 0
Bruce Co./Cte de Bruce	-			Brown Bullhead Barbotte brune	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Ching	Chinook <sup>2.9</sup> Saumon quinnat <sup>2.9</sup>	<b>( ( ( ( ( ( ( ( ( (</b>		Carp² Carpe²	4
cugog	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>		Shabomeka Lake Lac Shabomeka	Lake Trout? Truite de lac?	
A410//850 Durham R M.Mun. rég de Durham . Walleye² . Doré²	ye²		4454/7708 Barrie Twp /Canton de Barrie Frontenac Co./Cté de Frontena <b>c</b>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)
Small	ouche <sup>2</sup>			Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	
Large Achig	Largemouth Bass² Achigan à grande bouche²	· (4)	Sharbot Lake	Smallmouth Bass4	(A) (A)
Carp <sup>2</sup> Carpe <sup>2</sup>	25	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4446/7641 Olden & Oso Twps Cantons d'Olden et d'Oso	Yellow Perch⁴	
Scugog River Walleye <sup>2</sup> Boré <sup>2</sup>	ye²	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Frontenac Co./Cté de Frontenac	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>	\$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
Postream of Lindsay . Smallr en amont de Lindsay . Achiga Achi	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Sheppard Lake	Yellow Perch	
	Largemouth Bass <sup>2</sup> Achlgan à grande bouche <sup>2</sup>	© \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	45.11/7847 Sherborne Twp /Canton de Sherborne	rei chaude	}
Yellov	Yellow Perch² Perchaude²	- T	Sherborne   ake	l aka Trautŝ	
Rock I Crape	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	4	Lac Sherborne	Truite de lac	<ul><li>◆</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li>&lt;</ul>
Bluegill? Crapet ar	lequin²	8	Sherborne Twp./Canton de Sherborne Hailburton Co./Ctê de Hailburton		
Barbol	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	7	Silent Lake Lac Silent	Lake Trout² Truite de lac²	, (A)
Carp <sup>2</sup> Carpe <sup>2</sup>	2	\frac{1}{2}	4425/7804 Cardiff Twp /Canton de Cardiff Haliburton Co /Cté de Haliburton	Smallmouth Bass* Achigan à petite bouche*	
White	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	U U		Largemouth Bass¹ Achigan à grande bouche¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)

Carper Cirabel arlequin?  Carper Colores Colored Service of Carper and Carper Colored Service of Carper and Carper	Scugog River Riviere Scugog Gruntindsay downstream to Surgeon Lake and de Indidsay lasqu's au lac Surgeon 4423/P84 Victoria Co /Cite de Victoria	Walleye? Dore? Smallmouth Bass? Achigan a petite bouche? Largemouth Bass? Achigan a grande bouche? Yellow Petch? Perchaude? Fock Bass? Crapet de roche?	0 0 0 0	0     0       0     0       0     0       0     0		Silver Lake Lac Silver Silver 4-6 Silver 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	Northern Pike <sup>2</sup> Brochef <sup>2</sup> Smallmouth Bass <sup>2</sup> Achigan a petite bouche <sup>2</sup> White Sucker <sup>1</sup> Meunier noir <sup>1</sup> Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup> Walleye <sup>2</sup> Done <sup>2</sup>	<b>9</b> 0 0		4       4       6       8       8
Walleye  Northan Pike¹  Northan Pike³  Smallmouth Bass²  Achigan a petite bouche²  Capp²  Smallmouth Bass²  Achigan a petite bouche²  Capp²  Smallmouth Bass²  Achigan a petite bouche²  Achigan a petite pouche²  Achigan a petite bouche²  Achigan a p		Oracym Crapet arlequing Pumpkinseed? Crapet-soleil? Carpe? White Sucker? Meunier noir?		4	0	Simcoe Co./Cle de Sancoe York & Durham R M s Mun rég de York et de Durham		0 0 0 0	∅         ∅         ∅         ∅           ∅         ∅         ∅         ∅	0 0
Smallmouth Bass' Achigan à petite bouche² Achi	Seagull Lake Lac Seagull 45347957 East Mils Twp./Canton of East Mils Parry Sound Dist Dist de Parry Sound	Wälleye¹ Doré¹ Northern Pike¹ Brochet¹		4 4			oire <sup>2</sup>	0 0	<b>7 8 8</b>	
Walleye* Dorg* Smallmouth Bass' Achigan a belie bouche* Achigan a petite	Second Depot Lake Lac Second Depot 44337645 Hinchbriote Imp Salmon & Hinchbriote Imp Salmon & Hinchbriote Fromenac Co ICite de Frontenac	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	() () ()	4			oche¹	Ö Ö	9	N N
Perchaladore Rock Bass <sup>1</sup> Capet de roche 1  Crapet de roche 2  Rainbow Smell <sup>5</sup> Capet de roche 2  Rainbow Smell <sup>5</sup> Capet de roche 2  Rainbow Smell <sup>5</sup> Capet de roche 3  Rainbow Smell <sup>5</sup> Capet	Seymour Lake Lac Seymour Treat Rayeffwere Treat Restroy 1 the Caston of Seymour Restructured to Caston of Seymour Cite de Northumberland	Walleye <sup>2</sup> Doré <sup>2</sup> Smallrouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup> Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup> Achigan à grande bouche <sup>2</sup> Achigan à grande bouche <sup>2</sup> Petilow Perch <sup>2</sup>		\( \bar{\partial}{\partial} \\ \bar{\partial} \\ \bartial \bar{\partial} \\ \bartial \bartial \bartial \\ \bartial \bartial \bartial \bartial \\ \bartial \bartial \bartial \bartial \\ \bartial \bartial \bartial \bartial \bartial \\ \bartial \bar			inseed? -soteit? -sotleit? Bullhead?	Ö Ö		0 0
	Continued top night Suite colonne de droile	Perchaude Rock Bass <sup>1</sup> Crapet de roche <sup>1</sup>	7				iels		0	

Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	Species/ 15-20 20-25 25-30 30-25 35-45 45-55 55-65 65-75 > 75 ESpécies (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (12-26) (26-30) > (30)	While Sucker?  Meunier noir? Yellow Perch? Perchaude?	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	White Sucker? Meunier noir?	Brown Byllnead² Barbotte Brune²	Black Crappie? Marigane norire?	Northern Pike² Brochet²	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	- 1	Carp <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carpe <sup>2</sup> Carp	Brown Bullhead* Barbotte brune* Northern Pike*	Brochel?	Smallmouth Bass¹ Achigan a petite bouche¹	Largemouth Bass' Achigan à grande bouche	Walleyes Done's	pended Northern Pike³	Smallmouth Bass* Achigan à peilte bouche*
Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	20-25 25:30 30-35 35-45 45-55 55-65 65-75 > 75 Eocation/ (8-10) (10-12) (12-14) (14-16) (16-22) (22-26) (26-30) > (30) Emplacement	Speed River Rivière Speed Guelph DamBarrage Guelph 4344019 Guelph Targe Guelph 4344019 Guelph Targe Guelph Guelph Targe Guelph Guelph Targe Guelph Guelph Targe Guelph Managarrage Guelph Managarrage Guelph Managarrage Guelph Managarrage Guelph Managarrage Guelph	(a) (b) (c) Incompanies and another than the control of the contro	Speed River Rivière Speed	Calcipion   Housestade Park/Parc Riverside   4333/80/15   Gueliph	(4) (2) (2) (3) (4) (4) (4) (4) (5) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	(4) (4) (4) (5) (5) (5) (5) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	Canton de Dumines-N Watertoo R M Mun rég. de Watertoo	Speed River Rivière Speed			9		Stoco Lake	4428/T/77 Hungardor 18 Hungerford Hungerford Hestings Co./Cle de Hastings	<b>4</b>	
Fish size in ce Longueur du	Species/ 15-20 20-25 Espèces (6-8) (8-10)	Smallmouth Bass² Achigan à petite bouche² Walleye¹ Doré¹	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	Walleye <sup>2</sup> Doré <sup>2</sup>	Smallmouth Bass² Achigan à petite bouche²	Walleye <sup>2</sup> Doré <sup>2</sup>	Smallmouth Bass¹ Achigan à petite bouche¹  (4)	Northern Pike¹ Brochet¹	Rock Bass' Crapet de roche'	Lake Trout¹	aine!	Ling <sup>2</sup>	Smallmouth Bass <sup>2</sup>	25 Edite 000016	Whitefish⁵ Grand corégone⁵	Northern Pike¹ Brochet¹	Largemouth Bass¹ Achigan à grande bouche¹
	Location/ Emplacement	Six Mile Lake Lac Six Mile A454/7947 Baster Twp Canton de Baster Muskoka D M Mun de dist' de Muskoka	Skeleton Lake Lac Skeleton	4515/7927 Cardwell Twp./Canton.de.Cardwell Muskoka D. M.Mun. de.dist.de.Muskoka		Skootamatta Lake Lac Skootamatta	4450/7716 Angiesea Twp./Canton d'Angiesea Lennox & Addington Co			Slipper Lake	4517/7842 Havelock Twp /Canton de Havelock Hailburton Co /Cté de Hailburton	Smoke Lake	e Peck de Ninjegno	Francisco de la constanta de l		Snigisi Lake Lac Snigisi	4603/7959 I R 9/Res ind 9 Parry Sound Dist,/Dist de Parry Sound

Solitaire Lake Lac Solitaire	Lake Trout* Truite de lac*	0 0 0 0	Stony Lake Lac Stony	Walleye¹ Doré¹	0 0	4	4	
4523/7901 Sinclair Twp./Canton de Sinclair Muskoka D.M./Mun de dist de Muskoka			4433/1806 Burliegh & Dummer Twps. Cantons de Burliegh et de Dummer Peterborough Co./Cle de Peterborough	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	<b>(b)</b>	4		a
South Lake Lac South	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	- C		Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	4		
4455/7841 Snowden Twp./Canton de Snowden Haiburton Co./Cité de Haiburton	White Sucker <sup>2</sup> Memier poir <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Yellow Perchi Perchaude <sup>1</sup>	0 0			
South Nation River	Walleve*	(		Rock Bass¹ Crapet de roche¹	4			
Rivière South Nation	Doré			Biuegill¹ Crapet arlequin¹	4			
tormont & Russell Cos undas, de Stormont ell	Sauger' Doré noir¹	<ul><li>♦</li><li>©</li><li>⊕</li><li>√</li></ul>		Pumpkinseed*	0			
	Northern Pike¹ Brochet¹			Cisco!	[]	6		
	Pumpkinseed <sup>1</sup> Crapet-soleil <sup>1</sup>	Ö		Ling'	}	} {	(	
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		Brown Builhead <sup>2</sup>	}	3	<del>1</del>	1
	Yellow Perch <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		Barbotte brune²				
	Brown Bullhead			Maskinongé <sup>2</sup>		7	7	<b>4</b>
	Carp <sup>2</sup> Carpe		Stormy Lake Lac Stormy	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\frac{\alpha}{2}	0		
	Redhorse Sucker <sup>1</sup> Suceur rouge <sup>1</sup>	3	Glamorgan Twp./Canton de Glamorgan Haliburton Co./Cté de Haliburton					
South Portage Lake	Smallmouth Bass <sup>1</sup> Achigan à petite houche <sup>1</sup>	(A) (A) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	Sturgeon Lake Lac Sturgeon	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	0 0	4		
/e	Largemouth Bass <sup>1</sup> Achigan à grande houche <sup>1</sup>	9	44.201743. Fenelon Twp./Centon de Fenelon Victoria Co./Cté de Victorie	Walleye <sup>2</sup> Doré <sup>2</sup>	0 0	Ö Ö	4	
н	Smallmouth Race1	)		Yellow Perch² Perchaude²	\$ \$			
	Achigan à petite bouche	(A)		Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	8	Ö		
Orillia Twp./Centon d'Orillia Simcoe Co./Cté de Simcoe	Doré <sup>1</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>		4		
	Largemouth Bass² Achigan à grande bouche²		Continued next page Suite page suvante	Bluegill? Crapet arlequin²	S S			
		15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	v		(6-8) (0-10) (10-12) (12-14) (14-18) (16-22) (22-28) (26-30) > 75	35-45 45-55 9	2-26) (26-30	, (30) (30) <b>63</b>

V

 $\odot$ 

()

**⊕** 

Thames River Rivière Thames South Branch South Branch South Branch South Branch South Branch Woodstook) to Dornester Modition a pelle boutche? Achigan a pelle boutche? Achigan a pelle boutche? Achigan a permett of south of the service of the serv		I names kilver Rivier Thames Achigan a petit bouche Mude Banch Mude Banch Mude Banch Mude Banch Mude Banch Mude Banch Mude Banch Mude Banch Rock Bass' Roc		S RIVER Thames ester to North Thames River Creek) Creek) That a graph a nent du nord russeau Pottersburg)	Meuner nord London Meuner Coulcie de Madresex Pacher Coulge? Suceur rouge?	
						15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-16) (16-22) (22-26) (26-30) > (30)
Lake Trout* Truite de lac. Smallmouth Bass* Achigan a petile bouche* Northern Pike* Brochet* Walleye*	Lake Troul* Truite de lac* Ling* Cisco* Cisco*	Smallmouth Bass' Achigan à petite bouche? Whitelish? Grand corégone? Walleye? Doré?	Walleye¹ Doré¹ Smallmouth Bass² Achigan à petite bouche²	Lake Trout¹ Truite de lac¹ Smallmouth Bass¹ <a>*&gt; Achigan à petite bouche¹</a>	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup> Back Chapone <sup>2</sup> Marigane noire <sup>2</sup> Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	
Tadenac Lake Lad Tadenac 4502/7957 Freeman Two,Canton de freeman Muskoka D M Mun de dist de Muskoka Talbot River Rivière Talbot 4428/790 Duntan R M Mun. 169 de Durnam	Lake Talon Lac Talon anstraws Rever, Rivotre Mattawa 46: 81/790,5 Nipssing Dist / Dist. de Nipissing		Tangamong Lake Lac Tangamong 4443/750 Lake Two/Canton de Lake Hastings Co./Ole de Hastings	Tasso Lake Lac Tasso 42277886 Frilayson Two Camon de Frilayson Muskoka D. M.Mun. de dist de Muskoka	Tay River Pay Rivier Tay Assayror Premay Pay Assayror Premay Pay Canor of Emaley-N Lanark Co. Cite de Lanark Co. Mile colonne de droyle Suite colonne de droyle	

₹

Ť

₹ } {}

B

() Ö

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (16-12) (12-14) (14-18) (18-22) (22-25) (25-25) (25-35) (25-25) (25-

Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	Species/ 15-20 20-25 55-30 30-35 35-45 45-55 56-65 65-17 > 75 Especies (6-8) (8-10) (10-12) (12-14) (18-18) (18-22) (22-26) (26-30) > (30)	Smallmouth Bass² Cal Cal	Largemouth Bass² skoka Achigan à grande bouche²	Walleye <sup>2</sup> Dore	Walleye	noice.	30	Lake Troute de lac <sup>d</sup> (4) (4) (4) (4) (4) (4)	Yellow Perch <sup>6</sup>	Brook Trout¹ Omble de fontaine¹	puno	Walleyer Onte	mour	Largemouth Bass² Achigan à grande bouche² Achigan à grande bouche²	Yellow Perch² Perchaude²	Rock Bass¹ Crapet de roche¹	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	Pumpkinseed¹ Crapet-sole!¹	Brown Bullhead* Barbotte brune*
Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	20.25 25-30 30-36 35-45 45-55 55-65 65-75 > 75 Location/ (8-10) (10-12) (12-14) (14-16) (18-22) (122-26) (16-30) > (30) Emplacement	Three Mile Lake	4510/7227 Watt Wp C227 Watt Washoka Muskoka Muskoka Muskoka D. M Mun de dist. de Muskoka		Tilden Lake	Lac Illaen (437/733) Gladman Norman Twps	Carlons de Gladman et de Norman Nipissing Dist,	Timberwolf Lake	Niprising Dist, Dist de Niprising	Tower Lake Lac Tower	4 4555794 4 4555794 4 4555794 4 4555794 4 4555794 4 4555794 4 45579594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594 4 4557594000000000000000000000000000000000	Trant River Rivier Rivière Trent	ast of Rice Lake to Seymour Leke a rest du lac Rice jusqu' au lec Seymour 44237749	Northwithbefrad Ca. & Peterborough Cos (Cides de Northwithefrad et de Peterborough	<ul><li>∅</li></ul>				
Fish size in cen Longueur du po	Species/ 15-20 20-25 25 Espèces (6-8) (8-10) (10	Walleye² Doré²	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Bass²	Rock Bass² Crapet de roche²	Carp² Carpe²	White Sucker¹	Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup>	Smallmouth Bass <sup>2,9</sup> Con Con Achigan à petite bouche <sup>2,9</sup>	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	Carp² Carpe²		Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup>	Walleye <sup>2</sup> Doré <sup>2</sup>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	Carp² Carpe²		
	Location/ Emplacement	Thames River Rivière Thames	North Branch below St. Marys to Fanshawe Reservoir	entularitzhement gu riold en aval de St. Marys jusqu` au réservoir Fanshawe 4304/8111	Middlesex Co./Clé de Middlesex				Thames River Rivière Thames	below Fanshawe Dem to above Springbank Dam en aval du barrage Fanshawe jusqu' en	anort ou barrage springbank 4559/8114 London Twp./Canton oe London Middlesex Co./Cife de Middlesex			Thames River Rivière Thames	below Springbank Dam to Delaware en aval du barrage Springbank lusqu' à Delaware	4256718 Delaware, Westminister & Caradoc Twps Cantons de Delawere, Westminister of the Caradoc	Middlesex Ca/Cté de Middlesex		

(A)		0 0	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0 0 0	(d)		ð	T T	0 0 0		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	\forall \foral				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7	0 0		1520 2025 2530 30-35 30-45 45-85 55-85 65-75 5-75 (6-8) (6-12) (72-14) (14-18) (18-22) (22-28) (25-39) (25-39) (25-39)
Carp <sup>2</sup> Carpe <sup>2</sup>	Walleye <sup>2</sup> Doré <sup>2</sup>	Percy Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Yellow Perch² Perchaude²	Rock Bass¹ Crapet de roche¹	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	Pumpkinseed1 Crapet-soleil1	Brown Bullhead <sup>2</sup>	Carp <sup>2</sup>	Northern Dike2				Crapet de roche <sup>1</sup>	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	Pumpkinseed¹ Crapet-soleil¹	Brown Bulthead <sup>2</sup> Barbotte brune <sup>2</sup>	Carp <sup>2</sup> Carpe <sup>2</sup>		
	Trent River Rivière Trent	below Seymour Lake to Percy Reach en aval du lac Seymour jusqu' à Bief Percy 4414/7747	Northumberland Co. Cté de Northumberland					-		Trent River	Rivière Trent below Percy Reach to Trenton	en aval de Bief Percy jusqu' à Trenton 4416/736 Northumberland & Hastings Cos Orse, de Northumberland, et de Hastings	כופא סם ואסוויות וחפוומיום מן טס יומאו				9		à	
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	•		(A)		8	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	7					0 0	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	)	(d) (d) (d)					20.25 25:30 30:35 35:45 45:55 55:45 65:75 > 75 (6:10) (10:12) (12:14) (14:18) (18:22) (22:26) (26:30) > (30)
		-		7	8	V	0	V	7	\(\frac{\gamma}{\gamma}\)	₹    }	Q Q	4			Ů				15-20 20-25 25-30 3 (6-8) (8-10) (10-12) (1
		1		V			V		V	Q	0		$\vdash$			-				
Walleye <sup>2</sup> Doré <sup>2</sup>	ebove Thamesville en amont de Themesville 425s(8156 Egamden Two./Centon de Camden	- 1	Walleye <sup>2,7</sup> Doré <sup>2,7</sup>	anche¹		Carpe <sup>1</sup>	Gizzard Shad¹ Alose à gésier¹	Redhorse Sucker' Suceur rouge'		Black Crappie <sup>1</sup> Marigane noire <sup>1</sup>	Freshwater Drum¹ Malachigan¹	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Walleye <sup>2</sup>	Northern Pikel	Brochet <sup>1</sup>	Walleye <sup>2</sup>	Last I life Wille Dule Stass/1919 Amour My-JCanton d'Amour I My-JCanton d'Amour I	puno		

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-45 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-25) (25-25) (25-30) > (30)
Trent River Rivière Trent balow frst dam to Bay of Ounte (spawning Jun) a la bas de Quemer barrage lusqu' a la bas de Quemier (lieu de montason)	Whitefish <sup>27</sup> Grand corégone <sup>27</sup> Chinook <sup>27</sup> Saumon quinnal <sup>27</sup>	© ©	Wahwashkesh Lake Lac Wahwashkesh 4543802 Parksaze Twp Canton de McKenzie Parksaze Twp Canton de McKenzie	Smallmouth Bass¹ Achigan à petite bouche¹	© (
Hasings Co /Cie de Hasings  Trout Lake Lac Trout aast Orthern Bayla l'est de North Bay 4618/7220.	Lake Trout? Truite de lac?	7 7 7	Wannieer Warsh Marais Wainfleet 4255/7318 Wannies Two Canton de Wannleet Wasara B M.Mun rég de Nagara Walker Lake	Carpe* Carpe* Smallmouth Bass²	₹ 0 0 0 0 0 0 0
Nipissing Dist/Dist de Nipissing  Trout Lake	Smallmouth Bass <sup>6</sup> Arbinan à petite hourbe <sup>6</sup>	8 8	LaC Walker 4523/7905 Sinclar Twp (Canton de Sinclar Muskoka D M Mun. de dist de Muskoka	Achigan a pente bouche	9
435/8010 E Burpee Twp./Canlon de Burpee-E Parry Sound Dist /Dist. de Parry Sound	Achigan a petite bodone Lake Troute Truite de lac <sup>6</sup> Cisco <sup>6</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Waseosa Lake Lac Waseosa 4524/1977 Chaffey Iwp ICanton de Chaffey Muskoka D M Mun de dist. de Muskoka	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup> Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	<b>⊕</b>
Turtle Lake	Lake Trout²			Brook Trout <sup>2</sup> Omble de fontaine <sup>2</sup>	(A) (B) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C
Mattawa Piwer/Piwière Mattawa 4618/7910 Bonfield & Phelps Twps Cantons de Bonfield et de Phelps	מפ מפ		Waterford Lakes Lacs de Waterford	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup> Caro <sup>2</sup>	
Niprssing Dist./Dist de Niprssing  Twelve Mile Lake  Lac Twelve Mile	Lake Trout* Truite de lac*	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Townserio 3 wp / Centrol de Lowisserio Haldimand-Norfolk R M Mun rég de Haldimand-Norfolk	Carpe <sup>2</sup> Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
4501/7843 Minden Two./Canton de Minden Hailburton Co./Cté de Hailburton	Smallmouth Bass¹ Achigan à petite bouche¹		Welland River Rivière Welland	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	000000000000000000000000000000000000000
Unnamed Lake #420 E Lac sans nom n° 420 (4531/7857 Enlayson The Canton de foils de Miskoka D M.Min de dist de Miskoka	Brook Trout <sup>1</sup> Omble de fontaine <sup>1</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Port Davidson to upstream of Old Welland Cenal de Port Davidson jusqu' en emont du Cheneu Old Welland 4.500/7925 Nagare R. M. Mun. reg de Niegera	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup> Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	<ul><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li>&lt;</ul>
				Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	7
				white Crappie* Marigane blanche?	<u>0</u>

Channel Catish?  Bathue de rivilère?  Brown Builhead*  Bathotte brune?  Freshwater Drum?  Cation Cat	Bigmouth Butfalo* Buffalo a grande bouche*  Northern Pike* Smallmouth Bass* Crapet de roche*  Crapet de roche*	Yellow Petch* Perhaps Petch* Marigane blanche* Crapet-solesi* Change Catish*	Brown Bullhead* Barbotte brune* Freshwater Drum? Matechigan* Carpe** Carpe**  Carpe*	Northern Pike² Brochef argemouth Bass² Achigan à grande bouche² Craptet de roche² Craptet de roche²	Perchaude <sup>2</sup>
	Welland River Rivière Welland Gownstream of old Walland Canal or operations of the control of th			Welland River Rivière Welland Fivière Welland Fivière Melland Fivière Welland Fivière Melland	Continued next page Suite pagas suvante
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7 7	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(4) (4) (4) (5) (5) (5) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7
	000	0	0       0       0       0       0	4       4       4       4	15-20 20-25 (6-8) (8-10
Upper Beverley Lake Northern Pikel Lac Upper Beverley Brochel Basard Ymp / Canton de Basard Basard Ann John Bass' Achigan à grande bouchel Yellow Perchi Perchaude'	Upper Rideau Lake  Smallmouth Bass¹  Achigan à pellie bouche¹  Achigan à pellie bouche¹  Achigan à grande bouche¹  Cacesp Yan Canena de Cosby-N.  Adigenouth Bass³  Leeds Co Cot de Leeds  Rock Bass³  Crapet de roche¹  Brown Bullhead²  Bartonte brune²  Northern Pike¹  Brochet¹	Urbach Lake Lac Urbach Lac Urbach Lac Urbach Lac Urbach Perchaude*	Stissbooz Stissbooz Largemouth Bass² Action of Bassar Act		15-20


Location/ Emplacement	Species/ Espèces	Figh size in certifineties (inches) Longueur du posson en centimètres (pouces) 15-20, 20-25-25-30, 30-35-35-45-45-55-56-65-15-575 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (55-30) > (30)	Location/ Emplacement	Species/ Espèces	Fish size in centimetres (inches)  Longueur du poisson en centimetres (pouces)  15-20, 20-25, 25-30, 30-35, 35-45, 45-55, 55-66, 10-10, 10-12, 172-14 (14-18) (19-27, 122-26) (26-30) > (30)
Welland River Rivière Welland Commund/Surte	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup> White Crappie <sup>2</sup> Marigane blanche <sup>2</sup>	0 0	White Lake Lac White 4450/P846 Galway Ywp, Centon de Galway Peterborough Co./Cte de Peterborough	Smallmouth Bass* Achigan à petite bouche* Muskie* Maskinongé*	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
	Pumpkinseed* Crapet-soleil* Channel Caffish* Barbue de rivière* Brown Bullhead* Barbute brune* Freshwater Drum? Madaciigan*		White Partridge Lake 4500 White Partridge 4500 White Partridge Neer Non-Canton de Niven Norsen goor Canton de Niven Norsen goor Canton de Niven Norsen goor Canton Norsen	Brook Trou! Omble de tontaine! Yellow Perch! Perchaude! Largemouth Bass?	
Weslemkoon Lake Lac Weslemkoon sagazzzzs sagazzzs sagazzzs sagazzs sagazzss	Lake Trout! Truite de lac' Largemouth Bass' Achigan à grande bouche! Smallmouth Bass' Achigan à peilte bouche!		eact Coxoby Iwn, Clared e Grosby, S. Leeds Co. Closed feeds  Whitestone Lake Lac Whitestone 45,89738  Gallons de Hageman et de Cott Perry Sourd Dist, Dist, de Parry Sound	crapet artequin' Smallmouth Bass* Achigan à petite bouche* Walleye*	
West Lake Lac West Hallowell Wp./Canton de Hallowell Prince Edward Co Cite de Prince Edward	Walleye? Doré? Yellow Perch? Yellow Perch? Perchaude? Largemouth Bass? Achigan à grande bouche? Northern Pike?		Widow Lake Lac Widow Lac Widow Lawart Wo/Canton de Lavant Lavart Co/Oté de Lanark Wilcox Lake Lac Wilcox Viet R Wilkox Vor R P Mann reg de York	Walleye¹ Doré¹ Largemouth Bass¹ Achigan à grande bouche¹ Largemouth Bass² Achigan à grande bouche² Black Crappie¹	
West Don River Rivière West Don Gost Lord Resevor Resevor (2 Ross Lord 424-1723 North York	Rock Bass* Crapel de roche* Brown Bullhead* Barbotte brune* Carp*	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Wantgane nore Yellow Perch' Perchaude' Rock Bass' Crapet de roche' Bluegilf' Bruegilf' Bruegilf' Brown Builheade' Barbotte brunee'	0 0 0

									I
West Don River Rivière West Don	Carp² Carpe²	\$ \$ \$	0 0	(S)	Wildy	Wildwood Reservoir Réservoir Wildwood	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	
below G Ross Lord Dam en aval du barrage G Ross Lord 4343/7923	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	Ö Ö	4		4314/8102 Zorra Twp. Oxford Co.	4314/8102 Zorra Twp /Canton de Zorra Oxford Co./Cté d'Oxford	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	0 0 0 0 0	1 0
North York	Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	ð					White Sucker¹ Meunier noir¹	U U	
West Humber River Rivière West Humber	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	Ŏ	000000000000000000000000000000000000000	(4) (4)	Willo	Willow Creek Ruisseau Willow	Brown Trout <sup>2</sup> Truite brune <sup>2</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\
Claireville Reservoir Réservoir Claireville 4345/7938	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	7	4		west of Geo a Touest du 4510/8135	west of George Lake a l'ouest du lac George 45.10/8135			
Toronto Twp./Canton de Toronto Peel R. M./Mun rég de Peel	Carp <sup>2</sup> Carpe <sup>2</sup>			0	St Edmu Bruce Co	St Edmunds Iwp /Canton de St Edmunds Bruce Co /Cté de Bruce			
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	Š	0 0	Ö	Wilm	Wilmot Creek Ruisseau Wilmot	Brown Trout <sup>2</sup> Truite brune <sup>2</sup>	♠	
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	₹         	7		4359/7837 Durham R I	Orono 4359/7837 Durham R M /Mun rég. de Durham			_
	Rock Bass¹ Crapet de roche¹	4			Wolf Lak	Wolf Lake Lac Wolf	Largemouth Bass¹ Achigan à grande bouche¹	© (©)	
West Humber River Rivière West Humber	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	5 5 5	Ö		.4442/7732 Tudor Twp Hastings C	442/7732 Tudor Twp /Canton de Tudor Hastings Co./Cté de Hastings			
Delow Claireville on avail of up a safety of a safety	Carp² Carpe²		\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	(A)	Wolfe Lac W	Wolfe Lake Lac Wolfe	Smallmouth Bass¹ Achigan à petite bouche¹	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Peel H M Mun. reg de Peel	:		+		Bedford Frontenau	444 i // 650 Bedford Twp./Canton de Bedford Frontenac Co./Ciè de Frontenac	Walleye¹ Doré¹	U U U	
White Lake Lac White	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\tag{5}		<b>4</b>	Wolls	Wollaston Lake	arnemouth Bass1		
4518/7631 Darling Twp./Canton de Darling Lanark Co./Cté de Lanark	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>		7		Lac W	Lac Wollaston	Achigan à grande bouche?	(4)	
	Northern Pike¹ Brochet¹		V	0 0	Wollasto	Wollaston I wp./Carton de Wollaston Hastings Co./Cté de Hastings	Achigan à petite bouche <sup>2</sup>	(d) (d) (D)	_
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>		0 0	4	Mood Lac V	Wood Lake Lac Wood	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	Yellow Perch² Perchaude²	Ŏ	3		4501/7905 Oakley Twp Muskoka D	4501/7905 Oaklay Twp /Canton d'Oakley Muskoka D. M./Mun. de dist. de Muskoka	Walleye¹ Doré¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	
		15-20 20-25 (6-8) (8-10) (1	25-30 30-35 35 10-12) (12-14) (14	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 >75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) >(30)	) > 75 ) > (30)		57.90	15-20 20-25 25-30 30-35 35-45 45-55 55-55 65-75 >75 (6-8) (6-70) (10-72) (12-14) (14-16) (16-22) (22-26) (26-30) > (30)	, 75 , (30)

(se	55-65 65-75 > 75 (22-26) (26-30) > (30)						
Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	55-65	1	0				,
s) nètres	45-59 3) (18-2)	0	4		· ·		9
centir	35-46	4	4	4			9
etres (	25-30 30-35 35-45 45-55 (10-12) (12-14) (14-18) (18-22)	4		4	0		Ö
entim pois	25-30			4	4	<u> </u>	Ŭ.
Fish size in centimetres (inches) Longueur du poisson en centim	20-25 (8-10)				4	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Fish s Longu	15-20 (6-8)					4	
	Species/ Especes	Walleye¹ Doré¹	Northern Pike¹ Brochet¹	Largemouth Bass¹ Achigan à grande bouche¹	Largemouth Bass' Achigan à grande bouche'	Smallmouth Bass¹ Achigan à petite bouche¹	Truite de lac'
	Location/ Emplacement	Woodcock Lake Lac Woodcock	4602/8004 I R 9/Rés autochtone 9 Parry Sound Dist./Dist de Parry Sound		Woodland Lake Lac Woodland Ads4/783A Wood Twp. Canton de Wood Muskoka D M.Mun. de dist de Muskoka	Woods Lake Lac Woods 4516/7936 Cardwell Twp./Canton de Cardwell Musicka D, M.Mun de dist de Musicka	Young Lake Lec Young Assigned Walf Tay Canon de Wat Muskoka D M.Mun de dist de Muskoka

Longueur du poisson en centimètres (pouces)

Fish size in contimetres (inches)



15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30) 4 (0) (V) 00000 4 (0) 4 (N) 4 4 (Q) 4 4 (0) 4 **4** 4 4 <u>1000000</u> (N) Ö 4 (N) 0000 4 4 0000 4 1 4 4 4 4 4 (4) 4 75-100 100-150 (30-40) (40-60) 4 Laquaiche aux yeux d'or? Longnose Sucker<sup>2</sup> Meunier rouge<sup>2</sup> Longnose Sucker Esturgeon de lac2 Sturgeon! Esturgeon de lac! Longnose Sucker Esturgeon de lac Jeunier rouge<sup>1</sup> Meunier rouge Northern Pike White Sucker<sup>2</sup> White Sucker<sup>2</sup> Meunier noir<sup>2</sup>

(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(1822) (22-26) (63-36) (93-36) (93-36) (193-36)			7				7 7 7	© (P) (P) (P) (P) (P) (P) (P) (P) (P) (P)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	15-20 20:25 25:30 30:35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12:14) (14-16) (16:22) (22:26) (26:30) (33)
Northern Pike <sup>6</sup> Brochef <sup>6</sup> Walleye <sup>6</sup> Dor <i>é</i> <sup>6</sup>	Slurgeon <sup>5</sup> Eslurgeon de lac <sup>5</sup>	Lake Troui² Truite de lac² Northern Pike² Brochet² Whitelish²	Grand corégone² Lake Trout' Truite de lac'	Grand corégone'	Achigan à petite bouche: Walleye' Doré'	Walleye <sup>8 9</sup> Doré <sup>8 9</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>		White Sucker	Walleye <sup>,</sup> Doré <sup>,</sup>	Northern Pike Brochet	
Abitibl River Rivière Abitibi Moose River/Rivere Moose 5:103/8055 Cochrane Dist./Dist. de Cochrane		Aegean Lake Lac Aegean S048/9448 Kenora Dist /Dist. de Kenora	Agnes Lake Lac Agnes	ao lo's I zu Rainy River Dist./Dist de Rainy River		Agnew Lake Lac Agnew 4622/8145 Sudbury Dist/Dist de Sudbury	Agonzon Lake Lac Agonzon 480/8550 Thunder Bay Dist, /Dist, de Thunder Bay		Agutua Lake Lac Agutua	Scauus 123 Kenora Dist./Dist de Kenora	:
						400	- 4 F		I A J		1
	₩ ₩	V V		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	<ul> <li>♥</li> <li>♥</li> <li>♥</li> <li>♥</li> <li>♥</li> <li>♥</li> <li>♥</li> <li>♥</li> </ul>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	( <del>+</del> )		20 X	15-20 20-25 25-30 30-35 35-46 45-55 55-66 65-75 > 75 (6-8) (40-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
0	Q		(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Ö	0 0	(a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Sucker² (4)		20.2	(5-20 20-25 25-30 30-35 35-46 45-55 55-65 (5-75 > 75 (5-3) (10-12) (12-14) (14-18) (16-22) (22-25) (25-30) (30)

Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	Species   Spec	Aramis Lake Walleyer Dord Aramis Dord Aramis	Ramy River Dist, Dist, de Ramy River Broche?  (4)	Asinne Lake Walleyer Car Car Car (4) (4)	5250,08956 Kanora Disi Disi de Kenora	Asipoquobah Lake Walleye One One One One One One One One One On	5340/9115 Kenora DisLiDst de Kenora	Astonish Lake Brook Trout' Ontble de fontaine		Atikomik Lake Walleye?  Lac Atikomik Doré (4) (4)	Kenora Dist /Dıst. de Kenora	Attawapiskat Hiver Northern Piker Priviere Attawapiskat Brochet	Dist. de Kenora	Longhose Sucker Meunier rouge	White Sucker Meunier noir	Attawapiskat River Sturgeon de lace Rivière Attawapiskat Esturgeon de lace	at Missisa River/a la riviere Missisa 5301/8453 Kenore Dist /Dist. de Kenora	
Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	4 0	(4) (4) (4)	4	\frac{1}{2}	3		(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		(A) (A) (A)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		0 0 0 0 0 0			\ \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	
	Species/ Espèces	Walleye <sup>†</sup> Doré <sup>†</sup>	Northern Pike Brochet	Northern Pike Brochet	Longnose Sucker	White Sucker	Whitefish: Grand corégone:	Walleye¹ Doré¹	Northern Pike Brochet	Walleye Doré	Northern Pike	Whitelish Grand corenne	Cisco <sup>1</sup> Cisco <sup>2</sup>	White Sucker	Walleve	Dore <sup>6</sup> Northern Pike <sup>5</sup>	Brochers Smallmouth Bass <sup>6</sup> Achigan à petite bouche <sup>6</sup>	-
	Location/ Emplacement	Aitken Lake Lac Aitken	Attken Twp./Canton d'Aitken Cochrane Dist./Dist de Cochrane	Albany River Rivière Albany	Fort Albany 5212/8140 Cochrane Dist /Dist de Cochrane			Allan Lake Lac Allan	4941/8245 Neely Tp./Canton de Neely Cochrane Dist /Dist de Cochrane	Alph Lake Lac Alph	5018/8640 Alpha Twp/Canton d'Alpha Thunder Bay Dist,/Dist de Thunder Bay				Amikouqami Lake	Lac Amikougami 4812/8005 Bernhardt & Teck Twps	Cantons de Bernhardt et de feck Timiskaming Dist /Dist de Timiskaming	

Northern Pike' (4) (4) (4)	Northern Pike'  (A) (A) (D) (D) (D)	)	(A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	Brochet <sup>1</sup>	Walleye' Ca Ca Ca Ca 🕹 🚯	Northern Piker Brochet*	Northern Piker Broother		Northern Pikes  Ronchals  A (A) (A) (A)	Sucker Sucker	Longinose Sucker? Mannier consoner	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	4		Oneio	15-20 20-25 55-30 20-35 35-45 65-55 55-65 65-75 575 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (12-26) (56-30) ×(30)
	Cannons de Fouds et de Cassary Sudbury Des //Det de Sudbury Aubrey Lake Lac Aubrey Lac Aubrey	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(4) (4) (4) Audrey Lake Lac Audrey 427/8233 Bastonore & Macin Twps	Cantons de Beardmore et de Machin Cochrane Dist.,Dist de Cochrane Des.,Dist de Cochrane	A A D D Lac Austen Lake	48/3/3/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/	Avery Lake Avery	(24 (24 (24 (24 (24 (24 (24 (24 (24 (24	Badesdawa Lake	Character         (4)         (		000000000000000000000000000000000000000	0 0	Ŏ Ŏ	000000000000000000000000000000000000000	20-25 25-30 30-35 35-45 45-55 55-46 46-75 > 75 (8-10) (10-12) (10-14) (18-22) (22-26) (26-30) > (30)
Angling Lake Northern Pike <sup>1</sup> Lac Angling Brochet State)88800 Kenora Dist. Det & Kenora	Anima Nipissing Lake Walleyel Lac Anima Nipissing Doré ATALOSA ATALOSA ATALOSA TANASAANO DE Brigstocke Timskening Dist./Det de Timskening	Anjigami Lake Walleyet Cac Anjigami Dorést Northam Piset Martham Piset Northam Piset N	Alabona Distriction of the National Alabona Distriction of Alabona D	Apungsisagen (Lower Waleye <sup>2</sup> Steeprock) Lake		du lac Steeprock) Yellow Perchi 4946/314 / Perchaude Perchaude	Rany Rwer Dist./Dist de Rainy Rwer White Şucker  Meunier nörr	Aquatuk Lake Northern Pike² Lac Aquatuk Brochet²	Senora Dist./Dist de Kanora	Ara Lake Walleyes Dorés	5033(8728) Thunder Bay Dist /Dist. de Thunder Bay Northern Pike®  Thunder Bay Dist /Dist. de Thunder Bay Brochet®	White Sucker® Meunier noir®	Whitefish <sup>®</sup> Grand coregone <sup>®</sup>	Yellow Perch* Perchaude*	Cisco <sup>6</sup>	(8-9) 02-51

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)		Fish	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	> 75 Location/ > (30) Emplacement	Species/ 15-20 Espèces (6-8)	0 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Bad Vermilion Lake Lac Bad Vermilion 484/9240 Ramy River Dist, Dist, de Ramy River	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>2</sup> Doré <sup>1</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Bauldry (Scott) Lake Lac Bauldry (Scott) 408(6439 Esquega Two /Canton of Esquega Algoma Dist / Dist of Algoma	Lake Trout? Truite de lac <sup>2</sup>	0 0 0 0
Baker Lake Lac Baker 4990/8022 Tweed Twp./Canton de Tweed Cochrane Dist./Dist de Cochrane	Northern Pike' Brochet' Walleye' Doré'	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Bay Lake Lac Bay 472/17951 Coleman Unsy,Camor de Coleman Timiskaming Dist,Dist de Timiskaming		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Ball Lake Lac Ball 5018/9400 Kenora Dist/Dist de Kenora	Northern Pike <sup>8,9</sup> Brochet <sup>6,9</sup> Walleye <sup>8,9</sup> Dore <sup>8,9</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		Cisco <sup>5</sup> Cisco <sup>5</sup> Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>	# # # # # # # # # # # # # # # # # # #
	Whitefish <sup>7,8,9</sup> Grand corégone <sup>7,8,9</sup> White Sucker <sup>8</sup> Meunier noir <sup>8</sup>		Bear Lake Lac Bear	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	mounteyer greateer Tequairice argenteer Yellow Perchi Perchauder Sauger Dork noir Smallmouth Bassi	4     4       4     4       4     4       4     4       6     4       6     6	Bear (Kaotisinimigo) Lake Lac Bear (Kaotisinimigo) 46387346 Harmel Nay Canton de Hermel Nipsang Dis (Dis do Nysang	Lake Trout' Truite de lac'	© © Ø Ø
	Achigan à petite bouche Cisco <sup>1</sup>	<b>V V S S</b>	Bearskin Lake Lac Bearskin 53459.42 Kenore Dist. Dist de Kenora	Walleye¹ Doré¹	♠
Ball Lake Lace Ball South assin/bassin sud 5017/9400 Kenora Dat (Dist. de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup> Whitetish <sup>2</sup> Grand corégone <sup>2</sup> Walleye <sup>2</sup> Dres		Beaton Lake Lac Beaton 4853 6448 6acuiry a Beacherridge Twp: Cantors de Gouring et de Brecherridge Algome Dist (Dist of Algome	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	<ul><li>∅</li></ul>
Balmer Creek Ruisseau Balmer 5102/8345 Kenora Dai/Dist de Kenora	Walleye <sup>®</sup> Doré <sup>®</sup>	) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	Beaver Lake Lac Beaver 46378051 Freieck Sudoury Dist. Dist. Of Sudoury	Lake Trouts Truite de lacs	0 0 0 0

Bamaji Lake	Walleve		Besvertrap Lake	Walleye1	(
Lac Bamaji 5109/9125 Kenora Dist /Dist. de Kenora	Doré'	(a) (b) (c) (c)	Lac Beavertrap 4901/8727 Thunder Bay Dist /Dist. de Thunder Bay	Doré¹ Northern Pike¹ Brochat¹	49 40 40 40 40 40 40 40 40 40 40
Bamoos Lake Lac Bamoos 449/9621 Ovell Two/Canton d'O'Neil Thunder Bay Dist/Dist. de Thunder Bay	Lake Trout? Truite de lac²	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Bell Creek Ruisseau Bell flows into Surgeon s écoulon dans le lec Sturgeon	Walleyee Dorfe White Sucker Wanging noise	)
Banks Lake Lac Banks 4947/8359 Socdart We Centon de Stoddart Cochrane Dist./Dist. de Cochrane	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Thurdar Bay Dist /Dst. de Thurder Bay Thurdar Bay Dist /Dst. de Thurder Bay Bellows Lake	Northern Pike <sup>®</sup> Brochef <sup>®</sup> Smallmouth Bass <sup>1</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
Bardney Lake Lac Bardney 4715/8228 Hubbard & Abney Twps Canons of Hubberd eir Abney Suboury Dist.,Dist. de Sudoury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Atingezo Deagle Iwp./Canton de Deagle Algoma Distribut d'Algoma Bending Lake Lac Bending	Lake Trouts Truite de lacs	
Barrel Lake Lac Barrel 4939131 Kendia Dist/Dist de Kendra	Walleyer Doré: Whitelish' Grand corégone Cisco'	<b>♦</b>	Ae) 16/82/08 de Kenora Kenora Dist, Dist, de Kenora Bennet Lake Lac Bennet	Walleye* Doré* Northen Pike* Brochef* Walleye* Doré*	
Barton Lake Lac Barton 52049410 Kenora Dist./Dist. de Kenora	Northern Pike Brochet Walleye Doré	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Sullaye Two./Canton de Guiltoyie Cochtrane Dist./Dist. de Cochrane Big Basswood Lake Lac Big Basswood	Northern Pike' Brochet' Lake Trout' Truite de lac'	(a)     (j)       (d)     (j)
Basswood Lake Lac Basswood 400/9135: Rany Rwer Dist /Dist. de Rainy Rwer	Walleye¹ Doré¹ Lake Trout¹ Truite de lac¹		Day Twp, Canton de Day Algoma Dist/Dist d'Algoma Big Sawbill Lake Lac Big Sawbill 48546300	Northern Pike¹ Brochet¹	0 0
Batwing Lake Lac Batwing ARREGOOO Thurder Bay Dist/Dist de Thynder Bay	Walleye¹ Doré¹ 'y	<b>3</b> 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Bigshell Lake Lac Bigshell 5/124/9426 Kenora Dist/Dist. de Kenora	Northern Pike¹ Brochet¹ Lake Trout¹ Truite de lac¹	
		15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)		99	(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (30)

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish siza in centimetras (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Spacies/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Big Trout Lake Lac Big Trout	Walleye <sup>2</sup> Doré <sup>2</sup>	© (4)	Blackwater River Rivière Blackwater	Walleye¹ Doré¹	0 0
5345/9000 Kenora Dist/Dist de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup> Whitelish <sup>2</sup>	0	mouth/embouchure 4931/8809 Kitto Twp /Canton de Kitto Thunder Bay Dist, Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
	Grand corégone² Lake Trout² Truite de lac²	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Blue Lake Lac Blue 4910/8115 Cochrane Dist (Dist de Cochrane	Lake Trout' Truite de lac'	0 0
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup> Longnose Sucker <sup>2</sup> Meunier rouge <sup>2</sup>	7 7	Blueberry Lake Lac Blueberry S00999401	Northern Pike¹ Brochet¹ Walleye¹	\frac{1}{2}   \frac{1}{2}  \frac{1}{2}  \frac{1}{2}  \frac
Big Turkey Lake Lac Big Turkey 4702/8425 Algoma Dist./Dist de Algoma	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	<ul><li>∅</li><li>.</li></ul>		Doré¹ White Sucker¹ Meunier noir¹ Yellow Perch¹	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Bigwater Lake Lac Bigwater 4837/8118 Murphy Twp /Canton de Murphy Cochrane Dist./Dist de Cochrane	Northern Pike¹ Brochet¹ White Sucker¹ Meunier noir¹	<b>♥</b> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bluesucker Lake Lac Bluesucker 470803 Dondee Two Canton de Dundee	Perchaude¹ Lake Trout¹ Truite de lac¹	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Bigwood Lake Lac Bigwood dis/filtide Als/filtide Sudbury Dist/Dist. de Sudbury	Lake Trout' Truite de lac' Walleye' Doré' Smallmouth Bass' Arhinan à neite houche!	<ul> <li>→</li> /ul>	Surbury Dist, Dist, de Sudbury  Bobs Lake Lac de Bob  Wilniney Two, Canton de Wminey Cochrene Dist, Dist de Cochrene	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	7 7 7 7
Billy Lake Lac Billy #388/FDP	Rainbow Trout <sup>3</sup> Truite arc-en-ciel <sup>3</sup> Solake <sup>3</sup>	8 8	Bolster Lake Lac Bolster 5130/8844 Thunder Bay Dist /Dist de Thunder Bay	Northern Pike¹ Brochet¹	0 0 0
Npissing Dist./Dist. de Nipissing  Biscotasi Lake Lac Biscotasi Lac Biscotasi  British (Np. Carton de Biscotasi Sudbury Dist./Dist. de Sudbury	Truite moulaca Northern Pikel Biochel' Walleyel Doré		Bonner Lake Lac Bonner Segalogia Feduquer I My / Centon de Fodquer Cochtene Det / Dist de Cochtene	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)

	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		0 0 0 0 0		(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	
Walleye¹ Doré¹ Whitefish¹ Grand corégone¹	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	Northern Pike 1 Brochet 1 Walleye 1 Doré 1 Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>	Northern Pike¹ Brochet¹ Walleye¹ Doré¹	Brook Trout? Omble de fontaine?
Borden Lake Lac Borden 47508317 Gallegher, Cochriene & Borden Twps Cantons de Gallagher.	Sudbury Dist./Dist. de Sudbury  Botsford Lake Lac Botsford  S08/9/18  Kenora Dist./Dist de Kenora	Bound Lake Lac Bound 927/851 Thurder Bay Dist. /Dist. de Thurder Bay	Bourinot Lake Lac Bourinot 495/8300 Bournot Twp /Canton de Bournot Algoma Dist/Dist. d'Algoma	Bovril Lake Lac Bovril A942923 A942923 Coornand be Bearce Coornand Lake Bowland Lake Lac Bowland	Visualistico Fundary Two Canton de Howey Suddury Dist (Dist de Cochrene Bragg Lake Exa Bragg Atta Bragg Atta Bragg Cochrene Bragg	Brant River Rivière Brant Rivière Brant Roubigarinouchus Strüggarinos District de Kanors
(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)		 	(d)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(\$10 (10-12) (12-14) (14-18) (18-23) (22-28) (12-24) (
V	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(a)     (b)       (c)     (c)       (c)     (c)       (c)     (c)       (c)     (c)	(a) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Ö	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	
Walleye <sup>1</sup> Coré	out¹ fontaine¹ ut¹ lac¹	•     •       •     •	9 9	Waiteye <sup>3</sup>	28 A	Truite de lac'  Truite de lac'

Fish size in centimetres (inches) Longueur du poisson en centimetres (pouces) 15-20 2025 25-30 3035 35-45 45-55 55-55 55-75 775		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		9				
Species/	Walleye1 Doré1	Walleye¹ Doré¹	Northern Pike¹ Brochet¹ Walleye¹ Doré¹	White Sucker		Northern Pike <sup>2</sup> Brochet <sup>2</sup> Walleye <sup>2</sup>	Doré <sup>2</sup> White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	White Sucker? Meunier noir?
Location/	Canoeshed Lake Lac Canoeshed 40008170 Helt Twp Canton de Hutt Sudbury Dist (Dist de Sudbury	Carpenter Lake Lac Carpenter 5111/8046 Kenda Disi /Dist de Kendra	Castlebar Lake 124398633 Ferrow Two Canton de Ferrow Trunder Bay Dist./Dist de Thunder Bay Castlish Lake	496/8448 Balloquet Two /Canton de Balloquet Algoma Dist /Dist of Algoma	Ruisseau Cedar north of Hemlohord de Hemlo 4845/8568 Thunder Bay Dist,/Dist de Thunder Bay	Chapleau River Riviere Chapleau north of Chaplesu/nord de Chapleau 47489326	Cochrane Twp /Canton de Cochrene Sudbury Dist /Dist de Sudbury	Charlotte Lake Lac Charlotte 4858/8715 Thurder Bay Dist./Dist. de Thurder Bay
Figh size in centimetres (inches) Longueur du poisson en centimétres (pouces) 15-20, 20-25, 25-30, 30-35, 35-45, 45-55, 55-65, 65-75, >75		\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Ø 8 0 8 0 8 0 8 0 8	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)			(	9
Species/	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Brook Trout' Omble de tontaine'	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	Walleye¹ Doré¹	Walleyes Dorés Northern Pikes	Brocher White Suckers Meunier noirs	Walleye <sup>2</sup> Doré <sup>2</sup> Northern Pike <sup>2</sup>	Brochel? Lake Trout¹ Truile de lac¹
Location/	Breakneck Lake Lac Breakneck 4946921 4946921 Kenora Dist liDist de Kenora	Bridgeland Lake 4c266323 4c266323 4c266323 4c260323 4c260000 de Bridgeland Algoma Dist,Dist of Algoma	Bright Lake Lac Bright Lac Bright Day (Seasone & Bright I was Day (Seasone & Bright I was et oa Bright I was Agoma bat/Dat of Algome	Brock Lake Lac Brock 5221/8941 Kenora Dist/Dist. de Kenora	Bruce Lake Lac Bruce 5049/3320 kenora Disi /Dist de Kenora		Brunswick Lake Lac Brunswick 4858/8323 Byng, Cromlech & Ericson Twps	Conniech et de Connie

on Lake hariton Canton de Curtin st.Dist de Sudbury	Walleye' Dore' Chase Lake Northern Pike' Brochet'	J.Dist. de Kenara	Cheepash River Northern Pikes Rivière Cheepash Broches moutiverbouchuse	anton de Parr Dist./Dist. de Cochrene w Lake	462 Holds & Montgomery Twps Wilh Itelistr <sup>2</sup> Garbors de Palton State et Montgomery Grand Colégone <sup>2</sup> Algome Dist,Dost of Algome	Chilton Lake Waleye¹ Lac Chilton Doré¹ Sespensa Bet.Dist. de Kenora Chirin I ake Waleye³	wp./Canton de Laughton bist./Dist. de Cochrane an Lake	ps. Chipman te Dist Cochrane	(6-8)
Charite  Cha	(Chas	(\$45/0000 A) A) A) A) A) A) A) A) A) A) A) A) A)	Chee	(4) (Stabless Strikabless Stri		Chilto	Lac Colling	(2008) (4) (2) (4) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	15-20 20:25 25-30 30:35 35-45 45-55 55-65 65-75 > 75 (6-8) (9-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Burns Lake Lake Trout* Lac Burns Tagestean Troute de lac's Aspara Dis LOst, a Algoma	Burntbush Lake Walleye' Lac Burntbush Doré' 4386/7599 Northern Pike' Brochrane Dist/Dist de Cochrane Brochet'	.ake ws Dist de Thunder Bay	Burt Lake Walleye' Doré' 49058022 Northern Pike' Burt Tvey JCanton de Burt Timuskaming DSt (DSt, de Timiskaming Brochet'	Cabin Lake Walleye! Lac Cabin Doré! Doré! Dorés Walleye! Demossy NewYcanon de Demossy Cochrane Ds! Dist de Cochrane		Ramy Rwer Dist. Di	Calstock Lake Whitelshe Lac Calstock Grand coregone* 1 as Perseave autochrone 92 49478479 1 colorone 1 w. Candroine Meunier norif* Colorone 1 w. Candroine Meunier norif*	Campfire Lake Northern Pike¹ Lac Campfire Brochel Brochel Brochel Brochel Brochel Brochel Brochel Broches Brochel Broches Broc	

Q Q Q Q Q

 (N)

(N)

(N)

\$\frac{1}{2}\$\$\fra

15-20 20-25 25-30 30-35 35-45 45-55 55-66 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (25-30) > (30)

(0)

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
Chub Lake Lac Chub 4845/9155 Rainy River Dist /Dist de Bainy River	Walleye² Doré² Northern Pike²	(	Confederation Lake Lac Confederation 5:105/92*4 Dent Two/Canton de Dent	Lake Trout' Truite de lac'	\$ \$ \$ \$
	Brochet <sup>2</sup>	4 4 4	Kenora Dist /Dist de Kenora		
Chukini River Rivière Chukini	Walleye <sup>6</sup> Doré <sup>6</sup>	(a)	Constance Lake Lac Constance	Northern Pike <sup>5</sup> Brochet <sup>5</sup>	0 0 0
upstream of hely Lake en amont du lac Keg 5102/9343 Kenora Dist /Dist de Kenora	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	\frac{1}{2}	I R 92/Réserve autochtone 92 4948/8409 Studholme Twp./Canton de Studholme Cochrane Dist (Dist de Cochrane	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>	
Cigar Lake	White Sucker			Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>	5 5
Lac Cigar 4841/8558 Bomby Twp /Canton de Bomby Thunder Bay Dist, Dist de Thunder Bay	Meunier noir	<b>D</b>		Whitefish <sup>6</sup> Grand corégone <sup>6</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Claire Lake	Brook Trout			Cisco	7
Lac Claire 4937/8437 Arrott Twp. Comon d'Arrott Algoma Dist /Dist d'Algoma	Omble de fontaine¹	<b>V</b>	Cooper Lake Lac Cooper 4903/8259 Osea Two Joanon d'Oscar	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A)
Clarice Lake	Lake Trout	(e) (e) (f)	Algoma Dist /Dist d'Algoma		
Lac Clarice 4820/7932 Pontlac Twp /Canton de Pontrac Tmiskaming Dist /Dist. de Timiskaming	Truite de lac	4)	Coppell Lake Lac Coppell 4931/834	Northern Pike¹ Brochet¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Clay Lake Lac Clay	Walleye <sup>7 8.9</sup> Doré <sup>7 8.9</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Cochrane Dist./Dist de Cochrane		
5003/9330 Redvers Twp /Canton de Redvers Kenora Dist /Dist de Kenora	Northern Pike8.9 Brochet8.9	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)	Cordick Lake Lac Cordick	Northern Pike' Brochet'	₩ ₩ ₩ ₩
	Whitefish?89 Grand corégone?89		Kenora Dist /Dist de Kenora	Models of the Control	
	Cisco <sup>1</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Lac Cordingley	Nortnern Pike' Brochet'	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
	White Sucker <sup>8</sup> Meunier noir <sup>8</sup>	(4) (4) (2) (3) (4) (4) (5) (4) (4) (5) (4) (5) (4) (5) (4) (5) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	Alphe Twp /Canton d'Alpha Thunder Bay Dist./Dist de Thunder Bay		
Clearwater Lake Lac Clearwater	Rainbow Trout <sup>2</sup> Truite arc-en-ciel <sup>2</sup>	7	Corner Lakes Lacs aux Coins	Brook Trout¹ Omble de fontaine¹	
4841/8541 Laberge Twp /Canton de Laberge Thunder Bey Dist./Dist de Thunder Bay			Cochrane Dist (Dist de Cochrane	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	

(a)	0		(O)	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	(A) (A) (A) (A)	© (P) (P) (P) (P) (P) (P) (P) (P) (P) (P)	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	(4) (4) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	)	O   O   O   O	4 6 6	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	15-20 00-25 25-30 30-25 35-45 45-55 55-45 65-75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-25) (26-30) >(30)
Lake Trout¹ Truite de lac¹ ³y	Northern Pike <sup>1</sup> Brochet <sup>1</sup> <sup>3y</sup>	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	Northern Pike¹ Brochet¹	Walleye¹ Doré¹	Walleye <sup>2</sup> Doré <sup>2</sup>	Northern Pike <sup>2</sup> Brochet <sup>2</sup> Cisco <sup>1</sup> Cisco <sup>1</sup>	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Smallmouth Bass <sup>5</sup>	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>	Northern Pike <sup>5</sup> Brochet <sup>5</sup>	Lake Trout¹ Truite de lac¹	
Cosgrave Lake Lac Cosgrave 4914/8756 Thunder Bay Dist Dist de Thunder Bay	Cox Lake Lac Cox 4916/8821 Thunder Bay Dist/Dist. de Thunder Bay	Crerar Lake Lac Crerar 513/8915 Kenora Dist, Dist, de Kenora	Crooked Lake Lac Crooked	Stover & Brackin Twps Stover & Brackin Centons de Stover et de Brackin Sudbury Dist /Dist. de Sudbury	Crooked Pine Lake Lac Crooked Pine	4847/9104 Trother & Weaver Twps Cantons 69 Trother et 0e Weaver Rairy River Dist /Dist. de Rainy River	Crossecho Lake Lac Crossecho 4953/9224 Echo Two Conton d'Echo Kongan Diet Diet de Kenne	Crosswise Lake	4724/7939 Coleman Twp./Canton de Coleman Timiskaming Dist.	Dist. de Timiskaming		Crystal Lake Lac Crystal 51029424 Kenora Dist,Dist de Kenora	
4							1						
<b>(b)</b>	· ·	4       4       4       4			•	- N		<b>9</b> (	4) (4)		4 2 2	7	45 45-55 55-65 65-75 > 75 18) (18-22) (22-26) (26-30) > (30)
4	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4	0	(h)		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	♠				00	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
4	0 0	<ul><li>⊕ {}</li><li>⊕</li></ul>	(A)	9	Coleman Two JCanton de Coleman Yellow Petch*  [miskaming Dist, Dist, de Timiskaming Petchaude*]	Lake Troute Truite de lac <sup>2</sup>	nn Pike¹		4		00	Ö.	15-20 20-25 25-30 30-35 35-45 45-55 55-45 65-15 > 75 (6-8) (40-12) (12-14) (14-18) (46-22) (22-26) (25-30) > (30)

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	es)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (5-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-20) > (30)	5 65-75 > 75 (26-30) > (30)
Culverson Lake Lac Culverson 5220/9338 Kenora Dist /Dist de Kenora	Walleye¹ Doré¹	4	Dobie Lake Lac Dobie 5127/9103 Kenora Dist /Dist. de Kenora	Walleye¹ Doré¹ Northern Pike¹		
Cutler Lake Lac Cutler 46118156 Harrow & McKinnon Twos Cantons de Harrow et de McKinnon Manitoulin Dist./Dist de Manitoulin	Walleye¹ Doré¹	<b>⊕</b>	Dog Lake Lac Dog neg Massnabbe pros da Massnabbe 4817/8408	Brochet  Northern Pike  Brochet  Walleye  Dore		4       4       4
Darkwater Lake Lac Darkwater 485/9100 Kenore Dist./Dist de Kenora	Northern Pike <sup>5</sup> Brochel <sup>6</sup> Walleye <sup>6</sup> Dorfe <sup>6</sup> White Sucker <sup>6</sup> Meunier noir <sup>6</sup>		Dog Lake Lac Dog northwest of Thurder Bay northwest of Thurder Bay 48489932 Thurder Bay Dist.Dist ofe Thurder Bay	Northern Pike¹ Brochet¹ Walleye¹ Doré¹		0
Darrel Lake Lac Darrel 4620/830 Patton Twp./Canton de Patton Algoma Dist./Dist of Algome	Yellow Perch¹ Perchaude¹	(a) (b)	Dogtooth Lake Lac Dogtooth 49439410 Coyle & Lengy Iwps Carrons de Coyle et de Lengy Kenora Dist. Dist de Kenore	Whitetish <sup>2</sup> Grand corégone <sup>2</sup> White Sucker <sup>2</sup> Meunier noir <sup>2</sup>		77 77
Davies Lake Lac Davies 4819/8442 (Pavies Pounas Algome Dist Dist PAlgome	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Dominion Lake Lac Dominion 50048122 Kenore Dist /Dist de Kenore	Walleye¹ Doré¹	<ul><li>(4)</li><li>(5)</li><li>(7)</li><li>(8)</li><li>(9)</li><li>(9)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10)</li><li>(10</li></ul>	
DeCourcey Lake Lac DeCourcey 4859/8314 Thunder Bay Dist,/Dist de Thunder Bay	Walleye¹ Doré¹ Whitefish¹ Grand corégone¹		Donaid Lake Lac Donaid 51028455 Kenore Dist (Dist. de Kenora	Northern Pike¹ Brochet¹ Walleye¹ Doré¹		0
Deer Lake Lac Deer S240/9415 Kenora Dist, Dist, de Kenora	Walleye¹ Doré¹ Northern Pike¹		Donaldson Lake Lac Donaldson SCOZD9444 Kenore Dist_Dist de Kenore	Walleye¹ Doré¹	4     4       2     2	
	Brochet'	<b>4</b>	Donnegana Lake Lac Donnegana 472/28/135 Inventors & Hennesy Twps Sudbury Dist/Dist de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	0

(A)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(A)	<ul><li>₩</li><li>₩</li><li>₩</li><li>₩</li></ul>	@ @		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	7 7	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75
Walleye¹ Doré¹ Northern Pike¹ Brochet¹	Walleye¹ Doré¹	Northern Pikel Brochet <sup>1</sup>	Walleye¹ Doré¹	Walleye1	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	Walleye¹ Doré¹	Walleye¹ Doré¹	Walleye¹ Doré¹	
Donnelly Lake Lac Donnelly 52009052 Kenora Dist, Dist de Kenora	Dora Lake Lac Dora	9-1 Found Blount Twp./Canton de Blount Cochrane Dist./Dist de Cochrane	Lac Doucette Lac Doucette 4856/8038 Montmer My / Centon de Mortmer	Cochrane Dist. Dist. de Cochrane  Douglas Lake Lac Douglas	4944/8221 Guilfoyle Twp./Canton de Guilfoyle Cochrane Dist /Dist. de Cochrane	Duchabani Lake Lac Duchabani 4/24/8133 Garey & Hemessy Twos Cantons de Garey et de Henressy Sudbury Dist./Dist. de Sudbury	Dumbell Lake Lac Dumbell 4843/8305 Mons & Stelansson Twps Cantons de Mons et de Stelansson Algona Dist, Childort, Childort	Duncan Lake Lac Duncan 4746/8058 Raymond Twp./Carlon de Raymond Timiskaming Dist./Dist de Timiskaming	Durell Lake Lac Durell 5348/9256 Kenora Dist/Dist. de Kenora	Eabamet Lake Lac Eabamet 5182/8746 Kenora Dist.Dist. de Kenora	
		1	1 1.			1 1					, c =
	(	49     12       0     12       0     12	O A	<ul><li>⊕</li><li>∏</li></ul>		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		(4) (4)	00	)	7 < 57-59 59-
\( \frac{\lambda}{\lambda} \) \( \frac{\lambda}{\lambda} \) \( \frac{\lambda}{\lambda} \)		<b>④</b> (∫	0 0	Q	(O)	<b>a a</b>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	<ul><li>Ø</li><li>Ø</li><li>Ø</li><li>Ø</li><li>Ø</li><li>Ø</li></ul>	)	5 35-45 45-55 55-65 65-75 > 73
\$ <b>3</b>	4	<b>④</b> (∫	0	Q	<ul><li>∅</li><li>∅</li><li>∅</li></ul>	<b>a a</b>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	<ul><li>∅</li><li>∅</li><li>∅</li><li>∅</li><li>∅</li><li>∅</li></ul>	)	20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 7: 8-30 (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (3
0 0		<b>④</b> (∫	0	Q	© ©	<b>a a</b>	Ø     Ø	4	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	)	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 >77 (6-8) (6-10) (10-10) (12-14) (14-10) (18-20) (22-26) (26-30) > (3
iir <sup>1</sup> N Bass <sup>1</sup> Defite bouche <sup>1</sup>	4	frout frequency	lune!	0	Ö	<b>a a</b>	Ø     Ø	Pike	<ul><li>∅</li><li>∅</li><li>∅</li><li>∅</li><li>∅</li><li>∅</li></ul>	)	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (

Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 >75 (6-8) (8-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)		4 4	7 7 7	(2)	(A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	O O	S S	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	(A) (A) (A) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C			*\ \{\}	7		(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	Species/ Espèces	Cisco <sup>6</sup> Cisco <sup>6</sup>	Ling <sup>5</sup> Lotte <sup>5</sup>	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>	Smallmouth Bass <sup>®</sup> Achigan à petite bouche <sup>®</sup>	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	Cisco¹ Cisco¹	Whitefish <sup>†</sup> Grand corégone <sup>†</sup>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	Walleye¹		Lake Trout	Truite de lac	Northern Pike¹ Brochet¹		Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	Walleye¹ Doré¹	
	Location/ Emplacement	Elk Lake Lac Elk	Continued/Suite			Elliot Lake Lac Elliot	4623/8242 Balger & Gunterman Twps Cantons de Bolger et de Gunterman	Algoma Dist /Dist d'Algoma		Elmer Lake	4753/8050 Doon Twp /Canton de Doon Trmskaming Dist /Dist de Timiskaming	Emerald Lake	Lac Emerald 4654/8019 Afton Twp /Canton d'Alton	Sudbury Dist /Dist de Sudbury  Endelman Lake Lace Endelman	Kenning Twp /Canton de Kenning Cochrene Dist./Dist de Cochrane	Endikai Lake Lac Endikai	Albanal Twp /Canton d'Albanal Algoma Dist /Dist d'Algoma	
Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	(a) (b) (d) (d) (2)	4 (4) (2)		T T	7 7 8	(a) (b) (d) (d) (2)	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	7		7	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	7 7 7		(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	<b>(4)</b>		
	Species/ Espéces	Walleye¹ Doré¹	Say Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Northern Pike¹ Brochet¹	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	Whitefish Grand corégone	Walleye¹ Doré¹	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	Cisca¹ Cisca¹	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>	Walleye <sup>2</sup> Doré <sup>2</sup>	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	Northern Pike¹ Brochet¹ 3ay	Walleye¹ Doré¹	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Walleye¹ Doré¹	Northern Pike¹ Brochet¹
	Location/ Emplacement	Eady Lake Lac Eady	5007/9050 Thunder Bay Dist /Dist de Thunder Bay	Eagle Lake Lac Eagle	Oiseau River system réseau hydrographique de la rivière Oiseau	5040/9453 Kenora Dist./Dist de Kenora				Eagle Lake Lac Eagle	South of Eagle River au sud de la rivière Eagle 4942/9313 Authori & Tomolo Tume	Cantons d'Aubrey et de Temple Kenora Dist,/Dist. de Kenora		Eaglehead Lake Lac Eaglehead 4902/8912 Thunder Bay Dist, (Dist de Thunder Bay	East Lake Lac East	5344/9317 Kenora Dist /Dist de Kenora	Echo Lake Lac Echo	4634/8359 Kehoe Twp /Canton de Kehoe Algoma Dist /Dist. d'Algoma

Eddie Lake Lac Eddie 49248th Santon de Marven Cochrane Dist./Dist de Cochrane	Walleye¹ Doré¹		4	<b>(4)</b>	Eskwanonwatin Lake Lac Eskwanonwatin 4911/8817 Adamson Iwp./Canlon d'Adamson Inunder Bay Dist./Dist. de Thunder Bay	Walleye¹ Doré¹	
Eden Lake Lac Eden S04004459 Kenore Dist. Det. de Kenora	Whitefish Grand corégone Lake Trout Truite de lac	0 0	0 0 0 0 0 0	<ul><li>₹</li><li>₹</li><li>₹</li></ul>	Esmee Lake Lac Esmee 485/7888 Saston Two Canton de Seaton Cochrane Dist /Dist de Cochrane	Walleye¹ Doré¹	<b>⊕</b>
	Ling' Lotte' White Sucker' Meunier noir'		0 0	\$\begin{array}{c} \Q \\ \Q \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Esnagami Lake Lac Esnagami 5019/8650 Esnagami (wp./Canton d'Esnagami Thorder Bay Dist (Dist de Thurder Bay	Walleye <sup>6</sup> Doré <sup>8</sup> Northern Pike <sup>6</sup> Brochet <sup>6</sup>	
Edna Lake Lac Edna 47058113 Frechette Tp Centon de Frechette Sudbury Dist./Dist. de Sudbury	Walleye <sup>6</sup> Doré <sup>6</sup> Northern Pike <sup>6</sup> Brochet <sup>6</sup>	•	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	<ul><li>⊕</li><li>⊕</li><li>⊕</li><li>⊕</li><li>⊕</li><li>⊕</li></ul>			7 0 0
Eleanor Lake	Smallmouth Bass* Achigan à petite bouche* Northern Pike¹ Broche¹		<ul><li>∅</li><li>∅</li><li>∅</li></ul>	(4) (5) (6) (7)		Yellow Percha Perchaude <sup>®</sup> White Sucker <sup>®</sup> Meunier noir <sup>®</sup>	0 0
4945/8232 Weichel Twp / Canton de Weichel Cochrane Disi, Dist de Cochrane	Walleye¹ Doré¹		(G)	) .	Esnagi Lake Lac Esnagi	Walleye¹ Doré¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Elizabeth Lake Lac Elizabeth near Espandiapres of Espandia 6115/8117	Northern Pike¹ Brochet¹		Š	\$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	describer. Mosambik, Cudney, Tilston & Perakes Impos Garions de Mosambik de Cudney, de Tilston et de Pearkes Algoma Dist/Dist d'Algoma	Northern Pike¹ Brochet¹	(A) (A) (A)
	Northern Pike¹ Brochet¹	·		(4) (4)	Esten Lake Lac Esten deszugszu estenen & McGwenn Twps Canlons of Esten et de McGwenn Algoma Dist /Dist of Algoma	Lake Trout² Truite de lac²	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Elk Lake Lac Elk  Lac Elk  Lac History  Lac Adjusta  Lac	Walleyes Dores Northern Pikes Brochers Whitelishe Grand corégones	(a)       (b)       (c)       (d)       (d)       (d)       (e)       (f)       (f) </td <td>A     A     A       A     A     A       A     A     A</td> <td>(a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d</td> <th>Eva Lake Eva Cara 4843/81/0 Rainy River Dist,/Dist, de Rainy River</th> <td>Lake Trout' Truite de lac' Smallmouth Bass' Achigan à petite bouche' Northern Pike'</td> <td></td>	A     A     A       A     A     A       A     A     A	(a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Eva Lake Eva Cara 4843/81/0 Rainy River Dist,/Dist, de Rainy River	Lake Trout' Truite de lac' Smallmouth Bass' Achigan à petite bouche' Northern Pike'	
l'Ontario		15-20 20-25 25-30 (6-8) (8-10) (10-12	30-35 35-45 4 (12-14) (14-18) (1	20-25 25-30 30-38 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-16) (16-22) (22-26) (26-30) > (30)			15-20 20-25 25-30 30-25 35-46 45-55 55-56 (5-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (25-30) > (30)

-	
. 5	2
-	Ξ
- 0	2
6	=
۲	₹
9	,
-	-
0	٥
7	3
_	2
5	,
-	7
2	¢
4	
7	7
.5	٤
2	₹
25	9
7	=
F	5
_	,
C	
-	=
a	>
2	=
t	4
C	5
=	>
-	-

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Evangeline Lake Lac Evangeline AGDRIATE MCKINDIN TWO, Canton de McKinnon Sudbury Dist, (Dist de Sudbury	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Foster Lake Lac Foster 4903(832) Comiech Two Canton de Cromiech Algoma Dist,Dist d'Algoma	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)
Fairbank Lake Lac Fairbank 4628/9126 Fairank & Trill Twps Fairbank & Trill Twps Cantons de Fairbank et de Trill Sudbury Dist (Dist de Sudbury	Lake Trout¹ Truite de lac¹ Smallmouth Bass¹ Achigan à petite bouche¹	0 0 0 0 0 0 0	Fraleck Lake Lac Fraleck 4655(8033 Fraleck Twp /Canton de Fraleck Sudbury Dist/Dist de Sudbury	Lake Trout¹ Truite de lac¹	0 0 0
Falls Lake Lac Falls 46 17/8975 Scarle Twp /Canton de Scarle Algoma Dist /Dist. o'Algoma	Smallmouth Bass¹ Achigan à petite bouche¹	(A)	Frances Lake Lac Frances S1449508 Kenora Dist/Dist de Kenora	Northern Pike¹ Brochet¹ Walleye¹ Doré¹	
Fat Lake Lac Fat scock8028 Kenora Dist/Dist de Kenora	Northern Pike¹ Brochet¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Francklyn Lake Lac Francklyn 493/Rach Nixon Two Canton de Nixon Cochrane Dist/Dist de Cochrane	Walleye¹ Doré¹	© (P) (P) (P) (P) (P) (P) (P) (P) (P) (P)
Favel Lake Lac Favel scooys400 Kenora DEL/Dist de Kenora	Lake Trout' Truite de lac' Whitefish' Grand corégone'	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Frank Lake Lac Frank 5010(8753 Thunder Bay Dist I/Dist de Thunder Bay	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	
Favourable Lake Lac Favourable 22563337 Kanora Dst./Dist de Kenora	Walleye¹ Doxé¹ Northern Pike¹ Broche¹¹ Sauger¹ Doré noir¹		Frank Lake Lac Frank 4838/Bis Marchers Rothers Two Canton de Brothers Trander Bay Dist /Dist de Thurder Bay Fraser Lake	Northern Pike¹ Brochet¹ Walleye¹ Doré¹ Walleye²	
Fawn Lake Lac Fawn 53499034 Kenora Dist/Dist de Kenora	Walleye¹ Doré¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	LaC Fraser 4915/8932 Motiver Wp,/Canton de Motiver Thunder Bay Dist, Dist. de Thunder Bay	Dore' Northern Pike' Brochet'	0 0 0 0 0 0 0
Fernow Lake Lac Fernow 495/9865 Fenow Nec/Canton de Fenow Thurder Bay Dist/Dist. de Thurder Bay	Lake Trout' Truite de lac' Northern Pike' Brochet'		Lac Frederick House 48399055 Every & Dundoneld Twos. Cantons of Every et de Dundoneld Coothrane Dist/Dist. de Cochrane	Notitien Frke Walleye* Doré*	8 0 0 0 0 0 0 0

\(\frac{1}{2}\) \(\frac{1}2\) \(\frac{1}{2}\) \(\frac{1}2\) \(\frac{1}2\) \(\frac{1}2\) \(\frac{1}2\) \(\fraca	0 0 0 0	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		(a)         (b)           (b)         (c)	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	4 0 4 0 6 0	20-25 25-30 30-35 35-45 45-55 55-45 65-75 > 75 (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
0 0	₹	Ö	0 0 0 0 0 0			4	0 0 0 0 0 0	15-20 20-25 25-30 (6-8) (8-10) (10-12)
Goldeyet Laquaiche aux yeux d'orf Sauger Doré noir!	Meunier noir? Longnose Sucker¹ Meunier rouge	Se Brochet* Walleye* Doré*	Walleye? Dore? In Northern Pike! Broche!	ouche <sup>2</sup>	le le	Write Sucker Meunier noir¹ Walleye¹ Doré¹	Northern Pike¹ Brochlet¹ Walleye¹ Doré¹	
		Figuries in nouse miver Nomein Pike Rivière Frederick House Brochet Proof's LandmigDebarcable Flood Walleyel Leich No. Canton de Leich Cochrane Dist. Dist. de Cochrane	French River Rivière des Français Lake Nipissing to Georgan Bay ente Lac Nipissing et Bare Georgenne 4605/8010 Parry Sound Dist, Dist de Parry Sound			Fungus Lake Lac Fungus 48191941	Agome Distribus: Chagoma  Fushimi Lake Lac Fushimi Soobasa Soodart Cochrane Distribust de Cochrane	
	1	ı	<b> </b>	¥		1 1		s (c)
(S) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A		9	<ul><li>∅</li><li>¼</li><li>Φ</li><li>Φ</li></ul>	(S)	<ul><li>∅</li><li>Φ</li><li>Φ</li></ul>	- A	(A)	45-55 55-65 65-75 > 7 (18-22) (22-26) (26-30) > (3
	0 0		<b>♦ ⊕</b>	(A)		Ö Ö	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	5-20 20:25 25:30 30:35 35-45 45:55 55-65 85:75 > 75 6:49 (10:12) (12:14) (14:18) (18:22) (22:26) (26:30) > (30)
(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	8	4	<ul><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li></ul>	(S)	0 0 0 0	Lake Troute de lac <sup>s</sup>		15-20 20-25 25-30 30-25 35-45 45-55 55-65 65-75 > 7 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (56-30) > (

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-56 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) - (30)
Garden Lake Lac Garden	Walleye¹ Doré¹	(4) (4) (2) (5)	Gordon Lake Lac Gordon	Walleye <sup>2</sup> Doré <sup>2</sup>	
5010/9400 Kenora Dist /Dist de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	5028/9455 Kenora Dist /Dist de Kenora	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>	₹ Ş
	White Sucker Meunier noir	( <b>4</b> )		Cisco¹ Cisco¹	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Cisco¹ Cisco¹			Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(4) (4)
Gargantua Lake Lac Gargantua	Brook Trout¹ Omble de fontaine¹	**************************************	Goudreau Lake Lac Goudreau	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	0 0
47.57/18434 Alarie Twp./Canton d'Alarie Algoma Dist./Dist d'Algoma			4817/8426 Finan Twp./Canton de Finan Algoma Dist /Dist d'Algoma		
Garnham Lake Lac Garnham	Walleye¹ Doré¹	(A) (A) (A)	Gough (Birch) Lake Lac Gough (Birch)	Walleye <sup>1</sup> Doré <sup>1</sup>	(d) (d) (2)
4901/8529 Thunder Bay Dist /Dist. de Thunder Bay	, ke		4618/8158 Gough Twp /Canton de Gough Sudbury Dist./Dist de Sudbury	Northern Pike¹ Brochet¹	(C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A
Garrett Lake Lac Garrett	Walleye¹ Doré¹	(A)	,	Whitefish¹ Grand corégone¹	(A) (A)
Kenora Dist /Dist de Kenora			Goulais Lake	Lake Trout <sup>2</sup>	(e) (e) (e) (e) (e) (e) (e) (e) (e) (e)
Gaugino Lake Lac Gaugino	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	U U	Lac Goulais 4710/8340 Hoffman & Butcher Twps	Fruite de lace Brook Trout?	9
4909/8542 Nickel Twp./Canton de Nickel Thunder Bay Dist./Dist. de Thunder Bay	Walleye¹ sy Doré¹	\$\frac{1}{2}\$\$	Cantons de Horman et de Bulcher Algoma Dist /Dist d'Algoma	Unible de tomanie	
George Lake	Walleye		Gourlay Lake Lac Gourlay	Walleye¹ Doré¹	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
Lac George 4941/8015 Cochrane Dist,/Dist. de Cochrene	Dore	Đ	4852/845 <b>5</b> Gourley Twp /Canton de Gourlay Algome Dist, /Dist. d'Algoma	Northern Pike¹ Brochet¹	0
Ghost Lake Lac Ghost	Walleye¹ Doré¹	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)	Government Lake Lac Government	Northern Pike <sup>†</sup> Brochet <sup>†</sup>	(A) (A) (B) (C)
4941/8224 Pearce Two /Canton de Peerce Cochrane Dist./Dist de Cochrane	Northern Pike¹ Brochet¹	(A)	491/2/8453 Lessard Twp./Canton de Lessard Algome Dist /Dist d'Algoma	Walleye¹ Doré¹	7 7 7
			Gowan Lake Lac Gowan 4845/8604 Thunder Bay Dist /Dist de Thunder Bay	Northern Pike¹ Brochet¹	© @

				ı					I		Į	
Ghost (Talon) Lake Lac Ghost (Talon)	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	- {}	7	4	000	Gowganda Lake Lac Gowganda	ø.	Walleye <sup>5</sup> Doré <sup>5</sup>	- O	4	8	
5043/9445 Kenora Dist /Dist de Kenora	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>	{}	<u>()</u>	7 7 7	71	4738/8047 Miner Twp /Canton de Miner Timiskaming Dist./Dist de Timiskaming	ner Timiskaming	Whitefish <sup>5</sup> Grand corégone <sup>5</sup>	S S	₹		
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	₹ Ö	0	0 0 0	21			Northern Pike <sup>5</sup> Brochet <sup>5</sup>		♠	4	0
Gifford Lake Lac Gifford	Northern Pike¹ Brochet¹			0	\$\begin{align*} \begin{align*} \phi & \\ \phi	<b>9</b>		Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	\$ \$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	4		
5143/8740 Kenora Dist /Dist de Kenora						Grandeur Lake Lac Grandeur		Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	\( \begin{align*} \be	4	<b>♦</b>	į
Giroux Lake Lac Giroux	Northern Pike <sup>6</sup> Brochet <sup>6</sup>		U U	0	21	46:19/8236 Esten Twp./Canton d'Esten Algoma Dist /Dist id Algoma	r Bu					
Coleman Twp /Canton de Coleman Timiskaming Dist /Dist de Triiiskeming						Granitehill Lake		Walleye¹ Doré¹	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		4	
Gong Lake Lac Gong	Brook Trout¹ Omble de fontaine¹	9	\$ \$ \$ \$	77		4906/8515 Drew Twp /Canton de Drew Atgoma Dist /Dist d'Algoma	w e					
4705/8332 Handelman Twp /Canton de Hendelman Algoma Dist / Dist. d'Algoma	, Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>	\(\frac{1}{2}\)	0	4 4	000	Grant Lake Lac Grant		Walleye <sup>2</sup> Doré <sup>2</sup>	\$\begin{align*} \text{\left} & \text	9	0	L
Gooseneck Lake Lac Gooseneck	Lake Trout' Truite de lac'		0 0	A 4	0 (4) (2) (2)			Northern Pike <sup>2</sup> Brochet <sup>2</sup>	\(\bar{\bar{\bar{\bar{\bar{\bar{\bar{	4	0	•
5002/9448 Kenora Dist /Dist de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>			4	(2)	¥		White Sucker¹ Meunier noir¹	0 0 0	8		
	Cisco <sup>1</sup>	4						Cisco¹ Cisco¹	Ş	Ö		(
	Smallmouth Bass¹ Achigan à petite bouche¹	Ö	4	<b>♦</b>	Y	Grassy Lake		Walleye¹	{	6	-	L
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	000000000000000000000000000000000000000	U U	0 0	77	Lac Grassy 4840/9242 Rainy River Dist <i>(</i> Dist de Rainy River		Jore'	}			
	Redhorse Sucker <sup>1</sup> Suceur rouge <sup>1</sup>		Ö	Q Q	24	Grassy Lake		Walleye1	(4) (4) (4)	4	-	_
Gorden Lake Lac Gorden	Walleye¹ Doré¹		<ul><li>4</li><li>4</li></ul>	(A)	1	4748/8114 Kemp iwp./Canton de Kemp Sudbury Dist./Dist de Sudbury			)	)		
4625/8350 Plummer & Johnson Twps Cantons de Plummer et de Johnson Algoma Dist /Dist d'Algoma	Northern Pike¹ Brochet¹			0	4							
		15-20 20-25 (6-8) (8-10)	25-30 30-3	5 35-45 45-59 (14-18) (18-2	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	75 (30)		4	15-20 20-25 25-30 30-35 35-45 45 55 55-65 65-75 > 75 (6-8) (8-10) (10-72) (12-14) (14-16) (18-22) (22-25) (26-30) > (30)	35-45 45 55 5 (14-18) (18-22) (2	2-26) (26-30	> 75

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	tres (inchi	es) imètres (	pouces				Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	is (inches) en centimètr	sacnod) sa	
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (4-10) (10-12) (12-14) (14-18) (18-22) (22-28) (26-30) > (30)	30-35 35- (12-14) (14-	15 45-55 18) (18-22)	55-65 (22-26) (3	55-75 > 75 26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 (6-8) (6-10) (10-12) (12-14) (14-18)-(18-22)	-35 35-45 45 -14) (14-18)-(18	-55 55-65 65-75 -22) (22-26) (26-30)	65-75 > 75 26-30) > (30)
Grassy Narrows Lake Lac Grassy Narrows	Northern Pike¹ Brochet¹		0	2	Ĭ	¥	Groundhog River Rivière Groundhog	Walleye¹ Doré¹	- A	4	000	ě
5009/9359 Kenora Dist /Dist de Kenora	Walleye¹ Doré¹	00	<b>♦</b>	<b>*</b>	Ĭ		upper reaches near Groundhog Lake cours supérieur de la rivière environs du lac Groundhog	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>		7	4	
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>		9	(2)			4815/8209 Cochrane Dist /Dist de Cochrane	Longnose Sucker <sup>1</sup> Meunier rouge <sup>1</sup>		₹	4	
	Mooneye¹ Laquaiche argentée¹	4	4	x			Groundhog River Rivière Groundhog	Walleye¹ Doré¹	8	0	*	
	Sauger' Doré noir'	<b>⊘</b>	Ĭ	¥			abova Carmichael Falls en amont de Carmichael Falls	White Sucker <sup>2</sup>		4	0	-
	Whitefish¹ Grand corégone¹		3	Š Š	7		4905/8205 Cochrane Dist /Dist. de Cochrane	Medillel Hole			0	-
	Cisco <sup>1</sup> Cisco <sup>1</sup>	\displaystyle{\d	Ö	0			Groundhog River Rivière Groundhog	Walleye¹ Doré¹	4	4 4	0 0	
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	4 4					below Cermichael Falls en aval de Cermichael Falls 4315/8208 Cochrane Dist /Dist de Cochrane	White Sucker <sup>2</sup> Meunier nair <sup>2</sup>	V	8		
Gravel Lake Lac Gravel	Walleye¹ Doré¹		4	4	4	©	Groundhog River Rivière Groundhog	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	V	4	(S)	0
O'Brien Twp /Canton d'O'Brien Cochrana Dist /Dist de Cochrana							between Whist Falls & Mattagami Hiver entre Whist Falls et la rivière Mattagami 4938/8158	Walleye <sup>2</sup> Doré <sup>2</sup>	0	4	2	
Lake ard	Northern Pike <sup>1</sup> Brochet <sup>1</sup>			4	4	(2)	Tucker i wp Acanion de Tucker Cochrane Dist /Dist de Cochrane	Sturgeon <sup>2</sup> Esturgeon de lac <sup>2</sup>			Ö	0
urinot	Walleye' Doré'		4	9				White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	V	<u> </u>		
Graveyard Lake Lac Graveyard 4734855;	Walleye¹ Doré¹	7	4	(9)	0	1	Groundhog River Rivière Groundhog 4943/8158 Clay Two TConton of Clay Cochane Dis Dist de Cochane	Sturgeon¹ Esturgeon de lac¹				
Fitzsimmons Twp Canton de Fitzsimmons Sudbury Dist /Dist de Sudbury	Nornern Pike' Brochet'		4)	4	4	4	Guernsey Lake Lac Guernsev	Northern Pike <sup>1</sup> Brochet <sup>1</sup>			9	0
Grays Lake Lac Grays 4726/8023 Whitson twp /Canton de Whitson	Brook Trout? Omble de tontaine?	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7	, A		-	5103/9309 Kanora Dist /Dist de Kanora	Walleye¹ Doré¹		9	ě	+
Tmiskaming Dist /Dist de Timiskaming				_								-

15-20 20-25 25-30 30-35 35-45 45-55 55-55 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)			15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)		l'Oprodia l'Oprodia
# H H H H H H H H H H H H H H H H H H H	Walleye¹ Doré³	Hammer Lake Lac Hammer 4824/8506 Alanen Twp / Canton d'Alanen Algoma Dist (Dist d'Algoma			a Ontario Migrad a
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Softman & Halliday Twps Cantons de Softman et de Halliday Sudbury Dist /Dist. de Sudbury	(A)	Northern Pike¹ Brochet¹	4806/8215 Keith Twp /Canton de Keith Sudbury Dist/Dist de Sudbury
	Doréi Northern Ditei	Lac Halliday		Walleye¹ Doré¹	Groundhog Lake Lac Groundhog
	Wallaval	Halliday Lake			Kenora Dist Dist de Kenora
(A) (A) (A) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	4935/8210 Torrance & Gurney Twps Cantons de Torrance et de Gurney Cochrane Dist /Dist de Cochrane	4 2 2	Walleye¹ Doré¹	Grist Lake Lac Grist
(d) (d) (2) (2)	Walleye¹ Doré¹	Gurney Lake Lac Gurney			40330823 Griffin Twp/Canton de Griffin Cochrane Dist./Dist. de Cochrane
	Mooneye¹ Laquaiche argentée¹		(4) (4) (2)	Walieye¹ Doré¹	Griffin Lake Lac Griffin
(d)	Sauger <sup>1</sup> Doré noir <sup>1</sup>			Northern Pike¹ Brochet¹	5103/8905 Thunder Bay Dist /Dist de Thunder Bay
	Yellow Perch	,	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Walleye¹ Doré¹	Gremm Lake Lac Gremm
	Doré <sup>1</sup> Cisco <sup>1</sup>			Lake Trout¹ Truite de lac¹	
4	Meunier noir	Kenora Dist /Dist de Kenora		Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	
(A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	Brochet <sup>1</sup>	Lac Gun 4957/9439	000000000000000000000000000000000000000	Cisco¹ Cisco¹	4834/9026 Thunder Bay Dist /Dist. de Thunder Bay
	Northern Pike!	Kenora Dist /Dist. de Kenora Gun Lake	700000000000000000000000000000000000000	Whitefish¹ Grand corégone¹	Greenwater Lake Lac Greenwater
(4)	Sauger¹ Doré noir¹	5058/9340 Byshe & Willans Twps. Cantons de Byshe et de Willans			5104/8926 Thunder Bay Dist./Dist. de Thunder Bay
<b>♦ © ⊕ ⇒ ⇒</b>	Walleye¹ Doré¹	Gullrock Lake Lac Gullrock	(A)	Northern Pike¹ Brochet¹	Greenmantle Lake Lac Greenmantle
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	4945/8221 Guilfoyle Twp /Centon de Guilfoyle Cochrane Dist /Dist de Cochrane	(4) (4) (2)	Walleye¹ Doré¹	5056/9005 Thunder Bay Dist /Dist. de Thunder Bay
(A)	Walleye¹ Doré¹	Guilfoyle Lake Lac Guilfoyle	(4) (4)	Northern Pike¹ Brochet¹	Greenbush Lake Lac Greenbush

Location/ Emplacement Hampton Lake Lac Hampton	Species/ Espèces Northern Pike¹ Brochet¹	15-20 20-25 25-30 30-25 35-45 45-55 55-45 45-75 > 75 (6.8) (6.9) (10-12) (12-19) (14-18) (16-22) (22-36) (22-36) (25-30) > (30)		Species/ Especes White Sucker¹ Meunier noir¹	15.0 8.05 8.50 8.55 8.46 8.55 8.56 8.57 5.15 (6.9) (6.9) (6.0) (10.12) (12.0) (
Kenna Distribust de Kenora Kenna Distribust de Kenora Hantlan Lake Lac Hantlan Lac Hantlan Hantlan Top Coanon de Hanten Gordwane Distribust de Coernane	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	483,885-6 Thunder Bay Dist (Dist de Thunder Bay	Whitelish® Grand corêgone® Walleye® Doré® Northern Pike® Brochet®	
Hansen Lake Lac Hansen Sobigiat3 kenora Det Dilst de Kenora Harricanaw Rivière Harricanaw	Waleye' Doré' Waleye' Doré'		Hidden Lake Lac Hidden Lac Hidden McCarl Iwo Canton on McCarl Cocheane Del Datt de Cochrane High Lake Lac High	Yellow Perch' Perchaude' Lake Trout <sup>6</sup> Truite de lac <sup>5</sup>	
Cochrane Distribut de Cochrane Cochrane Distribut de Cochrane Lac Harris Assistació Cochrane Distribit de Cochrane	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	<ul><li>Φ</li><li>Φ</li><li>Φ</li><li>Φ</li><li>Φ</li><li>Φ</li></ul>	Everyages ever Two Cannon CEwart Romona Dist Channon CEwart Two Channon CEwart Two Channon CEwart Two Channon Dist Channon and Two Ching Thou Channon de Caentry Scientive Ones (Twentry Two Channon de Caentry Scientive Ones (Twentry Two Channon de Caentry Scientive Ones (Twentry Two Channon de Caentry Scientive Ones (Twentry Two Channon de Caentry Scientive Ones (Twentry Two Channon de Caentry Two Channon de Ca	Northern Pike <sup>5</sup> Brochel <sup>5</sup> Northern Pike <sup>1</sup> Brochel <sup>1</sup> Whitelish <sup>1</sup> Cland corfone <sup>1</sup>	
Hawk Lake Lac Hawk ABQAB434 Esquega Two/Canton d'Esquega Algoma Dist (Dist d'Algoma	Walleye¹ Doré¹ Northern Pike¹ Brochet¹		Hopper Lake Lac Hopper assay7851 Cochrane Dist/Dist. de Cochrane	Walleye¹ Doré¹ White Sucker¹ Meunier noir¹	
Hawley Lake Lac Hawley north of Sulton L frord du lac Sulton 4208438 Assolutes Kenora Dist /Dist de Kenora	Lake Trout? Truite de lac? Whitefish Grand corégone¹ White Sucker¹	<ul><li>◆</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li><li>○</li>&lt;</ul>		Whitetish <sup>1</sup> Grand corégone <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>	
	Meunier noir <sup>1</sup> Longnose Sucker <sup>1</sup> Meunier rouge <sup>1</sup>	Ŏ Ö	Hornblende Lake Lace Hornblende 4866/8723 Thunder Bay Dist, Dist de Thunder Bay	White Sucker <sup>5</sup> Meunier noir <sup>5</sup> Lake Trout <sup>6</sup> Truite de lac <sup>5</sup>	©

Hawley Lakes Lacs Hawley south of Sandy L /sud du lac Sandy Sandy L /sud du lac Sandy Sandy L /sud du lac Sandy	Northern Pike' Brochet'	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	<b>♦</b>	Lac Horseshoe 5214/9046 Kenore Dist /Dist de Kenora	Watieye Doré¹	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
annder Bay	Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	<u></u>	Horwood Lake Lac Horwood ABOURD TWO Cambridge No No No No No No No No No No No No No	Walleye? Dor <i>e?</i> Northern Pike! Brocker	
Hayward Lake Lac Hayward 82x,858 Thurder Bay Dist /Dist de Thurder Bay	Walleye¹ Doré¹ , Notthern Pike¹ Brochet¹		9		Wille Sucker Meunier noir! Northern Pike? Brochet?	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Hazelwood Lake Lac Hazelwood 4835/8919 Gontam Tup /Canton de Contam Thunder Bay Dist (Dist of Thunder Bay	Walleye <sup>2</sup> Doré <sup>2</sup>	C≥ C≥ C≥ C≥ C≥ C≥ C≥ C≥ C≥ C≥ C≥ C≥ C≥ C	•	Hubert Lake Lac Hubert Ar198425	Brook Trout¹ Omble de fonlaine Lake Trout¹	
Hazen Lake Lac Hazen 47538137 Hazen Twp./Carlon de Hazen Sudbury Dist/Dist de Sudbury	Northern Pike¹ Brochet¹ Walleye¹ Doré¹		9		Truite de lac¹ Walleye² Doré² Northern Pike²	
Helen Lake Lac Helen 1905/81 is Thurder Bay Dist,/Dist de Thunder Bay	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup> White Sucker <sup>2</sup> Meunier noir <sup>2</sup> Lake Trout <sup>2,7</sup> Trute de lac <sup>2,7</sup>	### ##################################	8	River Biscotes	Brochel' Northern Pike' Brochel'	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
	Whitelish <sup>27</sup> Grand coregone <sup>27</sup> Northern Pike <sup>2</sup> Brochet <sup>2</sup> Walleye <sup>2</sup> Dore <sup>2</sup>	\( \text{\texicl{\text{\ti}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\text{\texi\text{\text{\text{\text{\text{\text{\text{\text{\tin}}\tint{\text{\text{\text{\text{\text{\text{\text{\tin}}\tint{\text{\text{\tinit}\xi}\\ \tittt{\text{\text{\text{\text{\text{\text{\text{\ti}\text{\text{\text{\text{\text{\texict{\texict{\text{\text{\texi}\tint{\text{\text{\texi}\tint{\text{\tin}\tint{\text{\texi}\tintet{\text{\texit{\text{\texicl{\ticl{\ti}\tint{\texitile}}	<b>A A</b>	Indian Lake Natury Lac Indian Reference of Smooth Rock Falls Aggragate and Smooth Rock Falls Contrare Dist // Dist de Cochrare	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Heron Lake Lac Heron Resegrad Ramy River Dist, Dist, de Rainy, River	Northern Pike' Brochet'	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	⊗ *			
		(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-26) (26-30) > (30)	65-75 > 75			15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (25-30) > (30)

		Northern Ontario/	Nortriern Ontario/Nord de l'Ontario		86
		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65 <sub>8</sub> /5 >75 (6-8) (8-10) (10-12) (12-14) (14-16) (16-22) (22-26) (26 <sup>3</sup> 30) < (30)	Location/ Species/ Emplacement Espèces	es/ es	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-16) (16-22) (22-26) (26-30) (30)
Indian Lake Lac Indian south of Ball Lake/Sud du lac Ball 5014/3405 Kenora Dist /Dist de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup> Northern Pike <sup>2</sup> Brochel <sup>2</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Joe Lake     Northern       Lac Joe     Brochel*       80507833     Malleye*       Adat Two Canton of Adair     Walleye*       Cochmane Dist/Dist de Cochmane     Doré*	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>3</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
	Whitelish <sup>2</sup> Grand corégone <sup>2</sup> White Sucker <sup>1</sup> Meunier noir <sup>1</sup>		Jojo Lake Cisco <sup>1</sup> Lac Jojo Cisco <sup>1</sup> SO77Res3 Thunder Bay Dist /Dist de Thunder Bay Boche	Cisco¹ Cisco¹ Northern Pike¹ Brochet¹	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Iron Lake Lac Iron 47047955 Chambers Two /Canton de Chambers Nipsseng Dist/Dist de Nipsseng	Lake Trout¹ Truite de lac¹	000000000000000000000000000000000000000	s Twps	Yellow Perch¹ Perchaude¹ Walleye¹	9 9 6 6
	Lake Trout¹ Truite de lac¹ Splake¹		candida Whitesides Coorrane Dist /Dist de Cochrane Brochel	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	
e Thunder Bay	Truite moulac¹ Walleye¹ Doré¹ Yellow Perch¹		Kabinakagami Lake Walleye¹ Lac Kabinakagami Dore¹ 48549425 Northern Algoma Dist Dat d'Algoma Brochet¹	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Irwin Lake Lac Irwin 51948303 Kendra Dist,/Dist de Kendra	Perchaude' Northern Pike' Brochet' Walleye' Dôré'	}	Kagawong Lake Lac Kagawong Perchaude² Billings Campbell & Allan Twps Gampbell et Allan Manitoulin Dist Dist de Manitoulin	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup> Smailmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	
Island Lake Lac Island 483346056 German Wp (Centon de German Cochrane Dist, (Dist, de Cochrane	Smallmouth Bass¹ Achigan & petite bouche¹	0 0	Kagianigami Lake Walleye' Lac Kagianigami Doré' 56578750 Thurder Bay Dist/Dist de Thurder Bay Northern	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Island Lake Lac Island Hargasapo Hargook MyCanton de Hayoook Kenora Disl,Dist, de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup> White Sucker <sup>2</sup> Meunier noir <sup>2</sup> Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>		Kagiano Lake Walieye Lac Kagiano Doré 49166625 Thurder Bay Dst./Dst de Thurder Bay Northern	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c

Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	HeS/ 15-20 20-25 25-30 30-35 35-45 /5-55 55-65 65-75 75 ces (6-8) (8-10) (10-12) f12-14) f14-18) f18-22) (22-26) [26-30 - (30)	Vortheim Pixe?  (4) ②	Walleyes* Dorés Sucker Suceur rouges Amoning nouges	Worthern Pike' Northern Pike' Stocher!	White Sucker¹	Northern Pike¹  Brochet¹	Pike'		Douge And Andrew Pike*	Q Q	Perchaude? White Sucker? Meunier noir?
	Location/ Species/ Emplacement Espèces	Kawene Lake Northern Lac Kawene Brochet <sup>2</sup> 49459113 Tronter May Canton de Trother Ramy River Dist JOST de Ramy River	Kawinogans River Walleyes Rivière Kawinogans Dorés 5.1388855 S.1388855 Redhorse Suceur of White Su	Kawinogans River Northern Rivière Kawinogans Brochet		Kecil Lake Northern Lac Kecil Brochet Brochet Brochet Victoria Twp /Canton de Victoria		Coorned Distribute Coorned Distributes Walleves	on de Byshe de Kenora	Lac Kelly Lake Brow Barb Barb Barb Barb Barb Aegzighton William Vello	Waters
	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 75 (6-8) (8-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) (30)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	## ## ## ## ## ## ## ## ## ## ## ## ##	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a)       (b)       (c)       (d)       (e)       (e) </th <th>4)</th> <th>(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)</th>	4)	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)
	Location/ Species/ Emplacement Espèces	Kamiskotia River Walleyes Mariskotia Dores Alvinere Kamiskotia Dores al Marisgam Rver al Marisgam Rver addesign and Addesign Action (No. Canton de Jameson No. Canton de Jameson	Kamungishkamo Lake Walleye¹ Lac Kamungishkamo Doré¹ steleban steleban kanata Distribist de Kenore Brothet¹ Brothet¹	Kaneki Lake Walleye' Lac Kaneki Doré'i Marhen Dive'i Marhen Dive'i	Cannors de Kenogani Mos Rapali Mos Cannors de Kenoganing et de Regan Brochet! Sudbury Dist Dist de Sudbury de Rapan Brochet! Kaniskau Lake Northen Pike!	g.	Kapkichi Lake Walleye¹ Lac Kapkichi Doré¹ stallega stallega Kenore Dist.Dist de Kenore Rochet¹ Brochet¹	Kapuskasing Lake Walleye' Lac Kapuskasing Dore'	Northern Pike' Northern Pike' Kapusasang Northern Pike' Carlon de Kapusasang Birothel' Adgoma Disi Disi, d'Algoma White Stoker' Meunier nort'	ri g	Agone Distribut d'Algona Brochet

4					1	1	9	15-20 20-25 25-30 30-35 35-44 45-55 55-66-75 > 75 [6-8] (6-10) (10-12) (12-14) (14-18) (15-22) (22-25) (26-20) > (30)
4	(A)	1	(A)		8	0	4	65 65-7
7		0			<u> </u>			5.55 55
	4	0		(45-60)	() ( <del>)</del>			35-45 40
		4	<u>4</u>	40-451	0		8 8	30-35 (12-14) (
			- C	(26.37) 75.99 90.100 100.115 115-150 (26.30) (30-50) (30-40) (40-45) (45-60) (47.40) (49.40) (49.40)	8	\frac{\alpha}{\alpha} \frac{\alpha}{\alpha}	0 0 0	25-30 (10-12)
				(36-35)		8 8	8 8	20-25 (8-10)
				65-75 (28 30) (A)		0	0 0	15-20
(e <sub>1</sub>	(e,		, sec.	e lac²	ce <sup>1</sup>		يو اعو	
Northern Pike <sup>†</sup> Brochet <sup>†</sup>	Northern Pike¹ Brochet¹	ye,	Walleye² Doré² Northern Pike² Brochet²	Sturgeon <sup>2</sup> Esturgeon de lac <sup>2</sup>	Whitetish <sup>2</sup> Grand corégone <sup>2</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Meunier noir 1 Walleye 1 Doré 1	Vallow Perch <sup>®</sup> Perchaude <sup>®</sup> Northern Pike <sup>®</sup> Brochet <sup>®</sup>	
Northern Brochet <sup>1</sup>	Northern Brochet <sup>1</sup>	Walleye' Doré'	Walleye <sup>2</sup> Doré <sup>2</sup> Northern Brochet <sup>2</sup>	Sturgeon <sup>2</sup> Esturgeon	Whitetish <sup>2</sup> Grand core Northern P Brochet <sup>1</sup> White Suc	Walleye <sup>1</sup> Doré <sup>1</sup>	Yellow P Perchauc Northern Brochet <sup>6</sup>	
			amıng	T.	Ď,		Lac Kenogamisis Septiess Ashmer Iwo Canton d'Ashmore Thunder Bay Dist (Dist de Thunder Bay	
ora	Kenetogami Lake Lac Kenetogami 47478138 Steham Iwp./Canton de Stetham Sudbury Dist, de Sudbury	ora	Kenogami Lake Lac Kenogami Lac kenogami Septenta Lac kenogami Sentel & Eyr Yang Cantons de Gearfiel et d'Eby Irmskaming Dist/Dist de Tirmskaming	Kenogami River Rivière Kenogami Ristonikagami River a) la rivete Kabinikagami 5025/9420 Coornane Dist./Dist de Cochrane	Kenogaming Lake Lac Kenogaming 4805/6155 agan & kenogaming Twps. Cantons de Regan et Kenogaming Sudbury Diet I Dist de Sudbury	Kenogamisis Lake	SiS Ashmore Thund	
de Ken	ni La ogar	ake dy	Lak yami ps pliet d'i	River	nng L		Jami	0 0
Lak emp	ogar enet	enne	pami enoc Eby Twi in Greatly	Jami e Ke Igami B Kabinik Dist./Dis	pami enogan e Regar	ime	wp /Ca	survanti
Kemp Lake Lac Kemp 5202/8602 kenora Dist /Dist de Kenora	Kenetogami Lake Lac Kenetogami 4747/8138 Steinam Twp./Canton de Steitre Sudbury Dist /Dist. de Sudbury	Kennedy Lake Lac Kennedy 5234/9336 Kenora Dist, de Kenora	Kenogami Lake Lac Kenogami 806/8014 Grenfell & Eby Twps Cantors de Grenfell et d'Eby Trinskaming Dist /Dist de Tr	Kenogami River Rivière Kenogami Kabnikagami River a la rivete Kabnikagami 5025/6420 Cochrana Dist./Dist. de Cochra	Kenogaming Lake Lac Kenogaming 405/8155 Gagan & Kenogaming Twps. Carlons de Regan et Kenogami Sudbury Dist /Dist de Sudbury	Journal	Lac Kenogamisis 89428653 Sammer Two Canton d'Ashmo	Continued next page Suite page survante
Z 7 8 2	8 8 4 C X	<b>7</b> 7 8 8	スフ & Q Q E	<b>▼</b> ####################################	######################################	Ι×	<b>7</b> 88 8 4	8 छ।
		1	4					75 (30)
					V			^ ^
	T O	1	4	0	i i	© \( \frac{1}{2} \)		5 65-75 >
	1 0	6	9 4	(A)	, i	© ()	9	25 55-65 65-75 > 22) (22-26) (26-30) > 3
<b>(4) (6) (4)</b>	( ●	6	9 4	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	• •	<ul><li>⊕</li><li>∅</li><li>∅</li></ul>	(b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	45. 45-55. 55-65. (6-75. > 13) (18-22) (22-26) (26-30) > .
9 9	Ø 4	4       6       6	(a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	4       4       4	35.45.45.55.65.65.65.75.
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(a) (b) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	6		(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	5-30 30-35 35-45 45-55 55-65 65-75 > 0-12) (12-14) (14-18) (18-22) (22-26) (26-30) >
9 9	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	4       6       6	(a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	(C)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	4       4       4	20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 8-10 (10-12) (12-14) (14-15) (18-22) (25-26) (25-30) >
9 9	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	4       6       6		(A)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	15-20 20-25 25-30 30-35 55-45 45-55 55-65 65-75 > 75 (6-9) (10-12) (12-14) (14-15) (16-22) (22-26) (25-30) (-30)
9 9	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	4       6       6		\$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	15-20 20-25 35-30 30-35 35-45 45-55 35-65 65-75 > [6-8] (6-10) (0-12) (12-14) (14-15) (16-22) (22-26) (26-20) >
(4) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		(S)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	15-20 20-25 25-30 20-35 35-45 45-55 55-65 (65-75 > (6-8) (10-12) (12-14) (14-15) (16-22) (22-26) (26-20) >
(4) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A		Sucker? ouge*		\( \)	Dike¹	(C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	Pike (	15-20 20-25 52-30 30-25 53-35 54-55 55-55 55-50
(4) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	C	Sucker? ouge*	an Pike¹  Sucker²  er noir³	Pike¹	Dike¹	(C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	Pike (	15-20, 20-25, 25-30, 20-35, 35-45, 45-55, 55-66, 65-30, >, (6-3), (6-10), (10-10), (14-10), (16-20), (22-26), (26-20), >, (6-3), (23-26), (24-26),
9 9	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	ose Sucker?	Notifier Pike'  Brocher  White Sucker?  White Sucker?	Northern Pike' Brochet'	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	15-20 20-25 25-30 20-35 25-45 45-55 55-46 (65-20) > (6-4) (10-12) (12-14) (14-13) (18-22) (22-26) (26-20) >
(4) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	9 Doré <sup>1</sup>	Longinose Sucker?  Walleye <sup>2</sup> Walleye <sup>3</sup>	Notifier Pike'  Brocher  White Sucker?  White Sucker?	Northern Pike'  Brochet'  A  (4)	Walleye' Done' Northern Pike' Broche!  C3 (4) (2)	Walleye <sup>1</sup> Doré <sup>2</sup> Northern Pike <sup>2</sup> Brochet <sup>1</sup> Since Cal Cal Cal Cal Cal Cal Cal Cal Cal Cal	Walleyer Doré Northern Piker Brochert (4) (4) (4) (4)	15-20 20-25 35-30 30-35 35-45 45-55 35-65 (65-30) (61-40) (61-40) (61-30) (62-30) (63-
(4) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	9 Doré <sup>1</sup>	Longinose Sucker?  Walleye <sup>2</sup> Walleye <sup>3</sup>	Notifier Pike'  Brocher  White Sucker?  White Sucker?	Northern Pike'  Brochet'  A  (4)	Walleye' Done' Northern Pike' Broche!  C3 (4) (2)	Walleye <sup>1</sup> Doré <sup>2</sup> Northern Pike <sup>2</sup> Brochet <sup>1</sup> Since Cal Cal Cal Cal Cal Cal Cal Cal Cal Cal	Walleyer Doré Northern Piker Brochert (4) (4) (4) (4)	15-20 20-25 25-30 20-25 25-45 45-55 35-56 (65-20) > (6-30) (10-12) (12-14) (14 15) (16-22) (22-26) (26-20) >
(4) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	9 Doré <sup>1</sup>	Longinose Sucker?  Walleye <sup>2</sup> Walleye <sup>3</sup>	Notifier Pike'  Brocher  White Sucker?  White Sucker?	Northern Pike'  Brochet'  A  (4)	Walleye' Done' Northern Pike' Broche!  C3 (4) (2)	Walleye <sup>1</sup> Doré <sup>2</sup> Northern Pike <sup>2</sup> Brochet <sup>1</sup> Since Cal Cal Cal Cal Cal Cal Cal Cal Cal Cal	Walleyer Doré Northern Piker Brochert (4) (4) (4) (4)	15-20 28-25 25-30 28-35 35-45 45-55 35-46 45-50 38-50 (0-12) (10-12) (10-13) (10-13) (10-13) (20-13)
(4) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	9 Doré <sup>1</sup>	Longinose Sucker?  Walleye <sup>2</sup> Walleye <sup>3</sup>	Notifier Pike'  Brocher  White Sucker?  White Sucker?	ik Lake Northern Pike¹  irchuk Brochet¹  Brochet¹  (♣)	Walleye' Done' Northern Pike' Broche!  C3 (4) (2)	Walleye <sup>1</sup> Doré <sup>2</sup> Northern Pike <sup>2</sup> Brochet <sup>1</sup> Since Cal Cal Cal Cal Cal Cal Cal Cal Cal Cal	ragami Lake     Walleye'     (4) (4) (4)       boxe's     Northern Pike'     (4) (4) (4)       Brothet'     (4) (4) (4)	15-20, 20-25, 25-40, 48-55, 35-45, 48-55, 35-45, 48-55, 35-45, 48-50, 58-65, 58
(4) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	Walleyer C d d d Z T Northern Pike' C d d d Z T Doore	Longnose Sucker?  Meunier rouge*  Walteye*	an Pike¹  Sucker²  er noir³	Northern Pike' Brochet'	Dike¹	(C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	Walleye' Doré' Northern Pike' Brochet' (4) (4) (4)	15-20 20-25 25-30 20-25 25-30 20-25 25-35 55-55 55-30 20-25 25-35 55-55 55-30 20-25 25-35 55-50 (10-12) (12-14) (14 15) (16-22) (22-26) (25-30) 5-30

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (30)	Location, Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 55-75 775 (6-8) (8-10) (10-12) (12-26) (26-30) > (30)
Kenogamisis Lake Lac Kenogamisis	Whitefish <sup>6</sup> Grand corégone <sup>6</sup>	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Kirkness Lake Lac Kirkness	Northern Pike' Brochet'	<b>(4)</b>
Continued/Suite	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	5132/9356 Kenora Diet /Dist. de Kenora	Walleye' Doré'	(A)
Kenogamisis Lake Lac Kenogamisis	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>	7 7 7	Kishikas Lake Lac Kishikas	Watleye' Doré'	(A) (A) (A)
western arm/bras ouest Barton's Bay/Baie Barton 4942/8657 Thunder Roy Diet (Diet Ho Thunder Boy		7 7	5208/92017 Kenora Diez /D st. de Kenora	Northern Pike' Brochet'	0 0 0
			Knight Lake	Walleye	3
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>	7 7 7	Lac Knight 5010/8017 Cochrane Dist /Dist de Cochrane	Dore' Northern Pike'	<b>9</b> (
	Cisco <sup>6</sup> Cisco <sup>6</sup>			Brochet	7
	Walleye <sup>6</sup> Doré <sup>6</sup>	(b) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Knob Lake Lac Knob	White Sucker <sup>6</sup> Meunier nour <sup>6</sup>	700000000000000000000000000000000000000
	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Thunder Bay Dist /Dist. de Thunder Bay	, Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Kenogamissi Lake Lac Kenogamissi	Walleye <sup>2</sup> Doré <sup>2</sup>	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Kukagami Lake Lac Kukagami	Lake Trout' Truite de lac'	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
4815/8133 Timiskeming Dist /Dist de Timiskaming	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Keliy & Davis Twps Cantons de Keliy et de Davis Sudbury Dist /Dist de Sudbury		
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Kwagama Lake	Brook Frout!	
Kesagami Lake Lac Kesagami	Walleye¹ Doré¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	4727/8435 Greenwood Twp /Canton de Greenwood Algoma Dist / Dist d'Algoma		
Sochrane Dist /Dist de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>		Kwinkwaga Lake Lac Kwinkwaga	Lake Trout¹ Trute de lac¹	(A) (A) (A) (B)
Kesagami River Rivière Kesagami Cook s Pond/Bassin de Cook	Walleye¹ Doré¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	4848/8920 Flood & Magone Twps Cantons de Flood et de Magone Thunder Bay & Algorna Diss Dists de Thunder Bay et d'Algoma		
COUNTIES USE/USE DE COCTEATR					

	4 2	(d) (d) (d)	2 2	4 4 4		4 4 2 2	(4) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4		(4)			45-55 55-65 65-75 > 75 (18-22) (22-26) (26-30) > (30)
	(4) (4) (4)	()			(A)	(4) (4)	\frac{\alpha}{\alpha}	0		(A)		(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Walleye¹ Doré¹	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Walleye¹ Doré¹	Northern Pike¹ Brochet¹	Walleye¹ Doré¹	Northern Pike¹ Brochel¹	Waleye¹ Doré¹	Smallmouth Bass¹ Achigan à petite bouche¹	Northern Pike' Brochet'	Walleye¹ Doré¹		
Labitchie Lake Lac Labitchie 4659/217 Durban Twp./Canton de Durban Sudbury Dist Dist de Sudbury	Lac La Cloche Lac La Cloche	4610/8204 Harrow Twp /Canton de Harrow Sudbury Dist (Dist de Sudbury	Lac LaCroix 4821/9209 Banny Biver Dist. Dist. de Bainy Biver		Lac La France 4920/8028	Cochrane Dist./Dist. de Cochrane	Lady Evelyn Lake Lac Lady Evelyn 4720/900 4720/900 Cantons de Leo, de Dane et de Medina Timiskaming Dist./Dist. de Timiskaming	Lang Lake Lac Lang southeast of Espanda sudest of Espanda sudest if Espanda curan ''' Wp./Carlon'' Wp./Carlon'' Wp./Carlon'' Sa. Carlon'' Mp./Carlon'' Sa. Carlon'' Mp./Carlon'' Sa. Carlon'' Mp./Carlon'' Sa. Carlon'' Dist. (Dist. de Surbuny	Lang Lake Lac Lang north of Spanisty/nord de Spanish AG16/219/2319/2319/2319/2319/2319/2319/2319/	Algoma Dist./Dist_d'Algoma  Lang Lake  Lac Lang	northwest of L. St. Joseph nord-ouest du lac St. Joseph 5135/9130 Kenora Dist. Dist. de Kenora	
			ī	ĭ	ī	4	1	4				30)
Š A A		(4) (4)		4       0	Ø	(4) (4) (4) (6)	(4) (4)	4	0 7	\( \) \( \)		-55 55-65 65-75 > -22) (22-26) (26-30) > (
0 0 0 0 0 0		(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	<b>•</b>	(C) (C) (C) (C) (C) (C) (C) (C) (C) (C)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(h) (h) (h) (h) (h) (h) (h) (h) (h) (h)	<b>a</b>		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Ð Ö	5-30 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > -6.9 (6-10) (10-12) (12-14) (14-16) (16-22) (22-26) (26-30) > (
corégone de Car Car Car Car Car Car Car Car Car Car	4       4		<b>3</b>	(C) (C) (C) (C) (C) (C) (C) (C) (C) (C)	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	Lack Hilded Lacke Lack Hilded Lack Lack	Lake Troul? Truite de lac?	4	4	nn Pike²		15-20 20-25 25-30 30-25 35-44 44-30 (16-27) (22-30) (26-30) (30-31) (10-12) (10-12) (16-21) (22-20) (26-30) (30-31)

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) (-(30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-33) > (30)
Larder Lake Lac Larder	Lake Trout <sup>5</sup> Truite de lac <sup>5</sup>	(4) (4) (4)	Little Gull Lake Lac Little Gull	Lake Frout? Truite de lac?	(A)
4805/7938 McGerry Twp /Canton de McGarry Timiskaming Dist,/Dist_de Timiskaming	Whitetish <sup>5</sup> Grand corégone <sup>5</sup>	0 0 0	4905/9136 Kenora Dist /Dist de Kenora	Whitefish1 Grand corégone1	7
	Northern Pike <sup>5</sup> Brochet <sup>5</sup>			Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A)
	Walleye <sup>6</sup> Doré <sup>6</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		Smallmouth Bass¹ Achigan à petite bouche¹	<b>(4)</b>
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>	7	(Lower) Little Jackfish River	Walleye¹ Doré¹	(A) (A) (A)
Laundrie Lake Lac Laundrie 4707/8652 Howey May Dcanton de Howey Sudoury Dist/Dist de Sudoury	Lake Trout <sup>s</sup> Truite de lac <sup>s</sup>		Rivière Little Jackfish (tronçon inf.) 5017/8823 Thurder Bay Oist /Dist de Thunder Bay		
Lillabelle Lake	Northern Pike <sup>6</sup>		Little Joe Lake Lac Little Joe	Walleye <sup>2</sup> Doré <sup>2</sup>	(A) (A)
Lac Liliabelle 4906/8102 Glackmeyer Twp Canton de Glackmever	Brochet* Yellow Perch* Perchaude*	}	4950/9350 Tusin Twp /Centon de Tustin Kenora Dist /Dist de Kenora	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	
Cochrane Dist /Dist de Cochrane			Little Kesagami Lake	Waileyes	\\ \frac{1}{\infty} \\ \fr
Ruisseau Limestone	Rainbow Trout <sup>2,7</sup> Truite arc-en-ciel <sup>2,7</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1945/8016 Cochrane Dist /Dist de Cochrane	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	
Thunder Bay Oist / Dist de Thunder Bay	Mestavos		Little Manitouwadge Lake/Lac	Yeliow Perch¹ Perchaude¹	0
Lac Lingman 5346/9252 Kanna Diet die Kanna	Doré <sup>1</sup>	\$\frac{1}{4}\$	Little Manitouwadge 4908/8548 Gerrude Twp./Canton de Gertrude	Walleye¹ Doré¹	
Link Lake	White Sucker <sup>6</sup>	{	Thunder Bay Dist /Dist de Thunder Bay	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Lac Link 4704/7949 Strathy Twp /Centon de Strathy Niotskno Dist /Dist de Niotsseno	Meunier noire Yellow Perché Perchande	(a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Little Missinaibi Lake Lac Little Missinaibi	Walleye' Doré'	
	Northern Pike <sup>®</sup> Brachet <sup>®</sup>		4913/8338 Clifton, Abbey & Chaplin Twps Cantons de Clifton, d'Abbey et de Chaplin Sudbury Dist/Dist de Sudbury	Northern Pike <sup>3</sup> Brochet <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)

	Northern Pike' Brochet' Walleye' Dong'	Smallmouth Bass¹ Achigan à petite bouche¹ (4) ②	Northern Pike¹  Brochet¹  Walleye¹  V Dorig⁴	Walleye¹ Dore¹ Yellow Perch¹ Perchaude¹	Smallmouth Bass¹ Achigan a pelle bouche¹ Lake Troul¹ Truite de lac'	Walleye' Dore' Northern Pike' Brochet'	Sauger¹ Doné nour! Northern Pike¹  Walleyer⁴  Walleyer⁴  (♣ ♠ ♠ ♠	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)
Little Mose Lake Lac Little Mose 4980866 Genmall Two Cannot de Genmall Thurder Bay Dist /Dist de Thurder Bay	Little Sachigo Lake Lac Little Sachigo	S4099211 Kennya Dai, (U)st de Kennya Little Serpent Lake Lac Little Serpent Asi signaza Asi signaza Asi signaza Asi signaza Asi (Data Asi (Data Asigora	Little Sturge Lake Lac Little Sturge 4912/8855 Thurder Bay Dist /Dist de Thurder Bay	Little Tomiko Lake Lac Little Tomiko 4633/7927 Slewart Twp /Canton de Slewart Napssang Distribist de Napssang	Little Trout Lake Lac Little Trout ABIBBRIS Sudbury Dist./Dist de Sudbury	Little Frout Lake Lac Little Frout 5104/3317 Kenora Dist/Dist de Kenora	Little Turtle Lake Lac Little Turtle Lac Little Turtle Lasy/R220 Rany River Dist /Ost de Rany River	
•	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	\$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	<b>⊕</b>		0 0			20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
		0	V		0 0	\(\delta\)		15-20 20-25 (6-8) (8-10)
Lac Linn Lac Linn Brothel' Bro	Walleye <sup>1</sup> Dore <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Northern Pike¹ Brochet¹ Walleye¹ Doré¹ Whaleses Sucke¹	laine¹	Little Cedar Lake Walleye' Doté's Seatest Sections Truncae Bay Distribute de Borbers Northern Pike's Northern Pike's Northern Bay Distribute				15-20 20-25 (6-8) (8-10)

0	
-	
a	
=	
~	
$\cup$	
_	
0	
=	
2	
0	
ラ	
5	
0	
~	
a	
=	
5	
$\cup$	
-	
9	
der.	
=	
$\simeq$	
Z	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)		Fish si	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Species/ Emplacement Espèces	15-20 es (6-8)	20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Little Wawa Lake Lac Little Wawa 47518350 riquels & Peles Twps Cannons de Triquel et de Peters Sudbury Dist /Dist de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	**************************************	<b>a</b> a	Northern Pike¹ Brochet¹ Walleye¹. Doré¹	
Twps. y et de Chenard d'Aigoma	Walleye¹ Doré¹ Northern Pike¹ Brochet¹		Lower Oshkegami Northern Lake/Lac Brochel Cower Oshkegami Rochel A7196121 Mortal Two Oshkegami Mortal Two Oshkegami Suduvy Distilost de Suduvy Distilost de Suduvy	Northern Pike¹ Brochei¹	(d) (d) (d) (d) (d)
Lac Long Lake Lac Long Lake 4930/66/30 4930/66/30 Funder Obless Delley Twps Currier Obless of the Delley Thurder Bay Dist Dist on Thurder Bay	Northern Pike' Brocher' Bucher' Suceur rouge' White Sucker' Whitelish' Grand coregone'	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	a sec	Vaaleye <sup>a</sup> Dorek Northern Pike <sup>a</sup> Brochel <sup>a</sup> Walleye <sup>a</sup>	
Long Lake Lac Long 4737/8050 Miner Twp, Centon de Miner Triniskaming Dist, (Dist de Timiskaming	Northern Pike¹ Brochet¹ Walleye¹ Doré¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	na nunder Bay	Northern Pike¹ Brochet¹ Northern Pike¹ Brochet¹	0 0
Long Lake Lac Long (Kushog, Kinogam, 8 Robillard Lakes) (Lass Karseg, Kinogam et Ruchilard) 47498008 Timiskaming Dist /Dist de Timiskaming	Northern Pike¹ Brochet¹ Walleye¹ Doré³	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		Brook Trout' Omble de fontaine'	(P) (P) (P) (P) (P) (P) (P) (P) (P) (P)
Longlegged Lake Lac Longlegged Stafigate Kenora Dist /Dist de Kenora	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	b,/Centon de Corley ig Dist/Dist de Timiskaming _ake /on	Lake Toul' Truite de lac' Northern Pike <sup>6</sup> Brochet <sup>6</sup>	<ul><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li><li>♥</li>&lt;</ul>
Lorrain Lake Lac Lorrain 4 106/1837 5 Lorrain Trop/Carton de S Lorrain Transkammig Dist (Dist de Transkammig	Northern Pike <sup>1</sup> Brochel <sup>1</sup>	\$\begin{align*} \text{\tint{\text{\tin}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tex{\tex	Thunder Bay Dist /Dist de Thunder Bay		

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Especes	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (-30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55, 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
Magpie River Rivière Magpie downstream of Steephil Falls Reservoir en avait of Reservoir de Steephil Fails 8804844 Agoma Dist (Dist of Algoma	Waleye¹ Doré¹ Northern Pike¹ Brochet¹ Whiteise¹		Marne Lake Lac Marne 47478119 Burovs & kemp Twps Gantons de Burovs et de Kemp Sudbury Dist /Dist de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
	Grand corégone¹ Brook Trout⁵ Omble de fontaine⁵	<b>♦</b> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Marquette Lake Lac Marquette 47128144 Marquette Twp Conton de Marquette	Northern Pike¹ Brochet¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Makokibatan Lake Lac Makokibatan 5117822 Kenora & Thunder Bay Dists Dists de Kenora et de Thunder Bay	Walleye¹ Doré¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Marshalok Lake Lac Marshalok SOZZISTAST KENDRS DISI/DIST DE KRODOR	Whitefish¹ • Grand corégone¹ Cisco¹	0 0 0 0 0 0
Makonie Lake Lac Makonie 4821/8315 Lloyd Ywp./Canton de Lloyd Sudoury Dist./Dist de Sudoury	Northern Pike¹ Brochet¹ Walleye¹ Doré¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Marshland Lake Lac Marshland 46198237 Esten Tup / Canton of Esten	Uiscor Brown Bullhead* Barbotte brune*	4
Mameigwess Lake Lac Mammeigwess west of ignore/cuest dignore stagely judge-celeuest dignore stissey Two, Canton of tissey Kenore Dist. Dist de kenore	Whiterish¹ Grand corégone¹ Lake Trout¹ Truite de lac¹ Walleye¹ Doré¹		Marten Lake  Marten Lake  Gas Marten  Gas Marten  Cannons de Sisk et de Mataren  Ninssing Det /Dat de Nipssing	Walleye¹ Doré¹ Lake Trout¹ Trute de lac¹	<b>•</b> • • • • • • • • • • • • • • • • • •
Mameigwess Lake Lac Mameigwess north of Lansdowne House nord de meison Lansdowne 8,232(875,0) Kenora Dist Jüst de Kenora	Waileye¹ Doré¹ Northern Pike¹ Brochet¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Martison Lake Lac Martison sozuksob Cochrane Dist./Dist de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup>	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Manitou Lake Lac Manitou 465/8017 Clemen Tray/Canion de Clement Nicisson Dist Dist. de Abnossen	Lake Trout¹ Truite de lac¹	0 0 0 0 0 0 0	Matcheff Lake Lac Matcheft S2138323 Kendia Okst /Okst de Kendra	Walleye¹ Dore¹ Northern Pike¹ Brochet¹	
			Mather Lake Lac Mather 5050/8500 Kenora Dist (Dist de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(d) (d) (d) (d)

Lac Manitou	Lake Irout	000000000000000000000000000000000000000	Matinenda Lake Lac Matinenda	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
4547/8200 Sandfield Twp /Canton de Sandfield Mandoulin Dist,/Dist, de Manitoulin			4622/8257 Juliette, Trimermens Scarle & Mack Twps Centons de Juliette, de	Smallmouth Bass¹ Achigan à petite bouche¹	<ul><li>◆</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li><li>√</li>&lt;</ul>
Manitouwadge Lake Lac Manitouwadge	Northern Pike <sup>2</sup> Brochet <sup>2</sup>		Timmermans, de Scarle et de Mack Algoma Dist /Dist d'Algoma	Northern Pike¹ Brochet¹	
4908/8548 Gertrude Twp /Centon de Gertrude Thunder Bay Dist /Dist de Thunder Bay	Walleye <sup>2</sup> Doré <sup>2</sup>	8	Mattagami Lake Lac Mattagami	Walleye¹ Doré¹	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	0 0	4752/8135 Sudbury Dist./Dist de Sudbury	Northern Pike Brochet	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Manitowik Lake Lac Manitowik	Walleye' Doré'	(a) (b) (d) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d		Whitefish <sup>1</sup> Grand corégone <sup>1</sup>	(A)
4810/9424 Cowne, Debassige & Bird Twps Carloris de Cowie, de Debassige	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>	(A) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C		Walleye <sup>6</sup> Doré <sup>6</sup>	
Algoma Dist /Dist. d'Algoma			below Sandy Falls en aval de Sandy Falls Timmins	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	000000000000000000000000000000000000000
Maple Lake Lac Maple	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	4831/8127 Mountjoy Twp./Canton de Mountjoy Cochrane Dist./Dist de Cochrane	Longnose Sucker <sup>1</sup> Meunier rouge <sup>1</sup>	\( \frac{\lambda}{\lambda} \)
McKinnon Twp /Canton de McKinnon Sudbury Dist,/Dist de Sudbury			Mattagami River Bivière Mattagami	Walleyes	\frac{\alpha}{\alpha}
ret Lake argaret	Northern Pike¹ Brochet¹	© <b>(4)</b>	downstream of Sturgeon Falls en aval de Sturgeon Falls 4849/8129		)
4916/B108 Leitch Twp :Centon de Leitch Cochrene Dist /Dist de Cochrane			Manaty I wp./ Cartion de Mahaffy Cochrane Dist /Dist de Cochrane		
Margot Lake Lac Margot	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Mattagami River Rivière Mattagami	Walleye¹ Doré¹	(A)
Kenora	Walleye¹ Doré¹	(A)	4905/8134 Bradburn Twp /Canton de Bradburn Cochrane Dis/ Dist de Cochrane		
Marina Lake Lac Marina	Brook Trout' Omble de fontaine'	(P)	Mattagami River Rivière Mattagami	Walleye <sup>8</sup> Doré <sup>8</sup>	(4) (4) (2) (4) (4) (5) (4) (4) (5) (4) (5) (4) (5) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5
4724/8040 Corley Twp./Canton de Corley Timiskaming Dist /Dist de Timiskaming			upstream of Malette Mill en amont de Malette Mill Smooth Rock Falls 4915/8138	White Sucker <sup>8</sup> Meunier noir <sup>8</sup>	
Marmion Lake Lac Marmion	Walleye <sup>2</sup> Doré <sup>2</sup>	(b)	Kendry Twp /Canton de Kendry Cochrane Dist /Dist de Cochrane		
4852/9131 Rainy River Dist./Dist. de Rainy River	Northern Pike <sup>2</sup> Brochet <sup>2</sup>				
	(6-9)	0.20-25 55-30 30-35 35-45 45-55 55-45 65 75 > 75 1) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)		5	15-20 20-25 25-30 30-35 35-45 45-55 55-55 66-75 - 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-25) (25-

		Northern Ontario/Nord de l'Ontario	Vord de l'Ontario		110
		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)		٠	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Especies	15-20 20-25 25:30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (30)
Mattagami River Rivière Mattagami	Walleye <sup>7.8</sup> Doré <sup>7.8</sup>		Maynard Lake Lac Maynard	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
between Smooth Rock Fails & Island Falls ente Smooth Rock Fails et Island Falls 4912/8138		7	5022/9354 Kenora Dist /Dist de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Kettdry Twp /Canton de Kendry Cochrane Dist /Dist de Cochrane	Longnose Sucker <sup>1</sup> Meunier rouge <sup>1</sup>	0		Walleye <sup>2</sup> Dorê <sup>2</sup>	
	Sturgeon <sup>47</sup> Esturgeon de lac <sup>47</sup>	8 8 8		White Sucker¹ Meunier noir¹	
Mattagami River Rivière Mattagami	Walleye¹ Doré¹	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Sauger Doré noir <sup>1</sup> Ling <sup>1</sup>	
between Cypress Falls & Smooth Rock Falls entre Cypress Falls et	Northern Pike¹ Brochet¹			Lotte <sup>1</sup>	\frac{1}{2}
Smooth Rock Falls 4329/8146 Cochrane Dist/Dist de Cochrane	Longnose Sucker <sup>2</sup> Meunier rouge <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	McCarroll Lake Lac McCarroll	Lake Trout¹ Truite de lac¹	(A) (A) (A) (B) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B
Mattagami River Rivière Mattagami	Sturgeon¹ Esturgeon de lac¹	0 0	Meredith & Aberdeen Additional Twps Cantons de Meredith et d'Aberdeen Additional Algoma Dist (Dist d'Algoma		
at Groundhog River a la rivière Groundhog 4943/8158	Northern Pike¹ Brochet¹	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	McCarthy Lake	Walleye <sup>2</sup>	
Clay iwp.//amron de Clay Cochrane Dist./Dist de Cochrane	Walleye¹ Doré¹	4 4 2 2	Lac McCarthy 4619/8228	Doré²	
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	(A)	Algoma Dist/Dist d'Algoma	Loto Teorid	
Mattagami River Rivière Mattagami	Northern Pike¹ Brochet¹	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	Lac McConnell Addates Two Control de McAustan	Truite de lac	8
between Shore Rapids & Cypress Falls entre les rapides Shore et les chutes Cypress	Walleye <sup>27</sup> Doré <sup>27</sup>	(A) (A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	Nipissing Dist /Dist de Nipissing		
4946/8158 Clay & Tucker Twps Cantons de Clay et de Tucker	Sturgeon <sup>2,7</sup> Esturgeon de lac <sup>2,7</sup>		McCulloch Lake Lac McCulloch	Lake Trout¹ Truite de lac¹	7 7
Mattagami River	Walleyes	6 6	47/20/89/42 Corley Twp./Canton de Corley Trmiskaming Dist Dist de Timiskaming	Whitefish¹ Grand corégone¹	7
Lutte Long Generating Station Centrale diectrique Little Long 5000/8210 Cochrane Dist /Dist de Cochrane	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	) ( <u>}</u>	Mcintosh Lake Lac Mcintosh	Northern Pike¹ Brochet¹	(d) (d) (d) (2)
			German & Dundonald Twps Cantons de German et de Dundonald Cochrane Dist /Dist de Cochrane		

Lake Trout¹ Truite de lac¹ Whitefsth² Grand consignore² Walleyec	Dore Northern Pike' Strochel' (4) (4) (2)	Walleye¹ Doré¹		White Sucker! Meunier noir! Lake Troul*			Walleye' Doré' . Northern Pike'	Brochel Walleye' Wall	15-20 20-25 25-20 30-35 35-46 45-55 55-75 5-75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-25) (26-23) > (30)
McKay Lake Lac McKay 49378625 Thurder Bay Dist /Dist de Thurder Bay	. 115-130	MCLeister Lake Lac McLeister SCO30224 COOTHAND DELIDIST DE COOTHAND	Meandering Lake	(4) (4) (4)	49778236 Kenora Distribust de Kenora Megisan Lake	4715/8332 Cartion & Ewan Iwps. Cartion & Ewan Iwps. Cartion & Cartion et d'Ewan Surbuny & Algoma Diss Dists de Sudbury et d'Algoma	(d) (d) (e) Thurque Bay Distribute Bay	(4) (4)	\$5.65 (67-30) > (30)
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(18-22) (22-26) (26-30) (30-35) (30-35) (30-35)		8	\( \frac{1}{2} \) \( \frac{1} \) \( \frac{1} \) \( \frac{1}{2} \) \( \frac{1}{2} \)	7		\$ \$ \$	15.20 20:25 25:30 30:35 35:45 45:55 (86:75 > 75 (86:30 ) (80:70 ) (12:30 ) (86:20 ) (86:30 ) (80:30 ) (80:30 )
Mattagami River Walleyes Rivière Mattagami Dorés Hamon deaneani Station Centrale electrique Hamon Cochrane Dist./Dist. de Cochrane	Mattagami River Waleyes Rivière Mattagami Dorés Koping Demetang Stalon Centrale slectrique Kiping	Societario Dist. Dist. de Cochrane Sturgeon Esturgeon de lac'	Mattagami River Walleye¹ Rivière Mattagami Dord³ Adam Creek erea revieres c'Adam Creek everens c'Adam Creek Cochrane Dist Dist de Cochrane	Mattice Lake Northern Pike¹ Lac Mattice Broche¹ Strangar Thurder Bay Distribet de Thurder Bay	Mawn Lake Whitefish Lac Mawn Grand coregone Grand coregone Thunder Bay Yellow Perch Thunder Bay Perchaude Perchaude	While Sucker Meunier noir Max Lake While Sucker Wine Sucker	Dist de Thunder Bay	Maxwell Lake Northern Pike <sup>1</sup> Lac Maxwell Brochet <sup>1</sup> Summer Twe./Canton de Gumey Coorteane Dist Dist, de Coorteane	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) < (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Mercer Lake Lac Mercer	Walleye¹ Doré¹	(4) (4) (2)	Missinaibi Lake Lac Missinaibi	Walleye <sup>6</sup> Doré <sup>6</sup>	
4610/8015 Falconer Twp /Canton de Falconer Nipissing Dist/Dist de/Nipissing	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	<ul><li>∅</li><li>∅</li></ul>	4823/8340 Algoma & Sudbury Dists Dist d'Algoma et de Sudbury	Ling¹ Lotte¹	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)
Mesomikenda Lake Lac Mesomikenda	Walleye¹ Doré¹			Lake Trout <sup>5</sup> Truite de lac <sup>5</sup>	
4740/8153 Chester Twp /Canton de Chester Sudbury Dist /Dist de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(d) (d)		Meunier noir	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	Ö Ö		Longilose Sucker Meunier rouge <sup>1</sup>	(4) (4)
Meta Lake Lac Meta	Northern Pike <sup>1</sup> Brochet <sup>1</sup>		Missinaibi River (Iower) Rivière Missinaibi	Walleye' Doré'	(A) (A) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C
5031/8724 Thunder Bay Dist /Dist de Thunder Bay	Walleye¹ Doré¹	(b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(tronçon inf.) below Thunder House	Suceur rouge	<b>(4)</b>
	Yellow Perch¹ Perchaude¹	O O	en aval de Thunder House 5005/8311	Write Sucker	(b)
Michaud Lake	Lake Trout?		Missisa Lake Lac Missisa	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	<u> </u>
4649/8114 Tyrone Twp /Canton de Tyrone Sudbury Dist /Dist de Sudbury	- ומונפ מב ומכ-		5218/8512 Kenora Dist /Dist de Kenora	Walleye¹ Doré¹	© <b>(4)</b>
Michiwakenda Lake	Walleve			Whitefish1 Grand corégone1	\frac{\dagger}{\dagger} \frac\
Lac Michiwakenda 4738/8113 Churchill Twp /Canton de Churchill	Doré¹ Northern Pike¹	<del>9</del> <del>(</del>		Northern Pike¹ Brochet¹	7
Sudbury Dist /Dist de Sudbury	Brochet¹	<del>9</del>	Missisicabi River Rivière Missisicabi	Walleye1	(A) (A) (B) (B)
Lake/Lac Mijinemungshing	Lake Trout' Truite de lac'	0 0	at James Baylà le bave James 5.113/7935 Cochrane Dist /Dist de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	9 4
Stone Twp./Canton de Stone Algoma Dist./Dist. d'Algoma			Mississagi River Rivière Mississagi	Walleye¹ Doré¹	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Lac des Mille Lacs 4850/9330 Thunder Bay Dist /Dist de Thunder Bay	Whitefish¹ Grand corégone¹ Walleve¹	0	mouth/embouchure 4610/8301 Algoma Dist /Dist d'Algome		
	Doré <sup>1</sup>	<ul><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li>&lt;</ul>			

	Yellow Perch¹ Perchaude¹	<u> </u>	Mississagi River Rivière Mississagi	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	No.
Mills Lake Lac Mills 5012/8145 Kenora Dist JOISt de Kenora	Northern Pike¹ Brochet¹	<b>⊕</b> 0  0  0  0  0  0  0  0  0  0  0  0  0	below Red Rock Dam en aval du barrage Red Rock 4618(3317) Gladstone Twp /Canton de Gladstone Algoma Dist./Dist. d'Algoma	Walleye² Doré²	
Mindemoya Lake Lac Mindemoya 444/8000 Garrawon Twp (Cantor de Canarvon Manioulin Dst./Dst. de Manioulin	Yellow Perch¹ Perchaude¹ Walleye¹ Doré¹	<ul><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><li>•</li><l< th=""><th>Mistango Lake Lac Mistango 4907/8027 Freele Two /Canton de Freele Cootmare Dist /Dist de Cootmare</th><th>Northern Pike<sup>1</sup> Brochet<sup>1</sup></th><th>© (D)</th></l<></ul>	Mistango Lake Lac Mistango 4907/8027 Freele Two /Canton de Freele Cootmare Dist /Dist de Cootmare	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	© (D)
Minisinakwa Lake Lac Minisinakwa 18281144 Nabel Yeo Canton de Noble Sudbury Det (D'et de Sudbury	Cisco¹ Cisco¹ White Sucker¹ Meunier noir¹ Monthern Pike¹ Brochet¹ Walleyeï Doré¹		Mistinikon Lake Lad Mistinikon 47548048 Baden Ywo,Canton de Bagen Timiskamng Dis/Dist de Timiskamng Mojikiti Lake Lad Mojikiti	Smallmouth Bass¹ Achigan à petite bouche¹ Walleye¹ Northern Pike¹ Brochet¹ Walleye¹ Oodé¹	
Ministic Lake Lac Ministic sudviness of Levack sudviness of Levack sudviness of Levack Emailing & Cascaden Twos formor & Emailing & Cascaden Sudviny Dist This is Sudviny	Walleye¹ Doré¹ Smallmouth Bass¹ Achigan a petite bouche¹ Lake Trout¹ Truite de lac¹		Varioties Bay Des Des de Thunder Bay  Molson Lake  Lac Molson  Bandhessa  Bonney Iwe Carton de Bernby  Thunder Bay Des (Des de Thunder Bay	Northern Pike' Brochet'	© (C)
Ministik Lake Cuc Ministik sud oulac Kesagam L sud oulac Kesagam Soolo0224 Gootrane	Whitelish' Grand coregone'	7	Monmonawson Lake Lac Monmonawson S1428930 Sranga Distribut de Kenora Montreal River	Northern Pike¹ Brochet¹ Walleye⁵	
Minnitaki Lake Lac Minnitaki 4958/200 Kenora Dist/Dist de Kenora	Walleye¹ Doré¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	HIVER WONTREAL  A Matachewan  A 756/8039  Caro Wo /Canton de Caro Timiskaming Dist/Dist de Timiskaming	Northern Pike <sup>6</sup> Brochet <sup>6</sup> Whitetish <sup>6</sup> Grand corenance	
Misema Lake Lac Misema 813/7945 Anold Two /Canton d'Anold Timeskaning Dist /Dist de Timeskaming	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Soule page suvante	Smallmouth Bass <sup>©</sup> Smallmouth Bass <sup>©</sup> Achigan à petite bouche <sup>©</sup> White Sucker <sup>°</sup> Meunier noir <sup>°</sup>	<b>♦ ♦ ♦</b>
		15-20 20-25 25-30 30-35 35-45 45-55 55-55 66-75 \75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)			15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

		Fish size in centimetres (inches) Longueur du poisson en centimétres (pouces)			
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (5-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-2F) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) = (30)
Montreal River Rivière Montréal	Yellow Perch <sup>®</sup> Perchaude <sup>®</sup> Rock Bass <sup>®</sup>	Ŭ <b>(</b>	Murray Lake Lac Murray east of Wanapter L est du Jac Wanapter	Walleye¹ Doré¹ Smallmouth Bass¹	
Moose Lake	Crapet de roches Walleyes	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	4640/8026 Davis & Janes Twps Cantions de Davis et de Janes Sudbury Dist /Dist de Sudbury	Achigan à petite bouche <sup>1</sup>	}
4830/8044 Bond Twp /Canton de Bond Cochrane Dist./Dist de Cochrane	Northern Pike <sup>5</sup> Brochet <sup>5</sup>	) {	Muskeg Lake Lac Muskeg	Northern Pike¹ Brochet¹	<b>9</b>
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>	(A)	4900/902 Gibbard Twp /Canton de Gibbard Thunder Bay Dist /Dist. de Thunder Bay	Yellow Perch¹ Perchaude¹	<ul><li>♠</li></ul>
Moose River Rivière Moose	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	0		Willeusii* Grand corégone²	Ö Ö
5106/8051 Cochrane Dist./Dist de Cochrene	Walleye <sup>6</sup> . Doré <sup>6</sup>	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Muswabik Lake Lac Muswabik	Walleye¹ Doré¹	(b)
Moose River	Sturgeon1 Esturgeon de lac1	\frac{1}{2}	Kenora Dist./Dist. de Kenora	Northern Pike' Brochet'	
at Kwataboahegan R à la rivière Kwataboahegan 5109/8050	Northern Pike <sup>1</sup> Brochet <sup>1</sup>		Nabakwasi Lake Lac Nabakwasi	Walleye¹ Doré¹	
Cochrane Dist /Dist de Cochrane	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>	7 7 7	4737/8127 Miramichi Twp./Canton de Miramichi Sudbury Dist./Dist de Sudbury	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	
	Walleye' Doré'	(4) (4) (4) (2)	-	Northern Pike' Brochet'	(d)
	White Sucker¹ Meunier noir¹	(A) (A)		Ling' Lotte'	₹
Moose River Bivière Moose	Cisco¹ Cisco¹	7 7 7	Nabimina Lake Lac Nabimina	Northern Pike¹ Brochet¹	7 7
Mossonee 5120/6024 Cochrane Dist/Dist. de Cochrene			5209/9213 Kenore Dist /Dist. de Kenora	Walleye¹ Doré¹	(4)
Mooseskull Lake Lac Mooseskull	Walleye <sup>2</sup> Doré <sup>2</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Nagagami Lake Lac Nagagami	Walleye¹ Doré¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
4916/8530 Thunder Bay Dist /Dıst de Thunder Bay	٨		4925/BODI Nagagami & Hewethe Twps Cantons de Negegemi et d'Hawetha Algome Dist/Dist d'Algoma	Northern Pike' Brochet'	<ul><li>♥</li><li>♥</li><li>♥</li></ul>

<ul><li>⊕</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li></ul>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	<b>O O</b>	4		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		0 0 0 0 0	(5-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (810) (10-12) (12-14) (14.18) (18-22) (22-26) (26-30) > (30)
Waileye¹ Doré¹ Northern Pike¹ Brochet¹	Walleye¹ Doré¹ White Sucker¹ Weunier noir²	Walleye¹ Doré¹ Northern Pike¹	Brochet* Walleye* Doré* Northern Pike*		Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Northern Pike' Brochet' er Bay Walleye' Doré'	Whitefish Grand coregione Smallmouth Bass Achigan à petite bouche	
Nagagamisis Lake Lac Nagagamisis 4928/8440 Frost & McEwng Twps Cantons de Frost et de McEwng Algoma Dist/Dist of Algoma	Nagasin Lake Lac Nagasin 4744(8337 Dalmas & Conerty Twps. Canions de Dalmas et de Caverty	Sudbury Dist/Dist d'Sudbury  Nagron Lake Lac Nagron  50059126  Kenora Dist/Dist de Kenora	Namakan Lake Lac Namakan Razin Basahan Dia da Basa Basa	Negwazu Lake Lac Negwazu	McCowana & Asthely Wings Gallorins de McCowan et d'Asthey Agoma Des Dest d'Agoma Nellie Lake Lac Nellie Rassigna Galloris de Galleris d'Autora Galloris de Galleris de Autora	Nelson Lake Lac Nelson 4827,8032 Thurder Bay DSt /Dst de Thurder Bay		
	y   1							
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		0 0 0 0 0 0	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	\(\frac{1}{2}\)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	0 0	4	() ( <del>)</del> ( <del>)</del> ( <del>)</del> ( <del>)</del> ( <del>)</del> ( <del>)</del> ( <del>)</del> ( <del></del>	<b>4</b>	Ö Ö	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	15-20, 20-25, 25-30, 30-35, 35-45, 45-55, 55-66, 65-75, 5-75, (6-8), (6-10), (10-12), (12-14), (14-18), (16-25), (22-26), (26-36)

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	(5-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) (30)
Nelson Lake Lac Nelson 4644(8) Wep (Canton de Bowell Sudbury Dist (Dist de Sudbury	Lake Trout' Truite de lac'	0 0 0 0 0	Lake Nipissing Lac Nipissing Centinued/Softe	White Bass* Bar blanc² Cisco² Cisco²	(b)
Nemegosenda Lake Lac Nemegosenda ABOMSON Chewert Iwo, Canton de Chewett Sudbury Dist /Dist de Sudbury	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup> White Sucker <sup>5 9</sup> Meunier noir <sup>5,9</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
Nepahwin Lake Lac Nepahwin 462718038 MeKim Twp Canton de McKim Sudbury Dist /Dist de Sudbury	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>	Ų.	North Anvil Lake Lac North Anvil 4704832 Mcliveen Twp./Canton de Mcliveen Agona Dist/Dist of Algania	Lake Trout` Truite de lac¹	<ul><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li>&lt;</ul>
Nepewassi Lake Lac Nepewassi 4622/8038 Burwash, Herdre & Hawley Twps Cantions of Burwash, de Hendre	Northern Pike¹ Brochet¹ Walleye¹ Doré¹		North Caribou Lake Lac North Caribou Sectional Dat 10st de Kenora	Whitefish? Grand corégone? Walleye? Doré?	<ul><li>∅</li><li>∅</li><li>∅</li><li>∅</li></ul>
side Hawley Side Hawley  Net Lake Lac Net Carrier year Canton de Shrainy Nessing Del (Del 10 of	Cisco <sup>6</sup> Cisco <sup>6</sup> Lake Troul <sup>6</sup> Truite de lac <sup>6</sup>	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	North Drittwood River Rivière North Drittwood at twy, 11/aurone 11 2018 (26 Calar Twy Caren de Cacler Cochrane Dst. (Not de Cochrane	Northern Pike' Brochet'	(A) (A) (A)
Nettogami Lake Lac Nettogami 5013/8034 Cochrane Dist /Dist de Cochrane	Waileye¹ Doré¹ Northern Pike¹ Brochet¹		North French River Rivière de North French at Moose Rala invere Moose 50086043 Cochvane Dist/Dist de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Night Hawk Lake Lac Night Hawk AERENSSE Coop, Twp, Cannor de Coop, Cochrane Dist,/Dist de Cochrane	Mooneye¹ Laquaiche argentée¹ Walteye¹ Walteye² Northem Pike² Sauger¹ Doré noir¹	→ 0 → 0 → 0 0 0 0 0 0 0 0 0 0 0	North Hubert Lake Lac North Hubert 1-ac North Hubert 1-acon Iwo Centon de Lason Algoria Des Des Des Centon North Raft Lake Lac North Raft 5430846 Kenoris Des Des Controls Response Des Controls Response Des Controls Response	Brook Trout Ombie de tontaine Lake Trout Troite de lac Lake Trout Troite de lac Troite de lac	

inofa e Rainy River	3		4959/9503	Core	Ð
y River		}	Kenora Dist /Dist de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(A) (A) (B) (C) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C
ny River		0		White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	0 0
Lake obe Dest/Dest de Ranry Rwer		8 8	North Spirit Lake Lac North Spirit 533/9255 Kenora Dist/Dist de Kenora	Northern Pike¹ Brochet¹	
Lake obe Dist /Dist de Rany River		(d) (d) (d)	North Tweed Lake Lac North Tweed	Northern Pike <sup>5</sup> Brochet <sup>6</sup>	₩ ₩
	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Northern Light Lake Lac Northern Light	Walleye¹ Doré¹	
	Ö	(d) (d) (d)	Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike¹ Brochet¹	(4) (4) (5)
Lac Nipigon Truite de lac		0 0 0 0	Nursey Lake Lac Nursey	Walieye¹ Doré¹	
t de Thunder Bay	0 0	<b>4</b>	Nursey Twp /Centon de Nursey Sudbury Dist /Dist. de Sudbury	Northern Pike¹ Brochet¹	7
Sauger <sup>2</sup> Doré noir <sup>2</sup>	0 0	(A)	Nym Lake Lac Nym	Walleye <sup>2</sup> Doré <sup>2</sup>	4 2 2
Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	\displaystyle{\d		4842/9126 Rainy River Dist./Dist de Rainy River	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Cisco <sup>4</sup>	0			Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	(d) (d)
Longnose Sucker* Meunier rouge*			Oak Lake I ac Oak	Northern Pike¹ Brochet¹	(A)
Lake Nipissing Walleye <sup>59</sup> Lac Nipissing Dore <sup>59</sup>	0	(d) (d)	5026/9350 Kenora Dist /Dist de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>	
Nipissing Dist/Dist de Nipissing Northern Pike?  Brochet <sup>2</sup>	Ŏ Ŏ			Cisco <sup>1</sup>	
Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	0 0	•		Whitefish¹ Grand corégone¹	7
Yellow Perch² Continued top right Suite colorine de droite	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)			Mooneye¹ Laquaiche argentée¹	7 7
	15-20 20-25 25-30 30-35 3 (6-8) (8-10) (10-12) (12-14) (1	20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)			15,20, 20,25, 25,30, 30,35, 35,45, 45,55, 55,46, 65-75, >75 (6.8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) >(30) 117

Emplacement Espé		Longueur du poisson en centimètres (pouces)			Longueur du poisson en centimètres (pouces)
	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèles	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 -75 (6-8) (8-10) (10-12) (12-14) (14-16) (16-22) (22 26, '26-30) (30)
ake ba	Walleye¹ Doré¹		Opinnagau River Rivière Opinnagau	Northern Pike¹ Brochet¹	(A) (A) (A)
4840/8416 Carney & Simpson Twps Carney & Carney et de Simoson Broc Alonna Dist Dist in Alonna	Northern Pike¹ Brochet¹	\$\begin{align*} \begin{align*} \delta &	at Opiniugalu I. htt. 15. Opinnagau 5355/8358 Kenora Dist /Dist de Kenora	Whitefish' Grand corégone'	<u>0</u> 0
	Yellow Perch¹ Perchaude¹	(A)	Opishing Lake Lac Opishing	Walleye <sup>2</sup> Doré <sup>4</sup>	
Obakamiga Lake Walley Lac Obakamiga Doré	Walleye¹ Doré¹	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4817/8151 Keefer & Hillary Twps Cantons de Keefer et de Hillary Irmskammon Dier in et Amskammon	Northern Pike Brochet	\(\frac{\lambda}{4}\)
p /Canton de Cholette 1/Dist d'Algoma	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Oscar Lake	Walleye1	6
	Northern Pike¹ Brochet¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	4902/8253 Oscar Twp /Canton d'Oscar Algoma Dist /Dist d'Algoma	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(4) (4) (2) (2) (3) (4) (4) (5) (5) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6
Obushkong Lake Walley Lac Obushkong Doré' TAZBEAB Van Hisse	/e1	<b>♥ ♥ ♥ ♥ ♥</b>	Osinawi Lake Lac Osinawi ARRBPISTA McGaul Twp, Canton de McGaul Rany River Dist, Dist. de Banny River	Northern Pike¹ Brochet¹	0 0 0
Ogoki Lake Nort Eac Ogoki Sport Control Broad Control	Northern Pike¹ Brochet¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Oskawe Lake Lac Oskawe 4927(8823 Thunder Bay Dist /Dist. de Thunder Bay	Northern Pike¹ Brochet¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
ay Dist /Dist de Thunder Bay	Walleyel Doref White Sucker	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Osnaburgh Lake Lac Osnaburgh	Walleye* Doré²	<b>(b)</b>
ake (e	Walleye¹ Doré¹	<ul><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li>&lt;</ul>	6109/9009 Keriora Dist /Dist de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup> White Sucker <sup>2</sup> Memorier noir <sup>2</sup>	
ABS/69/15/20 ABS/69/15/20 ABS/69/15/20 Cantons de Kirkland et d'Oke Cochrane Dist /Dist. de Cochrane	Northern Pike¹ Brochet¹	(A)	O'Sullivan Lake Lac O'Sullivan	Northern Pike¹ Brochet¹	
an Lake naman	Walleye¹ Doré¹	© (4)	5025/8702 Thunder Bay Dist /Dist de Thunder Bey	Walleye¹ Doré¹	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
So00(8726 Thurder Bay Dist./Dist. de Thunder Bay				Whitefish Grand corégone Lake Trout Truite de lac	

Ottawa River Rivière des Outaouais Temesaming 10 Mattawa de Sanger Action of Mattawa	Ottawa River  Rivière des Outaouais Doré  Bivocher  Anothern Pike'  Brocher  Anothern Anothern  Anothern Pike'  Brocher  Brocher  Anothern Pike'  Brocher  Brocher  Anothern Pike'  Brocher  Broch			Owlet Lake Walleye' (4) (4) (4) (5) (5) (5) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7
Onaping Lake     Walleyel       Lac Onaping     Dorél       Lac Onaping     Caracteristic       Lac Onaping     Smallmouth Bass       End & Famber Types     Smallmouth Bass       Surfactive to Extra and Surfactive to	Opakopa Lake     Whitelish?       Lac Opakopa     Grand coregone?       55548132     Grand coregone?       Kenora Des./Dst de Kenora     Walleye?       Opasatika Lake     Walleye?       Copasatika Lake     Walleye?       Copasatika Na, Canlon of Opasanika     Northern Pike?       Rochef     Algoria Dist./Osis of Algoria       White Sucker!     Algoria Callon       White Sucker!     Algoria Callon	Opasquia Lake Lac Opasquia Sanesasa Kenna Distribust de Kenna Dorél Goldeye*  Goldeye*  Laquaiche aux yeux d'or*  Laquaiche aux yeux d'or*	Opeepeesway Lake Northern Pike?  Lac Opeepeesway Brothel?  Osway & Hufman Twop.  Sudbusy Das (Dist on Sudbusy Das (Dist)  Wallege!  Write Suden White Suden White Suden White Suden White Suden White Suden White Suden	Opikeigen Lake Walleye¹ Lac Opikeigen Doré¹ Sydyssak Nencia Disi/Disi de Kenora

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) (70)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Ozhiski Lake Lac Ozhiski 5001/8830 Kenora Dist/Dist de Kenora	Walleye¹ Doré¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Pebonishewi Lake Lac Pebonishewi 4743823 Frater Twp Canton de Frater Sudbuy Dist (Dist de Sudbury	Northern Pike¹ Brochet¹	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Ozone Creek Ruisseau Ozone 4901/8802 Thunder Bay Dist /Dist de Thunder Bay	Rainbow Smell <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>	7	Pedro Lake Lac Pedro 4655/8032 Sheppard Twp /Canton de Sheppard	Lake Trout¹ Truite de lac¹	7 7 7 7 7
Paguchi Lake Lac Paguchi 4934/9132 Kerora Dist/Dist de Kenora	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>	7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Surbury Dist /Dist de Sudbury  Pekagoning Lake  Lac Pekagoning  Agoggan  Kanong Dist (Dist de henora	Northern Pike¹ Brochet¹ Walleye¹	0
Pagwachuan Lake Lac Pagwachuan 4943/8606 Thunder Bay Dist /Dist de Thunder Bay	Lake Trout¹ Truite de lac¹ Walleye¹ Donel	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Doré <sup>)</sup> Lake Troul <sup>2</sup> Truite de lac <sup>2</sup>	
Pakashkan Lake Lac Pakashkan Agrigott Thurder Bay Distribet de Thurder Bay		0 0	Penassi Lake Lac Penassi 4745;6054 4745;6054 Hales & Baren Ing Cantors de Van Hise et de Banken Inniskaming Dei /Dei de Trinskaming	Walleye¹ Doré¹ Smallmouth Bass¹ Achigan à petite bouche¹ Northern Pike¹ Brochet¹	
Pakhoan Lake	Perchaude' Whitefish¹ Grand corégone¹ Walleye¹	₹ (C	Penelton Lake Lac Penelton Agorasuka Two /Canton d Opasatika Algoma Dist/Dist d Algoma	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup>	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Lac Pakhoan S220/2001 Kenora Dist/Dist de Kenora Pakwash Lake	Doré'' Walleye <sup>©</sup> Dozés		Percy Lake Lac Percy AgaGayale Two Cayle Two Cayle Kenora Ipst /Ost de Kenora	White Sucker <sup>2</sup> Meunier notr <sup>2</sup>	0
Sol6,9330 Kimora Dist. Üstr de Kanora	Varie White Sucker° Meunier noir° Northern Pike⁵ Brochel°		Peterlong Lake Lac Peterlong 46561825 Bennern Tives Centros de Macgione et de Benner Tirnssamming & Sudbury Det de Tirnssamming et de Sudbury	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	

Pan Lake Lac Pan 4851/8558 Thunder Bay Dist /Dist de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	<b>(4)</b>	Petersen Lake Lac Petersen 505/78347 Heyson Twp /Canton de Heyson Kentoa Dist /Dist de Kentra	Northern Pike¹ Brochet¹	(b)
Panache Lake Lac Panache 461591200 Antions de Truman, de Dieppe et Genora de Truman, de Dieppe et Sudbury Dist (Dist de Sudbury	Lake Trout <sup>†</sup> Truite de lac¹ Walleye¹ Doré¹		Peterson Lake Lac Peterson 4723/7940 Coleman Twp./Canton de Coleman Timskaming Dist/Dist de Timskaming	White Sucker¹ Meunier noir¹	
Papakomeka Lake Lac Papakomeka 48:68118 Adems Two /Canton d'Adems Timiskaming Dist, De Timiskaming	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	© (**)	Pettit Lake Lac Pettit 465/79216 Ramy River Dist /Dist. de Rainy River	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup> Whitelish <sup>1</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Parks Lake Lac Parks 4927/8/78 Thunder Bay Dist,/Dist de Thunder Bay	Northern Pike¹ Brochet¹			Grand corégone Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	
Patten River Rivière Patten al Souh Patten A la runce Souh Patten A la runce Souh Patten A darf Wu/Centon d'Adair Cochrane Dist.Upst de Cochrane	Walleye¹ Doré¹ Northern Pike¹ Brochel¹	(S) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	Pharand Lake Lac Pharand A8078-18 Pharand Two J Canton de Pharand Trinskaming Dist (Dist (Dist )	Walleye¹ Doré¹ Northern Pike¹ Brochet¹ Northern Pike¹	Ø (
Paudash Lake Lac Paudash 47181845 Paudash Ing Aganton & Paudash	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Lac Pichogen 484/494/4 Marjore Two /Canton de Marjore Algoma Dist/Dist d'Algoma Dickerel I ake	Brochet¹ Walieye¹ Dore¹	
Pays Plat River River Rivige Pays Plat mouthlembouchure 49837333	Walleye¹ Doré¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	le Cochrane ann Cochrane	Wolfilering Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup>	
Pearce Lake Lac Pearce Lac Pearce Pearce Pearce No.Carlon de Pearce Cootrane Disl. (Dist de Cochrane	Walleye <sup>†</sup> Doré <sup>†</sup> Northern Pike <sup>†</sup> Brochet <sup>†</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Pickere Lake Lac Pickerel was 10 Kewahinousi da Keewain Galay Tup Canton da Galay Kenra Dei (Dist de Kenra	Walleye¹ Doré¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
		15.20 20.25 25.30 30.35 35.45 45.55 55.45 65.75 > 75 (6.8) (6.10) (10.12) (12.14) (14.18) (18.22) (22.28) (26.30) > (30)			15-20 20-25 25-30 30-35 35-45 45-55 55-66 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (25-30) > (30)

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) < 30)	Location/ Emplacement Esp	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 - 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
Pickerel Lake Lac Pickerel Outlice Park/Parc Outlice	Northern Pike <sup>2</sup> Brochet <sup>2</sup> Lake Troult <sup>2</sup>	<ul><li>4</li><li>4</li></ul>	Pitukupi Lake No Brd Lac Pitukupi Brd So4008407 Wa	Northern Pike¹ Brochet¹ Walleve¹	()
Ramy River Dist /Dist de Rainy River	Truite de lac <sup>2</sup> Smallmouth Bass <sup>2</sup>			Doréi Northam Bilea	(4) (4) (4)
	Walleye <sup>2</sup> Doré <sup>2</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	ınlan	Brochet¹ Walleye¹	
	Whitefish¹ Grand corégone¹			Dore' Yellow Perch' Perchaude'	
	Cisco1	(d)	0	Walleye1	(
-	Northern Pike <sup>5</sup> Brochet <sup>5</sup> White Sucker <sup>5</sup>	9	Lac Pledger 5043/8342 Cochrane Dist /Dist de Cochrane Bro	Doré <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>	
Ponstord wp / Janion de Ponstord Kenora Dist /Dist de Kenora	Meunier noir <sup>5</sup> Walleye <sup>5</sup> Doré <sup>5</sup>		Ponsford Lake Wh	White Sucker* Meunier noir*	# # #
Pickwick Lake Lac Pickwick	Walleye¹	(4) (4) (4) (5) (5)	./Dist de Kenora	Normern Pike Brochet <sup>5</sup>	
le Rainy River	Northern Pike <sup>5</sup> Brochet <sup>5</sup>	) 4	Poplar Lake No Lac Poplar Bro	Northern Pike¹ Brochet¹	(A)
Pic River Rivière Pic	Walleye¹ Doré¹		wp./Canton de Hammell Jist /Dist de Nipissing	Yellow Perch' Perchaude¹	(d) (d)
onfluence It de la rivière Black Pic Dist de Thunder Bay			Poppy Lake Wa Lac Poppy D0 4917/8525 Thunder Bay Dist /Dist de Thunder Bay N0	Walleye¹ Doré¹ Northern Pike¹ Broche¹	
Pierce Lake Lac Pierce 5409/9256 Kenora Dist /Dist de Kenora	Walleye¹ Dore¹	7 7 8		Northern Pike <sup>5</sup> Brochet <sup>5</sup> White Sucker <sup>1</sup>	
Pierre Lake Northern Brocherl assyleye Brocherl Assyleye Walleye Wolleye Contens District on Contens District on Contens District on Contens District on Contens District on Contens District on Contens District on Contens	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walieye <sup>1</sup> Doré <sup>1</sup>		Continger in the continger of the continue of the continu	Meunier noir¹ Yellow Perch¹ Perchaude¹	† † † † † † † † † † † † † † † † † † †

(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c					15-20 20-25 25-30 30-35 35-46 45-55 55-66 165-75 > 75 (6-8) (10-12) (12-14) (14-18) (16-22) (12-26) (26-30) > (30)
Northern Pike¹ Brochet¹	Lake Trout? Truite de lac? Northern Pike' Brochet' Walleye' Dore' Northern Pike'	Walleye' Dorg' Northern Pike' Brochet' Brochet'	Walleye' Doré' Dore' Lake Trout' Truite de lac'	Smallmouth Bass <sup>5</sup> Achigan a petite bouche <sup>5</sup> Walleye <sup>1</sup> Doré <sup>1</sup> While Sucker <sup>1</sup>	-
Powell Lake Lac Powell 4907829 Oscar Twp /Canton d'Oscar Algoma Dist /Dist d'Algoma	Prairie Lake  Cac Prairie  1922/843  Thurder Bay Dist/Dist de Thurder Bay  Prairie Bee Lake  Lac Prairie Bee  4755/8351  Cantons & Drullettes  Cantons & Drullettes  Cantons & Dellettes  Cantons & De	Stationly seafures Lac Pratt Lake Lac Pratt Season Two Contrane Cootmane Dist Dist on Cootmane Pringle Lake Pringle Lake S1320328 S1320328 S1320328 S1320328 S1320328	Pullan Lake Lac Pullan Staggaga Kenora District de Kenora Anderico Lake Lac Quetico Lac Quetico Resolis Suerico Resolis Suerico Resolis Suerico	Quirke Lake Lac Quirke Lac Quirke Buckerssas Buckers Twy, Centon de Buckers Algorne Dist/Dist of Algoma Racine Lake Racine Lake Racine Cac Racine Racine & Distory Twys Racine & Distory Twys Racine & Distory Twys Racine Service and a Distory Racine Service and a Distory Secutory Dist	
(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c			(a)     (b)       (a)     (c)		(6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
Walleye¹ Doré! pni miskaming	White Sucker's Meunier noir's Northern Pike's Sudnoins Brochel's Ciscof Ciscof Whitelish's Grand coregones's	Lake Trout Truite de lac¹ Truite de lac¹ Dury Walleye¹ Doré¹ Broche¹ Broche¹	Northern Pike¹ Brochel¹ Brochel³ Brochel³ Brochel³ Brochel³ Brochel³ Brochel³ Grand Coregone³ Morthern Pike¹	Brother Walleye' Walleye' Doré' Cisco' Cisco' White Su Meunier	
Pigeon Lake Lac Pigeon 7438103 Knight Twp./Canton de Knight Trmiskaming Dist./Dist. de Trmiskaming	Pike Lake Lac Pike Agreeme autochtons 92 44/18408 Sludholme Iwp (Zenton de Studholme Cochrane Distribist de Cochrane	Pilgrim Lake Lac Pilgrim A71 1864 H. Was A71 1864 H. Was A71 1864 H. Was Suchay Dist/Dist de Subuy Pipe Lake Lac Pipe Lac Pipe Lac Stabouy 858,827 F. Be Ramy River Dist/Dist de Ramy River	Pishidgi Lake Lac Pishidgi SOO28835 Thurder Bay Dist/Dist de Thurder Bay Pistol Lake Pistol Lake SOO3843	Kenora Dist (Dist de Kanora	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-55 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12 14) (14 18) (18-22) (22-26) (26-30) > (30)
Raft Lake Lac Raft 4940/1857 McCowan Twp /Canton de McCowan Cachrane Dist /Dist de Cochrane	Northern Pike' Brochet'	<u> </u>	Ramsey Lake Lac Ramsey west of Bscotts.L ouest ou lee Bscotts.	Northern Pike¹ Brochet¹ Whitefish¹ Grand corégone¹	
Ragged Wood Lake Lac Ragged Wood Soansen Be the Reports	Walleye¹ Doré¹ Northern Pike¹	(	Sudbury Dist /Dist de Sudbury  Bamsev Lake	Walleye¹ Doré¹ Northern Pike¹	<b>( ( ( ( ( ( ( ( ( (</b>
Rainy Lake Lac Rainy Bleak Bagka	Brochet' Walleye' Doré' Northern Pike²	4) (6	Lac Ramsey Sudbury Aezelbury Mekim & Neelon Twps Canturs de Mekim et de Neelon Sudbury Dist Dost de Sudbury	Brochel Walleye ' Doré'	8 8 8 8 8
Ramy River Dist /Dist de Ramy River  Rainy Lake  Lac Rainy  Brule Narrows/Detroits Brule	Brochef* Whitefish* Grand corégone* Walleye*		Ranger Lake Lac Ranger Resetager Restager Algoma Dist 'Dist d'Algome	Lake Trout' Truite de lac'	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Rainy River Dist /Dist de Rainy River	Doré <sup>27</sup> While Sucker <sup>27</sup> . Meunier norr <sup>27</sup>	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Rapid Lake Lac Rapid 5020/9125 Thunder Bay Dist /Dist de Inunoer Bay	Northern Pike` Brochet'	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Rainy Lake Lac Rainy at Frog Creeklau ruisseau Frog 4639824 Rainy River Dist / Dist de Hany River	Northern Pike <sup>2,8</sup> Brochel <sup>2,8</sup>	4 0 0	Raven Lake Lac Raven south of Espanolakur of Espanola 46 1 18/45 Mongown Twp Carlon de Mongown Sudbury Disk Indisk de Surbury	Northern Pike' Brachet'	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Hainy Lake Lac Rainy Reggut Bayleae Redgut 4846/9257 Fairy River Dist. Dest. de Reiny River	Walleye' Doré' Northern Pike' Brochet'	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Raven Lake Lac Raven southesst of Lander L such as Lander	Smallmouth Bass' Achigan à petite bouche' Walleye'	
Rainy Lake Lac Rainy South ArmyBras Sud 48898318 Rany River Dist Infect the Renny Ruser	Northern Pike* Brochet* Walleye*	(C) (D) (A) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	480279393 DORF WEF adden WEF adden Trinsekaming Dist /Dist de Trinskaming Dist /Dist de Trinskaming Truite de la	Dore' Lake Trout' Truite de lac'	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
	White Suckera		Hawcourt Lake Lac Rawcourt 460,6112 Olue Iwp.Canton de Clute Coofrene Dist, Dist de Coofrene	Northern Pike' Brochet'	(A)

		Tall and the state of the state			
		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	(5-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 775 (6-8) (6-8) (10-12) (10-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-15) (16-22) (22-26) (26-30) > (30)
Regal Lake Lac Regal	Lake Trout¹ Truite de lac¹		Round Lake Lac Round	Ling² Lotte²	
4636/8305 Varley Twp /Canton de Varley Algoma Dist /Dist_d'Algoma			4801/8002 Otto & Marquis Twps Cantons d'Otto et de Marquis Timiskamino Dist/Dist nel Timiskamino	Walleye <sup>5</sup> Doré <sup>5</sup>	
Regan Lake	Lake Trout'		n n	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	<b>9</b> 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
4714/8047 Elits Twp./Canton d Elits Sudbury Dist, /Dist. de Sudbury				Cisco <sup>2</sup> Cisco <sup>2</sup>	7 7 7
Remi Lake	Northern Pike <sup>1</sup>			Splake* Truite moulac <sup>2</sup>	
4926/8210 Gurney & Farquier Twps Cantons de Gurney et de Farquier	Walleye¹ Doré¹		Round Lake Lac Round	Walleye¹ Doré¹	(A)
Cochrane Dist /Dist de Cochrane	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	7	noted by Lake Penache nord du lac Panache 4619/8112 Sudbury Dist (Dist. de Sudbury	Northern Pike' Brochet'	
Reta Lake Lac Reta	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Rous Lake Lac Rous	Northern Pike' Brochet'	
Thunder Bay Dist /Dist de Thunder Bay			Lecours Twp /Canton de Lecours Thunder Bay Dist /Dist de Thunder Bay	Walleye¹ Doré¹	7
Rice Lake Lac Rice	Whitetish¹ Grand corégone¹ Northern Pike¹		Routine Lake Lac Routine	Walleye¹ Doré¹	
End & Frater IMps Cantons of End eff de Frater Sudbury Dist,/Dist, de Sudbury	Brochet <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	5025/9457 Kenora Dist /Dist de Kenora	Smallmouth Bass¹ Achigan à petite bouche¹	(4) (2)
Ritchie Lake Lac Ritchie	Walleye¹ Doré¹			Northern Pike¹ Brochet¹	
4953/6331 Ritchie Twp /Canton de Ritchie Cochrane Dist /Dist de Cochrane	Northern Pike Brochet	(A)		Cisco¹ Cisco¹	Ö
Robin Lake Lac Robin	Walleye¹ Doré¹	(4) (4) (2)	Rufus Lake Lac Rufus	Northern Pike' Brochet'	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)
5010/795 ( Cochrane Dist./Dist de Cochrane	Northern Pike¹ Brochet¹	(A)	ASSERING TWP,/Canton d'Opesetike Opesetike Twp,/Canton d'Opesetike Algoma Dist /Dist. d'Algoma	Walleye¹ Doré¹	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Robinson Lake Lac Robinson 4811/9139 Rainy Hwer Dist Ob Rainy River	Lake Trout' Truite de lac'	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)			

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (35-30) > (30)		15-20 20-25 25-30 30-35 35-45 45-55 55-65 165-35 > 75 (6-8) (6-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)	
<ul><li>(a)</li><li>(b)</li><li>(c)</li><li>(d)</li><li>(d)</li><li>(e)</li><li>(e)</li><li>(e)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><li>(f)</li><l< th=""><th>Age/8947402 Stooders Dist./Dist de Cochrane Cochrane Dist./Dist de Cochrane</th><th></th><th></th></l<></ul>	Age/8947402 Stooders Dist./Dist de Cochrane Cochrane Dist./Dist de Cochrane		
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	seph Lake Joseph		
\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	d тıskaming	(A)	Smallmouth Bass¹ Achigan à petite bouche¹
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		7	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>
	Cochrane Distribust de Cochrane St Anthony I ale Indo Trouts	7 7 7 7	Cisco¹ Cisco¹
	4942/8246 Burntt & Neely Twps. Canions de Burntt et de Neely	<b>♦ ♦ ♦</b>	Walleye¹ Doré¹
(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	St. Amand Lake Walleyel Lac St. Amand Dorel	(A)	Soce/9446 Kenora Dist /Dist de Kenora Meunier noir! Meunier noir!
(A)	Fenton & Staples Twps Cantons de Fenton et de Staples Brochet <sup>†</sup> Cochrane Dist,/Dist de Cochrane	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	rock Lake sughrock
₩ ₩ ₩	Saganash Lake Walleye' Lac Saganash Doré'	<b>⊕</b>	HODDY Lake Lake Ifould Lac Roddy Truite de lac <sup>2</sup> ** Kenora Dist /Dist de Kenora
8	Saddle Lake Brook Trout² Lac Saddle Omble de tontaine² 465/18347 Algoma Dist/Osi of Algoma Algoma Dist/Osi of Algoma	<ul><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li><li>40</li></ul>	E 6
<ul><li>⊕</li><li>⊕</li><li>⊕</li></ul>	Monsainne, Foccant, Lenbove à Tuille de lach Monsainne, Foccant, Lenbove à Gordanie Invascionnes de Monestime, de Celebrie et de Fornaine Agome Dist, Dist, d'Algoma		Acedea & Durmer Twops Northern Pike' Acedea & Durmer Twops Brochel' Algoria Dis Tolse of Algoria  Mook Island Lake Whitefish'
		(4) (2) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Rock Lake Walleye' Drief
8	Hushbrook Lake Lake Trout  Lac Rushbrook Truite de lac'  Granding Tay Canton of Considerts  Consider Tay Canton of Considerts	(4) (4) (4)	Northern Pike¹ Brochet¹
000	Genoe & Maron Twps. Cantons de Genoa et de Maron Brochet! Suddury Dist folst, de Sudbury	3 d d d d d d d d d d d d d d d d d d d	Achigan à petite bouche <sup>1</sup> Walleye <sup>1</sup> Dorsi
Ö	Rush Lake Whitefish Lac Rush Grand coregone Grand coregone	7 7 7	Whitefish¹ Grand corégone¹
			in papeline measured (Chapterstate Commercial)

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimefres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Lake St. Joseph Lac St. Joseph	Walleye <sup>s</sup> Doré <sup>s</sup>	7 7	Sasaginaga Lake Lac Sasaginaga	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(A) (A)
Soules Bay/Baie Soules 5103/9026 Thunder Bay Dist /Dist de Thunder Bay	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>	7	4724/7942 Coleman Twp /Canton de Coleman Timiskaming Dist //Dist de Timiskaming	Lake Trout <sup>e</sup> Truite de lac <sup>2</sup>	4
	Northern Pike <sup>5</sup> Brochet <sup>5</sup>	(4) (4)		Cisco² Cisco²	<b>9</b>
Lake St. Joseph Lac St. Joseph	Walleye <sup>2</sup> Doré <sup>2</sup>	(b)	Savoy Lake Lac Savoy	Northern Pike¹ Brochet¹	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩
5105/9035 Kenora Dist /Dist de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	<b>(4)</b>	4916/9100 Chartrand Twp /Canton de Chartrand Kenora Dist /Dist de Kenora	Walleye¹ Doré¹	7 7 7
Lac Ste Thérèse	Walleye¹ Doré¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	
Cochrane Dist /Dist de Cochrane	Northern Pike¹ Brochet¹	(A)	Saymo Lake Lac Saymo	Lake Trout' Truite de lac'	\$\tag{4}  \qu
Sand Lake Lac Sand	Walleye¹ Doré¹		4659/8331 McIlveen Twp /Canton de McIlveen Algoma Dist /Dist d Algoma		
near Minaki/près de Minaki 5005/9439 Kenora Dist /Dist de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	\$\tag{4} \tag{2}\$	Scarfe Lake Lac Scarfe	Northern Pike' Brochet'	(A) (A) (B) (C)
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	4616/8302 Scarte Twp /Canton de Scarte Algoma Dist /Dist d'Algoma		)
	White Sucker Meunier noir	<b>(P)</b>	Schewabik Lake	Northern Pike <sup>1</sup>	
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩	Lac Schewabik 4813/8310 Copperfield Twp /Canton de Copperfield		
	Ling¹ Lotte¹	- O	Sudbury Dist /Dist de Sudbury		3
	Sauger¹ Doré noir¹	<ul><li>4</li><li>4</li><li>5</li><li>6</li><li>7</li><li>8</li><li>9</li><li>9</li><li>1</li><li>1</li><li>1</li><li>1</li><li>2</li><li>3</li><li>4</li><li>5</li><li>6</li><li>7</li><li>7</li><li>8</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><li>9</li><l< th=""><th>Schryburt Lake Lac Schryburt</th><th>Walleye¹ Doré¹</th><th>(A) (A) (A) (A) (A) (B) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B</th></l<></ul>	Schryburt Lake Lac Schryburt	Walleye¹ Doré¹	(A) (A) (A) (A) (A) (B) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B
	Smallmouth Bass¹ Achigan à petite bouche¹	(A)	kenora Dist /Dist de Kenora		
Sand Lake Lac Sand	Northern Pike¹ Brochet¹	(A) (A) (B)	Lac Scott	Northern Pike' Brochet'	<b>(</b> ©
northwest of Smooth Rock Falls ord-douest de Smooth Rock Falls 4921/8142 Alexandra Twp./Canton d'Alexandra Cochrane Dist./Dist. de Cochrane	Walleye¹ Dore¹	0	Bartiett Twp /Canton de Bartiett Timiskarning Dist /Dist de Timiskarning	Cisco <sup>2</sup> Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	(A)

1520 2022 25.00 30.32 35.45 45.55 556 65.75 > 75 (6.8) (6.10) (10.12) (12.14) (14.18) (18.22) (22.36) (56.30) > 130		15-20, 2022, 25-30, 30-38, 25-46, 45-55, 55-56, 66-70, (10-12) (12-14) (14-15) (16-22) (22-26) (76-30) > (30)	
-		{}	
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	4804/8035 Ama Twp /Canton d'Alma Timiskaming Dist,/Dist de Timiskaming D0fé <sup>1</sup>	\(\frac{1}{2}\)	Additional Twos  McCaul & Hutchinson Twos  Cantons de McCaul et de Hutchinson  Brochet  Broch  Brochet  Broch  Brochet  Brochet  Broch  Brochet  Brochet  Brochet  Br
(A) (B)	ation Lake eparation	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Sapawe Lake Walleye¹ Lac Sapawe Doré¹
	Redhorse Sucker¹ Suceur rouge¹	7	White Sucker¹ Meunier noir¹
4 4 4	Ling¹ Lotte¹		Canton de Tuuri Iy Dist /Dist de Thunder Bay
\frac{1}{2}	White Sucker <sup>a</sup> Meunier noir <sup>a</sup>	(4) (2) (2) (4)	Santoy Lake Northern Pike <sup>2</sup> Lac Santoy Brochet <sup>2</sup>
(d) (d)	Yeilow Perch <sup>1</sup> Perchaude <sup>1</sup>	(4) (4) (4)	Truite de lac
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Sauger¹ Doré noir¹		McAree
	Cisco <sup>1</sup> Cisco <sup>2</sup>	<b>◆</b>	Lac Sandybeach Brother Assayazzı
	Whitelish® Grand corenna®	)	
	Watleye <sup>a</sup> Dore <sup>a</sup>		4928/9135 Gour Twy, Canton de Gour Rucchalt Rechalt
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Sol 49424 Kenora Dist,/Dist de Kenora Laquaiche argentée'	(4) (4)	Sandbar Lake Walleye' Lac Sandhar Done'
(4) (4) (2) (2)	Separation Lake Northern Pike® Lac Separation Brochel®	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)	4623/9228 Rany River Dist/Dist de Rany River Brochet¹
7	Reno Dati/Dist de Rainy River Meunier noir¹	(4) (2) (2) (4)	Sand Point Lake Walleye¹ Lac Sand Point Doré¹
(A) (B)	version ere Seine		Stoney & Restoule Twps Cartons de Stoney et de Restoule Algoma Dist /Dist_d'Algome
₩ ₩ ₩	Seeber Lake Walleyel Lac Seeber Doré! sss/1930! Kanova Dist/Dat de Kenora	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Sand Lake Brook Trou! Lac Sand Dmble de fontaine! Ansteled in Agawa
0	de Seagram Sudbury		Hwy 144/kulooule 144 4716/8145 Paudash Twp /Canlon de Paudash Sudbury Disi, Disi, de Sudbury
	Seagram Lake Lake Trout! Lac Seagram Truite de lac!	(4) (4) (4) (2)	Sand Lake Northern Pike <sup>1</sup> Lac Sand Brochet <sup>1</sup>

•		Northern Ontario	Northern Ontario/Nord de l'Ontario		130
		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Sesekinika Lake Lac Sesekinika	Walleye <sup>2</sup> Doré <sup>2</sup>	77	Sill Lake Lac Sill	Brook Trout' Omble de fontaine	<b>®</b> 50 50 50 50 50 50 50 50 50 50 50 50 50
4811/8014 Maisonville Twp /Canton de Maisonville Timiskaming Dist /Dist de Timiskaming	Northern Pike <sup>2</sup> Brochet <sup>2</sup>		4646/8415 Van Koughnet Twp Canton de Van Koughnet Alooma Dist (Dist d'Alooma		
Setting Net Lake Lac Setting Net 5247/9336 Kenora Dist /Dist de Kenora	Walleye¹ Doré¹	(A)	Silver Fox Lake Lac Silver Fox	Walleye <sup>2</sup> Doré <sup>2</sup> White Sucker <sup>1</sup>	6
Lac Seul	Walleye¹ Doré¹		Netford Distribust Derivertord	Meunier norr' Ciscol	
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		Ciscol Northern Pike <sup>2</sup> Brochet <sup>2</sup>	4
	Sauger¹ Doré noir¹	\rangle \frac{1}{\rangle} \fra	Sime Lake	Morthern Dite!	
	Cisco <sup>1</sup> Cisco <sup>1</sup>	0 0	Lac Sims	Brochet <sup>1</sup>	7 7 7
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>		Kenora Dist /Dist de Kenora Sinaminda Lake	Northern Pike <sup>1</sup>	(
Severn River Rivière Severn	Northern Pike¹ Brochet¹	0 0 0 -0 -0	Lac Sinaminda 4656/8159 Del Villano Twp /Canton de Del Villano Alonma Inst (Dist d'Alonma	Brochet!	(4) (4) (5)
5559/8738 Kenora Dist /Dist de Kenora	Whitelish <sup>1</sup> Grand corégone <sup>1</sup>	*	Sinclair Lake	Walleye¹	()
Shabu Lake Lac Shabu	Walleye¹ Doré¹	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)	Lac Sinclair 4751/8121 Sothman & Nursey Twps	Doré' Northern Pike'	9 6
5120/9258 Kenora Dist./Dist de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A) (A)	Cantons de Sothman et de Nursey Sudbury Dist /Dist de Sudbury	Brochet¹	9
Shack Lake Lac Shack	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A) (B) (B) (C)	Sisseney Lake Lac Sisseney	Walleye¹ Doré¹	
n de Seaton t de Cochrane	Walteye¹ Doré¹	© (4)	Yarrow Twp /Canton de Yarrow Timiskaming Dist /Dist de Timiskaming		(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
Shackleton Lake Lac Shackleton	Walleye¹ Doré¹	(4) (4) (2)	Skeleton Lake Lac Skeleton	Walleye² Doré²	(2) (4) (4) (2) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5
Shackleton hrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	7	Muligan Twp /Canton de Muligan Timiskaming Dist/Dist de Timiskaming	Northern Pike <sup>2</sup> Brochel <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)

<ul><li>(a)</li><li>(b)</li><li>(c)</li><li>(d)</li><li>(d)</li><li>(e)</li><li>(e)</li><li>(f)</li><li>(f)</li><li>(g)</li><li>(g)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><li>(h)</li><l< th=""><th></th><th>(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c</th><th>(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c</th><th>© (©</th><th></th><th>6</th><th>(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c</th><th>() () () ()</th><th>4 4</th><th>7 7 7</th><th>15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 &gt; 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) &gt; (30)</th></l<></ul>		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	© (©		6	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	() () () ()	4 4	7 7 7	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Sauger <sup>2</sup> Doré noir <sup>2</sup> Whitefish <sup>2</sup> Grand corégone <sup>2</sup>	Northern Pike¹ Brochet¹ Walleye¹ Doré¹	Northern Pike¹ Brachet¹	Walleye¹ Doré¹	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	Northern Pike¹ Brochet¹	Northern Pike <sup>2</sup> Brochet <sup>2</sup> Lake Trout <sup>2</sup>	Truite de lac <sup>2</sup> Cisco <sup>1</sup>	White Sucker¹ Meunier noir¹	Walleye¹ Doré¹ Northern Pike¹	Brochet¹	
	Skinner Lake Lac Skinner 524/9018 Kenora Dist/Dist de Kenora	Skog Lake Lac Skog 4721/8109 Browning Twy Carlon de Browning Sudbury Dist/Dist de Sudbury	Sleep Lake Lac Sleep 5146/2215 Kerora Dist./Dist de Kenora	Slipper Lake Lac Slipper 4622/8841 in Two Canton de Gunterman Altoma Dist Des d'Altoma	Smiley Lake Lac Smiley	Trunder Bay Dist, Dist de Thunder Bay Snook Lake Lac Snook S012/9441	Nehora Ursi /Ursi de Nehora		Snowdrift Lake Lac Snowdrift 5132/8858 Kenna Diet de Kenna		
(C) (D) (C) (D) (C) (D) (D) (D) (D) (D) (D) (D) (D) (D) (D	Ö Ö		0 0	<b>⊕</b> (	(4)	<b>♦</b>	(A)	<ul><li>♣</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li>&lt;</ul>	<ul><li>∅</li></ul>	U U	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)
Northern Pike¹ Brochet¹	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>		Northern Pike¹ Brochet¹	Normen Pike Brochet <sup>1</sup> Walleye <sup>2</sup>	Doré!	Northern Pike <sup>®</sup> Brochet <sup>®</sup>	Walleye <sup>5</sup> Doré <sup>5</sup>	Brochet* Whitefish*	Walleye¹ Doré¹	Northern Pike¹ Brochet¹	9)
Shaco Lake Lac Shaco 4815/9032 Thurder Bay Dist, Dist de Thunder Bay	Shakwa Lake Lac Shakwa atagagi Sia atagagi Sia Oshali Twp /Canlon d'Oshall	Shannon Lake Lac Shannon 4948/8324 Shannon Twp /Canton de Shennon Cochrane Dist_Dist_de Cochrane	Sherman Lake Lac Sherman Sa30,9175 Kenge Dist De Kenge	Silliabeer Lake 49068844 Thurder Bay Dist /Dist de Thurder Bay	Lac Shining Tree 4733/8104 Leonard Twp /Canton de Leonard Timiskaming Dist /Dist de Timiskaming	Shirley Lake Lac Shirley Aggyilegy Tweed Twp. (Canton of Tweed Cochrane Dist./Dist de Cochrane	Shoal Lake Lac Shoal	Kenora Dist /Dist de Kenora	Silcox Lake Lac Silcox	5145/9323 Kenora Dist /Dist de Kenora	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-55 65-75 > 75 (6-8) (8-70) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Snowflake Lake Lac Snowflake	Walleye¹ Doré¹	(4)	Starvation Lake Lac Starvation	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	
5132/8901 Kenora Dist /Dist de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	4 4 4 4	4924/8028 Bragg Twp /Canton de Bragg Cochrene Dist./Dist. de Cochrane		
Snowshoe Lake Lac Snowshoe	Walleye¹ Doré¹	4 4 2 2	Steel Lake Lac Steel	Walleye¹ Doré¹	
5034/9507 Kenora Dist /Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(4) (4) (2) (2)	4915/8649 Thunder Bay Dist./Dist de Thunder Bay	Northern Pike¹ Brochet¹	000
	Ling¹ Lotte¹	\$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Stinkfish Lake	Brook Trout	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	0	4638/9308 Variey Twp./Centon de Variey	отполе де топтанте	
	Cisco¹ Cisco¹	Ö	Stirland   ake	Mallaval	
	Whitefish¹ Grand corégone¹	7 7	Lac Stirland 5220/9102 Kengra Dist (Dist de Kenora	Doré <sup>1</sup>	<b>⊕</b>
Solace Lake Lac Solace	Lake Trout' Truite de lac¹	(A)	Stoddart Lake	Walleye¹	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
4771/8042 Selkirk Twp./Canton de Selkirk Sudbury Dist/Dist de Sudbury			4948/8358 Stoddarf Twp./Canton de Stoddarf Cochrane Dist /Dist de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	(A)
Sothman Lake Lac Sothman	Northern Pike¹ Brochet¹	() (A) (A)	Stouffer Lake	Northern Pike¹	(4) (9) (9)
4754/8116 Sothman Twp./Canton de Sothman Sudbury Dist./Dist. de Sudbury	Walleye' Doré'	(4) (4) (2)	4703/9042 Turner Twp /Canton de Turner Sudbury Dist Tolst de Sudbury	סומכופו	)
South Anvil Lake Lac South Anvil	Lake Trout' Truite de lac'	<ul><li>∅</li></ul>	Stranger Lake Lac Stranger	Northern Pike¹ Brochet¹	(2) (4) (5) (5) (5) (6) (7)
McIlveen Twp./Canton de McIlveen Algoma Dist./Dist d'Algoma			5015/9131 Kenore Dist,/Dist de Kenore	Walleye¹ Doré¹	(4)
South Floodwood Lake/Lac	Walleye¹ Doré¹	(A)	Stratton Lake	Northern Pike <sup>1</sup>	\( \frac{1}{2} \)
South Floodwood 4922/8019 Bragg Twp /Centon de Bragg Cochrane Dist,/Dist de Cochrane	Northern Pike¹ Brochet¹	(S)	4612/8140 4612/8140 Foster Twp /Canton de Foster Sudbury Dist./Dist. de Sudbury	Brocher	)

7	(A)	7	0	7		(d) (d)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	7	Ö Ö	Ü Ö	\frac{1}{4}	\( \) \( \)	15:20 20:25 25:30 30:35 35:45 45:55 55:65 65:75 > 75 (6-8) (8-10) (10:12) (12:14) (14:18) (18:22) (22:26) (26:30) > (30)
Walleye¹ Doré¹	Walteye¹ Doré¹	White Sucker			Walleye <sup>6</sup> Doré <sup>6</sup>	Walleye¹ Doré¹	Northern Pike¹ Brochet¹	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	Lake Trout¹ Truite de lac¹	Northern Pike <sup>8</sup> Brachel <sup>6</sup>	Northern Pike¹ Brochet¹ Whitelish²		
Stull Lake Lac Stull 5424/9234 Kenora Dist./Dist. de Kenora	Sturgeon Lake Lac Sturgeon	Kenora Dist /Dist de Kenora	Sturgeon Lake Lac Sturgeon	4954/9057 Kenora Dist /Dist de Kenora		Sturgeon Lake Lac Sturgeon	Cobb Bay/Bare Cobb 4957/9100 Kenora Dist /Dist de Kenora		Sturgeon Lake Lac Sturgeon Mountain Is, area Repon de life Mountain 49539105 Kenora Dist /Dist de Kenora	Sturgeon Lake Lac Sturgeon Mouth of Lyon Cree  a Tembouching du ruissau Lyon Honde Dist Dist, de Kenora	Sturgeon River Rivière Sturgeon	en amont de High Falls 90 (16/8825 Thurder Bay Dist /Dist de Thunder Bay	
(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		<b>(4)</b>	(4) (4) (2) (2) (2)	\$\begin{align*} \begin{align*} \begi	1 5		<b>⊕</b>		(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0 0 0 0 0 0 0 0 0 0 0 0	15:20 20:25 25:30 30:35 35:45 45:55 55:65 65:75 > 75 (6-8) (8-10) (10:12) (12:14) (14 18) (16:22) (22:26) (26:30) > [30)
Walleye <sup>2</sup> Dore <sup>2</sup> Northern Pike <sup>2</sup> Brochel <sup>2</sup>	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	Walleye <sup>s</sup> Doré <sup>s</sup>	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	Walleye'89 Doré789	White Sucker <sup>789</sup> Meunier noir <sup>789</sup>		White Sucker <sup>5</sup> Meunier noir <sup>5</sup>		Northern Pike¹ Brochet¹	Northern Pike¹ Brochet¹ Walleye¹ Doré¹	Lake Trout? Truite de lac²	Northern Pike¹ Brochet¹ White Sucker¹ Meunier noir¹	
South Scot Lake Lac South Scot 4956/9503 Noyon Iwa Canton de Noyon Kengra Disi, Dist de Kengra		Spangle Lake Lac Spangle	4837/8553 Bomby Twp./Canton de Bomby Thunder Bay Dist /Dist. de Thunder Bay	Spanish River Rivière Spanish	downstream of Espanola en aval d'Espanola 4615/8146	Merritt I Wp / Centon de Merritt Sudbury Dist,/Dist de Sudbury	Speight Lake Lac Speight	Ablossaway & Corbiere Twps Cantons d Abotossaway et de Corbiere Algoma Dist /Dist d'Algoma	Splitrock Lake Lac Splitrock 4810/8127 Musgrove Twp /Canton de Musgrove Timiskaming Dist/Dist. de Timiskaming	Sproule Lake Lac Sproule 4926/8005 Newman Twp (Canton de Newman Cochrane Dist./Dist de Cochrane	Squeers Lake Lac Squeers 483/9033 Thunder Bay Dist /Dist de Thunder Bay	Starnes Lake Lac Starnes 495(815 Thunder Bay Dist, Dist de Thunder Bay	

Fish size in centimetres (inches) Longueur du poisson en centimetres (pouces)	Location/ Species/ 15-20 20-25 75-30 30-55 35-40 55-35 50-5 50-5 50-5 50-5 50-5 50-5 50	Teabeau Lake Walleye¹ Car Teabeau Doré¹ Doré¹ Doré¹ Car Cab (♣) (♣) (♣) Cars de Kenora et de Thunder Bay	Lake Temagami Whitelish? Lac Temagami Grand cortegone?	47008005 Nipssang Dist. Dist de Nipssang Doré?	Cisco <sup>2</sup>	Lake Troul® Truite de Jac²	Ling' Lotte?	Northern Pike?  Brochef?	Smallmouth Basss* Achigan à petite bouche?	Tetapaga Lake Smallmouth Bass <sup>6</sup>	de Sirencona White Sucker's White Double Country Mainten Annie Sucker's White Sucker's White Sucker's Western White Sucker's W		Tetu Lake Walleye™ Carcard ⊕ ⊕ ⊕ ⊕ ⊕ ⊕	Son195922 Northern Pike <sup>69</sup> A A A A A A A A A A A A A A A A A A A	Sauger' Doré noir'	Cisco (Signal Control	White Sucker® Meunier noir®
Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) - (30)	(h) (h) (h) (h) (h) (h) (h) (h) (h) (h)		\$\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c				(A (A) (B)	7 7 7 7	(4) (4)	000000000000000000000000000000000000000		(4) (4) (4) (2)	) (1)	
	Species/ Espèces	Walleye¹ Doré¹		Brochet <sup>1</sup>		Walleye¹ Doré¹			Whitelish Grand corégone Walleve	Doré <sup>1</sup>	Whitefish¹ Grand corégone¹	Walleye¹ Doré¹	Brook Trout¹ Omble de fontaine¹		Lake Trout' Truite de Jac'	Northern Pike'	
	Location/ Emplacement	Sturgeon River Reservoir Réservoir de la rivière Sturgeon	Thunder Bay Dist /Dist de Thunder Bay Sucker Lake	Lac Sucker 4643/7925 1 a Salle Two Manton de La Salle	Niprssing Dist /Orst de Niprssing	Sucker River Rivière Sucker	4921/8/96 4921/8/96 Thoring & Laughton Twps Cantons de Thoring et de Laughton	Cochrane Dist /Dist de Cochrane	Sumach Lake Lac Sumach	Kenora Dist./Dist de Kenora	Sup Lake Lac Sup	5017/9333 Kenora Dist./Dist de Kenora	Susanne Lake Lac Susanne	Neville Twp./Canton de Neville Sudbury Dist 'Dist de Sudbury	Sutton Lake Lac Sutton	5415/8444 Kenora Dist./Dist de Kenora	

15-20 20-25 25-30 30-35 35-45 45-55 (6-8) (6-8) (10-12) (12-14) (14 18) (16-22) (			15-20 20-35 25-30 30-35 35-45 45-35 35-55 35-55 (26-30) > (5-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	9)	Onto
			<b>⊕</b>	White Sucker¹ Meunier noir¹	
		Chester Twp /Canton de Chester Sudbury Dist./Dist de Sudbury	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	4752/8142 Hazen Twp,/Canton de Hazen Sudbury Dist Dist de Sudbury
		Lac Three Duck (Partie centrale)		Walleye¹ Doré¹	Tatachikapika Lake Lac Tatachikapika
	Northern Pike' Brochet'	(Middle) Three Duck Lake	\$ (b)	Walleye <sup>2</sup> Doré <sup>2</sup>	
(4)	Brochet <sup>1</sup>	Cantons d'Inglis et de Thorning Cochrane Dist./Dist. de Cochrane	(A)	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>	
	Doré <sup>1</sup> Northern Pike <sup>1</sup>	Lac Thorning 4926/8055	<ul><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li><li>□</li>&lt;</ul>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	
(	Walleve <sup>1</sup>	Thorning Lake	♠	Cisco <sup>2</sup> Cisco <sup>2</sup>	
0	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	4708/8117 Lampman & Frechette Twps Cantons de Lampman et de Frechette Carbons Diet Most de Carbons	(d) (d) (d)	Ling <sup>2</sup> Lotte <sup>2</sup>	Mattawa River/Rivière Mattawa 4618/7905 Nipissing Dist./Dist. de Nipissing
(A) (A)	Walleye <sup>6</sup> Doré <sup>6</sup>	Thor Lake Lac Thor	8 8 8	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	Lake Talon Lac Talon
7	Northern Pike¹ Brochet¹	•	<b>⊕ ⊕ ⊕</b>	Northern Pike¹ Brochet¹	4951/8123 Mewhinney Twp./Canton de Mewhinney Cochrane Djst./Dist. de Cochrane
0 0	Cisco¹ Cisco¹	4640/8001 Thistle Twp /Canton de Thistle Niptssing Dist /Dist de Niptssing		Walleye¹ Doré¹	Takwata Lake Lac Takwata
	Walleye¹ Doré¹	Thistle Lake Lac Thistle			4952/9223 McAree Twp /Canton de McAree Kenora Dist /Dist de Kenora
		454URUB Janes Twp /Canton de Janes Sudbury Dist,/Dist de Sudbury	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Northern Pike¹ Brochet¹	Tablerock Lake Lac Tablerock
7 7	Yellow Perch¹ Perchaude¹	Theriault Lake Lac Theriault	Đ	Dore	Lac Swan 5417/9112 Kenora Dist /Dist de Kenora
		Kenore Dist./Dist. de Kenora	(	Walleye <sup>1</sup>	Swan Lake
<b>(4)</b>	Northern Pike¹ Brochet¹	Theatre Lake Lac Theatre			mouth/embouchure 5515/8345 Kenora Dist./Dist de Kenora
0	Perchaude <sup>1</sup>		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Brook Trout <sup>2</sup> Omble de tontaine <sup>2</sup>	Sutton River Rivière Sutton
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Whitefish?69 Grand corégone?69				north of Hawley L./hord du lac Hawley 5445/8440 Kenora Dist./Dist. de Kenora
	Sturgeon de lac1		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Brook Trout <sup>1</sup> Omble de fontaine <sup>1</sup>	Sutton River Rivière Sutton

4

5 55-65 65-75 ~ 75 2) (22-26) (26-30) > (30) 135

**♦** 

4

0

4

		ואסווויםוויסווויםוויסוו	NOT ITTELL OF ITALION OF TOTAL OF			20
		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Locatron/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)	> 75
Threecorner Lake Lac Threecorner	Northern Pike¹ Brochet¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Toothpick Lake Lac Toothpick	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	8	
Vroomen Twp /Canton de Vrooman Sudbury Dist /Dist de Sudbury				Lotte <sup>1</sup>	9	
Threenarrows Lake Lac Threenarrows	Lake Trout' Truite de lac'			Smallmouth Bass' Achigan à petite bouche'	<b>(4)</b>	
4605/8127 Roossvelt & Stalin Twps. Cantons de Roossvelt et de Stalin Sudbury Distr Dist as Sudbury	£		Torrance Lake Lac Torrance	Walleye¹ Doré¹	(A) (C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	
Thunder Lake Lac Thunder	Northern Pike¹ Brochet¹		494/96203 Hopkins & Torrance Twps Cantons de Hopkins et de Torrance Cochrane Dist /Dist de Cochrane	Northern Pike¹ Brochet¹	(A) (B) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	9
4947/9240 Zealand Twp./Canton de Zealand Kenora Dist /Dist de Kenora	Walleye¹ Doré¹	3	Trapline Lake Lac Trapline	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(A) (A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	4
	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	<ul><li>₫</li></ul>	. 5030/9457 Kenora Dist./Dist de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>		•
Timber Lake Lac Timber	Lake Trout' Truite de lac¹	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	0 0 0	
4630/7903 Butler Twp /Canton de Butler Nipissing Dist./Dist. de Nipissing	Round Whitelish <sup>1</sup> Ménomini rond <sup>1</sup>			Cisco¹ Cisco¹	0	
Lake Timiskaming Lac Témiscamingue	Northern Pike¹ Brochet¹ Walleve¹	0	Trapnarrows Lake Lac Trapnarrows 4923(8732 Thunder Bay Dist /Dist de Thunder Bay	Walleye¹ Doré¹	<ul><li>∅</li><li>∅</li></ul>	
This adming Dist De Limis adming			Treeby Lake Lac Treeby	Lake Trout¹ Truite de lac¹	(O) (P) (P) (P) (P) (P) (P) (P) (P) (P) (P	1 1
	Sauger¹ Doré noir¹	(A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	Rabazo Twp /Canton de Rabazo Algoma Dist /Dist d'Algoma			
	Mooneye¹ Laquaiche argentée¹ Ling⁴	(	Triangular Lake Lac Triangular 51298758	Walleye¹ Doré¹	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	
	Lotte <sup>4</sup>	(4) (4) (2) (2)	Nendra & Thunder Bay Dists Dists de Kenora et de Thunder Bay			_
			Trident Lake Lac Trident 504/9501 Kenora Dist /Dist de Kenora	Northern Pike¹ Brochet¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	9

			<b>(4)</b>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(4) (2)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	15-20 20-25 25-30 30-35 35-45 45-55 55-55 (6-3)
	Pike¹	ut² Pike²	7	lactuth Bass' apetite bouche!	ō	7,	2,	7	Northern Pike¹ Brochet¹ White Sucker²	Meunier noir² 15-20 20-25 25 (6-8) (6-10) (10
Trollope Lake Lake Troul' Lac Trollope Troile de lac's Sastasta trachevilla tryo/Lanton de Frachevilla Cochrane Dist (Dist de Cochrane	Trout Lake Walleye! Lac Trout Doré:	Trout Lake Lac Trout Lac Trout Truite de lac Truite de lac Sol49854 Northern Pil Kenora Dat /Dist de Kenore Broche?		Trout Lake Lake Trout Lac Trout 46.196036 Fulle de la		Trout Lake Lac Trout Lac Trout Truite de lar Truite de lar Assars Nome Beyest de Nomh Bey Assars Nome Beyest de Nomh Bey Granos Ge Ferras & Widdried Twos Granos Ge Ferras est et de Widdried		Algoma Distribust o Algoma  Tunnel Lake Walleye2  Lac Tunnel Doré?	4627/8326 Gould Twy Canton de Gould Algoma Dist /Dist. d'Algoma White SI	Meuri
(d)		¥								, 75 ) > (30)
4       4       4       4	<b>⊕</b>	000000000000000000000000000000000000000	(A) (Q) (Q)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(A)		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(		25-30 30-35 35-45 45-55 55-65 65-75 (10-12) (12-14) (14-18) (18-22) (22-56) (26-30)
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Northern Pike¹ Brochet¹		• • • • • • • • • • • • • • • • • • •			White Sucker¹ Meunier noir¹ Whitefish¹ Grand consistonse¹	<ul><li>⊕</li><li>√</li><li>√</li></ul>	Pike'	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	15.20 20.25. 25.30 20.35. 35.45. 45.55. 55.46. 66.75. 5.75. (6.5) (6.5) (6.5) (6.7) (12.14) (14.18) (16.22) (22.36) (26.30) 5.30

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20:25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	(5-20 20-25 25-30 30-35 35-45 45-55 55-55 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) < (30)
Tupman Lake Lac Tupman 4885/9304 Rairy River Dist /Dist de Rairy River	Walleye¹ Dore¹ Northern Pike¹ Brochet¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Upper Windigo Lake Lac Upper Windigo S230/3135 Kenora Dist Jost de Kenora	Whitefish <sup>2</sup> Grand corégone <sup>2</sup> Walleye <sup>2</sup> Doré <sup>2</sup>	\(\frac{1}{2}\) \(\frac{1}\) \(\frac{1}{2}\) \(\frac{1}2\) \(\frac{1}2\) \(\frac{1}\) \(\frac{1}2\) \(1
Turtle Lake Lac Turtle Mattava Rhver/Rivvère Mattava e 68 1979 il 70 et 20 et	Lake Trout? Truite de lac2	4 0 0 0	Upturnedroot Lake Lac Upturnedroot	Northern Pike <sup>2</sup> Brochet <sup>2</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleve <sup>1</sup>	
Turtle Lake Lac Turtle 4887/9157 Ramy River Dist/Dist de Ramy River	Northern Pike¹ Brochet¹	<ul><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li><li>→</li>&lt;</ul>	Venetion Lake Lac Venetion	Dore!, Northern Pike! Brochet! Smallmouth Base!	
Tutu Lake Lac Tutu 52059228 Kenora Dist (Dist da Kenora	Northern Pike¹ Brochel¹ Walleye¹ Doré¹	(4)       (4)       (4)       (4)       (5)       (7)       (8)       (9)       (9)       (9)       (10)	Substitution of Bons Subsury Visit Dist. Des Subsury Visit Dist. Dist. Des Subsury Vermilion Lake Lac Vermilion.	Achigan a petite bouche <sup>1</sup> Walleye <sup>2</sup> Dore <sup>2</sup> Smallmouth Bass <sup>2</sup>	9 9
Tweed Lake Lac Tweed 4934/60:8 Tweed Yw, Canton de Tweed Cochriane Dist/Dist de Cochrane	Northern Pike¹ Brochet¹	(A)	Sudbury Dist./Dist de Sudbury	Achigan à petite bouche? Yellow Perch? Perchaude?	<ul> <li>♣</li> <li>♦</li> <li>♦</li> <li>♦</li> </ul>
Two River Lake Lac Two River 535/29127 Kenda Dist./Dist. de Kenda	Walleye¹ Doré¹	<b>⊕</b>	Victoria Lake Lac Victoria 48 1/7953 Morrisette Twp Canton de Morrisette Tmiskeming Dist //Dest de Tmiskeming	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup> Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Umfreville Lake Lac Umfreville SOBBAS Kerora Det (Det de Kerora	White Sucker¹ Meunier noir¹ Northern Pike¹ Broche¹ Sauger¹ Doré noir¹ Walleye¹ Doré mare de la la la la la la la la la la la la la		Wababimiga Lake Lac Wababimiga SSZOWSES COUNTRIE DIST DOST DE COUTHERE	Walleye¹ Doréi  Northern Pike¹ Brochet Yellow Perch¹ Perchaudeé Grand corégone¹ Cisco¹ Cisco¹	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) < (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 66-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-15) (18-22) (22-26) (26-30) > (30)
Waboosekon Lake Lac Waboosekon	Walleye¹ Doré¹		Wawiashkashi (Grassy) Lake	Northern Pike¹ Brochet¹	\$\begin{align*} \begin{align*} \begi
Thunder Bay Dist /Dist de Thunder Bay	Northern Pike' Brochet'	(A)	(Grassy)	Perchaude	\$\begin{align*} \begin{align*} \delta \\ \delt
Wakami Lake Lac Wakami	Whitefish¹ Grand corégone¹	7 7 7	McNish & Macbeth Twps Cantons de McNish et de Macbeth Sudbury Dist /Dist de Sudbury	Lake Trout¹ Truite de lac¹	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
4729/8251 Kelsey & Symington Twps Cantons de Kelsey et de Symington Symbol Dier fluer de Symington	Walleye¹ Doré¹		Weagamow Lake Lac Weagamow	Whitefish <sup>2</sup> Grand coréoone <sup>2</sup>	T T
Appropriate Approp	Northern Pike' Brochet'		5253/9122 Kenora Dist /Dist de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(A)
Wakwayowkastic Lake Lac Wakwayowkastic	Walleye <sup>6</sup> Doré <sup>6</sup>	(4) (2)	Weller Lake	Walleye <sup>1</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
4936/8019 Cochrane Dist /Dist de Cochrane	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	(d) (d) (d) (d) (d)	4857/9308 Rainy River Dist /Dist de Rainy River	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	Ö
Walleye Lake Lac Walleye	Walleye <sup>2</sup> Doré <sup>2</sup>		Wenasaga Lake	Walleye¹ Doré¹	(4) (2) (2)
5034/9446 Kenora Dist /Dist de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(C) (D)	5044/9310 Kenora Dist /Dist de Kenora	Northern Pike	4
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	(P)	Wendigo Lake	Walleye <sup>2</sup>	
Wanapitei Lake Lac Wanapitei	Lake Trout¹ Truite de lac¹	(4) (4) (4)	Lac wendigo 4752/7943 Bayly twp /Canton de Bayly Tuniskamen Diet Miet de Tuniskaming	Dorez Northern Pike	
4645/8045 Sudbury Dist /Dist de Sudbury	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Wenebegon Lake	Walleye <sup>1</sup>	(
	Walleye <sup>2</sup> Doré <sup>2</sup>	<b>**</b>	Lac Wenebegon 4723/8306 Birch, Lynch, Langlois & Bounsell Twps		<ul><li>◆</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li><li>♦</li>&lt;</ul>
Wangoon Lake Lac Wangoon	Northern Pike <sup>1</sup> Brochet <sup>1</sup>		Cantons de Birch, de Lynch, de Lenglois et de Bounsall Sudbury Dist /Dist de Sudbury	Brochet'	<del>1</del>
4750/8534 Stathearn Twp./Canton de Strathearn Sudbury Dist /Dist. de Sudbury	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>	\(\frac{1}{2}\)			


	<ul><li>♠ (</li></ul>	3 <b>⊕</b> 3 ₹	<ul><li>⊕</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li>&lt;</ul>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	0 0 0 0 0 0	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)			15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30) 141
r Lake erner	it,Dist de Kenora	Grand coregone <sup>2</sup> White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	lygo Lake eshaygo wp./Canton de Hutcheon st./Dist de Sudoun	West Kabenung Lake Walleyel Lac West Kabenung Doré! attiesel Ander Bordel Morthern Pikel Auguma Dist folst of Aligoma	West Lake Whitelish? Lac West Grand coregone? Sudmene Two Carbon de Sudmene White Sucker? Cochrane Dist.Nost de Cochrane	West Larkin Lake Walleye' Lac West Larkin Doré' Sassigkat Britin of the Larkin Roccand de Larkin Roccand de Larkin Roccand de Larkin Roccand Brochet' Roccand Dist. Dist	West Shining Tree Lake Northern Pikel Lac West Shining Tree Brothelt Arsbert V Arster V Walleyel Cancord & Asquin Twes. Cancord & Asquin Twes. Cancord & Asquin Twes. Cancord & Saddury Manager Cancord & Asquin Manager Cancord & Manager & Manag	halen Dist./Dist de Rainy River	
(4) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	(Kenorica)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	)	Cac W   Cac	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	West   West   Lac W	West S  Lac W  L	Part   Part	(5-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Wanzatika Lake Walleye¹ Lac Wanzatika Doré¹	oldwin Twps Sweet et de Goldwin Dist./Dist de Cochrane	Wasicho Lake Walleye' Lac Wasicho Doté' Doté' Northern Pike' Rechel	Boilt	Watersnake Lake Walleyel Lac Watersnake Doté! Astelsson Norten Shacketon Northern Pikel Cocharine Dat Jose to Cocharine Brochet!	Wavell Lake Walleye¹ Lac Wavell Doré¹ S135824 Renora Dat/Dist de Kenora	Wawa Lake Lake Troul¹ Lac Wawa agongada agongada agongada Makuray Map.Canton de Makurrey Angona Dist/Dist of Algoma	Wawagoshe Lake Northern Pike¹ Brochel' setzings Grandon of Ossan Triniskaming DesLibst de Timiskaming Dotel' Achtigan à petite bouchel	Wawang Lake Northern Pike' . Lac Wawang Brochet' Brochet' . Thurde Bay Det Det Det a Thurder Bay Dorf' . White Stoker' . White Stoker' .	*


		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) =(30)
Winisk River Rivière Winisk	Northern Pike¹ Brochet¹	7 7	Woman Lake Lac Woman	Walleye¹ Doré¹	0 0
mouth/embouchure 5517/8505 Kenora Dist/Dist de Kenora	White Sucker Meunier noir Whitefish	\$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	5112/9245 Dent & Goodall Twps. Cantons de Dent et de Goodall Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	ð 0
	Grand corégone¹ Brook Trout¹	5 6	Lake of the Woods Lac des Bois	Walleye <sup>27</sup> Doré <sup>27</sup>	
	Longnose Sucker <sup>1</sup> Meunier rouge <sup>5</sup>	) ) ) ) )	4915/9445 Kenora Dist /Dist de Kenora	Sauger <sup>2</sup> Doré noir <sup>2</sup> Morthoro Bilos <sup>2</sup>	4) 4) 4) 4)
	Cisco <sup>1</sup> Cisco <sup>1</sup>	8		Brochet <sup>2</sup> Smallmouth Bass <sup>2</sup>	
Winnipeg River Rivière Winnipeg	• Walleye² Doré²	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Achigan à petite bouche <sup>2</sup> Whitefish <sup>1</sup> Grand corégone <sup>1</sup>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
4954/9433 Kenora Dist /Dist de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>			Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	9
	Sauger <sup>2</sup> Doré noir <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		Yellow Perch* Perchaude*	(A)
	Smallmouth Bass¹ Achigan à petite bouche¹	7		White Sucker <sup>2,7</sup>	0 0 0
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	Ü Ö	Wright Lake	Walleve	
	Cisco <sup>2</sup> Cisco <sup>2</sup>	T T	Lac Wright	Doré	(4) (4) (5) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
٠	Whitetish <sup>1</sup> Grand corégone <sup>1</sup>	Ö	Kenora Dist./Dist de Kenore Yorston Lake	lake Trout!	
	Rock Bass¹ Crapet de roche¹	(4)	Lac Yorston	Truite de lact	\(\frac{1}{2}\)
	Brown Bullhead¹ Barbotte brune¹	Ö Ö	Seagram & Clary Twps Cantons de Seagram et de Clary Sudbury Dist./Dist de Sudbury	Achigan à petite bouche	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Redhorse Sucker <sup>1</sup> Suceur rouge <sup>1</sup>	<b>**</b> ** ** ** ** ** ** ** ** ** ** ** **	Yorston River Rivière Yorston	Brook Trout'	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>	ð ð ð	Pool/Bassin 4707/8034 Sudbury Dist /Dist de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
					,

Species   Spec			Fordaged an posson of the real pages of
Walleye*         (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	Location/ Emplacement	Species/ Espèces	20-25 (8-10)
Northern Pike*  Northern Pike*  Walleye*  Wall	ake 17H-51 ac 17H-51	Walleye <sup>6</sup> Doré <sup>6</sup>	4
Northern Pike'   Cad Cad Cad Cad Cad Cad Cad Cad Cad Cad	31/8019 eed Twp /Canton de Tweed chrane Dist /Dist de Cochrane	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	7
Walleye¹         C≥d (♣) (♣)           Brochet¹         (♣) (♣) (♣)           Walleye¹         (♣) (♣) (♣)           Walleye¹         C≥d (♣) (♣)           Walleye¹         C>d (♣) (♠) (♠)           Walleye¹         C>d (♠) (♠) (♠)           Brochet¹         C>d (♠) (♠) (♠)           Brochet¹         C>d (♠) (♠) (♠)           Walleye¹         C>d (♠) (♠) (♠)           Brochet²         C>d (♠) (♠) (♠)           Brochet²         C>d (♠) (♠) (♠)           Brochet²         C>d (♠) (♠) (♠)	ake 19E-62 ac 19E-62 7/8101 chrane Dist /Dist de Cochrane	Northern Pike¹ Brochet¹	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)
Northern Pike¹   Northern Pike³   A	ake 19E-72 ac 19E-72 i68102 chrane Dist/Dist de Cochrane	Walleye¹ Doré¹	4
Walleye¹         (4)         (	ake 19F-76 ac 19F-76	Northern Pike¹ Brochet¹	4
Northern Pike¹  Brochet¹ Walleye¹  Walleye¹  Walleye¹  Walleye¹  Walleye³  W	18/8041 chrane Dist /Dist_de Cochrane	Walleye¹ Doré¹	4 4 4 2
Walleye¹ Car Car Car (4) (4) (2) Doré! Walleye¹ Car Car Car Car Car Car Car Car Car Car	ake 20F-113 ac 20F-113 1/8044 chrane Dist/Dist de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>	
Walleye¹ Car Car Car (4) (4) (2) Doré¹ Walleye¹ Car Car Car Car Car Car Car Car Car Car	ake 20G-134 ac 20G-134 sollos7 chrane Dist /Dist de Cochrane	Walleye¹ Doré¹	4 4
Walleye¹ Dore¹ Walleye¹ Wathern Pike⁵ Brochelf	ake 21G-15 ac 21G-15 558037 chrane Dist /Dist de Cochrane	Walleye¹ Doré¹	4
Northern Pike <sup>6</sup> Brochet <sup>6</sup>	ake 21G-103 ac 21G-103 008036 chrane Dist /Dist de Cochrane	Walleye¹ Doré¹	4
chrane Dist /Dist de Cochrane	Lac 211-04 5004/8019 Cochrane Dist /Dist de Cochrane	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	4

						, 75 , > (30)
ě		<u></u>	©	(4) (4)	<b>4</b>	20-25 25-30 30-35 35-45 45-55 55-65 65-75 (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30)
<ul><li>∅</li><li>∅</li></ul>	4	4	4	<b>⊕</b> {}	( <del>+)</del> ( <del>+)</del>	45-55
<ul><li>⊕ ⟨⟩</li><li>⊕ ⟨⟩</li></ul>	<u></u>	<u>4</u>		Д Д ()	<u>д</u> д	35 35-45
<ul><li>∅</li><li>∅</li></ul>	4	4		0 0	<u> </u>	5-30 30-0
3	0				Ö	20-25 2 (8-10) (1
	8					15-20 (6-8)
Walleye¹ Doré¹ Whitefish¹ Grand corégone¹	Walleye¹ Doré¹	Walleye¹ Doré¹	Northern Pike¹ Brochet¹	Walleye¹ Doré¹ Northern Pike¹ Brochet¹	Lake Trout? Truite de lac? Ling* Lotte?	
Lake 211-63 Lac 211-63 Serpent Lakes/Lacs Serpent 5001/8011 Cochrene Distribust de Cochrane	Lake 23L-54 Lac 23L-54 5016/7935 Cochrane Dist /Dist de Cochrane	Lake 53H-1 Lac 53H-1 5322/8910 Kenora Dist/Dist de Kenora	Lake 53H-3 Lac 53H-3 53108938 Kenora Dist/Dist de Kenora	Lake #108 Lac nº 108 4930/8022 Tweed Twp /Canton de Twead Cochrane Dist /Dist de Cochrane	#625 (Fish) Lake Lac nº 625 (Fish) 43458981 Kanora Det./Dist de Kanora *	







## Lake Ontario Block Descriptors

- 1a. Upper Niagara River Canadian waters from Fort Erie to above
- 1b. Lower Niagara River Canadian waters from below the falls to Lake Ontario
- Western Lake Ontario open water from Niagara River to Clarkson Harbour
- 3. Hamilton Harbour harbour area
- 4. Toronto Offshore Area open water from east of Clarkson Harbour to Scarborough Bluffs
- 4a. Toronto Waterfront Area nearshore area from the west side of Humber Bay Park to the east side of Ashbridges Bay Park (including Toronto Islands)
- 5. Credit River spawning runs from the river mouth to below the Streetsville Dam
- Northwestern Lake Ontario from east of Scarborough Bluffs to Colborne
- 6a. Frenchman Bay bay area only
- 6b. Whitby Harbour harbour area only
- 7. Ganaraska River from the river mouth to the Port Hope fish ladder
- Northeastern Lake Ontario from east of Colborne to south of the area from Main Duck Island across to Point Traverse
- . Upper Bay of Quinte from Trenton to Deseronto
- 10. Middle Bay of Quinte from south of Deseronto to Glenora
- 11. Lower Bay of Quinte/Eastern Lake Ontario from east of Glenora to Kingston as well as the open water from north of Main Duck Island to Wolfe Island and from across the Main Duck sill to Point Traverse

## Lac Ontario-Blocs descriptifs

- 1a. Cours supérieur de la rivière Niagara eaux canadiennes entre Fort Erie et le haut des chutes
- 1b. Cours inférieur de la rivière Niagara eaux canadiennes entre le bas des chutes et le lac Ontario
- Partie ouest du lac Ontario eaux libres entre la rivière Niagara et le havre Clarkson
- Port de Hamilton région du port
- Zone extracôtière de Toronto caux libres entre le havre Clarkson et les falaises de Scarborough
- 4a. Secteur riverain de Toronto zone littorale entre le secteur ouest du parc Humber Bay et le secteur est du parc Ashbridges Bay (incluant les îles de Toronto)
  - Rivière Credit frayères entre l'embouchure de la rivière et le pied du réservoir de Streetsville
- Partie nord-ouest du lac Ontario entre l'est des falaises de Scarborough et Colborne
- 6a. Baie Frenchman région de la baie uniquement
- 6b. Port de Whitby région du port uniquement
- Rivière Ganaraska entre l'embouchure de la rivière et l'échelle à poissons de Port Hope
- Partie nord-est du lac Ontario entre l'est de Colborne, le sud de l'île Main Duck et Pointe Traverse
- Partie supérieure de la baie de Quinte entre Trenton et Deseronto
- 10. Partie centrale de la baie de Quinte entre le sud de Deseronto et Glenora
- 11. Partie inférieure de la baie de Quinte/partie est du lac Ontario entre Glenora et Kingston. y compris les eaux libres entre la partie nord de l'île Main Duck et l'île Wolfe, et du seuil de l'île Main Duck jusqu'à Pointe Traverse

		Fish size in centimetres (inches)			Fish size in centimetres (inches)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-36 35-45 45-55 65-65 65-75 > 75 (6-8) (6-10) (0-12) (17-4) (4-18) (18-22) (22-26) (26-30) (-33)	Location/ Emplacement	Species/ Especes	15-20 20-25 25 30 30-35 35-45 45-55 55-65 65-75 575 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Lake Ontario Lac Ontario	Rainbow Trout <sup>5</sup> Truite arc-en-ciel <sup>5</sup>	7	2. Western Lake Ontario Partie ouest du lac Ontario	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	
1a. Upper Niagara River Cours supérieur de la rivièra Niagara	Northern Pike <sup>2</sup> Brochet <sup>2</sup>		Continued/Suite	White Perch? Baret?	
	Smallmouth Bass <sup>5,7</sup> Achigan à petite bouche <sup>5,7</sup>	7,7		White Bass <sup>2</sup> 7 Bar blanc <sup>2</sup> 7	700000000000000000000000000000000000000
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	5 5 5		Brown Bullhead? Barbotte brune <sup>2</sup>	O O
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>	Ü		Channel Cattish <sup>2,7</sup> Barbue de rivière <sup>2,7</sup>	S (4) (4) (5)
	White Bass <sup>5</sup> Bar blanc <sup>5</sup>	(4)		Freshwater Drum? Malachigan?	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>	Ü		Carp <sup>2,7</sup> Carpe <sup>2,7</sup>	
	Brown Builhead <sup>2,7</sup> Barbotte brune <sup>2,7</sup>	0 0		Rainbow Smelt <sup>2,7</sup> Épertan arc-en-ciel <sup>2,7</sup>	0
	Carpe <sup>2,7</sup> Carpe <sup>2,7</sup>	0 0 0	3. Hamilton Harbour	Brown Trout <sup>5 7 8</sup>	(
	Freshwater Drum <sup>5,7</sup> Malachigan <sup>5,7</sup>	0 0 0	4317/7950 Hamilton-Wentworth R M	Truite brune <sup>578</sup> Yellow Perch <sup>58</sup>	
	White Suckers Meunier noirs	0 0 0 0	Municipalie regionare de Hamilton-Wentworth	Perchaude <sup>5.8</sup> White Perch <sup>5.8</sup>	3 (
	Redhorse Sucker			Bareth®	
	Suceul rouge Rainbow Smelt <sup>2</sup>	}		Bar blanc <sup>5 8</sup>	(0)
	Éperlan arc-en-ciel <sup>2</sup>	(4)		Black Crappie <sup>s 8</sup> Marigane noire <sup>s 8</sup>	() () () () () () () () () () () () () (
1b. Lowar Niagara River Cours Inférieur de	Chinook <sup>5</sup> Saumon quinnat <sup>5</sup>	0000		Brown Bulthead <sup>5,8</sup> Barbotte brune <sup>5,8</sup>	(4) (4) (2)
	Rainbow Trout <sup>5,78,9</sup> Truite arc-en-ciel <sup>5,78,9</sup>			Channel Cattrsh <sup>578</sup> Barbue de rivière <sup>57,8</sup>	
	Lake Trout <sup>5</sup> Truite de lac <sup>5</sup>	(D) (D) (D)		Freshwater Drum <sup>5 8</sup> Malachigan <sup>5 8</sup>	(A)
	Smallmouth Bass <sup>5,7</sup> Achigan à petite bouche <sup>5,7</sup>	4 4 2		Carp <sup>57,8</sup> Carpe <sup>57,8</sup>	CH CH CH CO (1) (1)
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		White Sucker58 Meunier noir58	(1) 1 (1) (1) (1) (1) (1)

4

(N)

(O)

4 4 4

Crapet de roche2.7

Rock Bass<sup>2,7</sup> White Bass<sup>5</sup>

3ar blanc5

3aret<sup>2</sup>

3rown Bullhead3.7 Barbotte brune3.7

4

4

rellow Perch<sup>5,7</sup>

Perchaude5.7 White Perch<sup>2</sup> (N)

4 6 (N) 0 0 0 (N)

4

8

3

reshwater Drum5.7

Malachigan<sup>5.7</sup>

Barbue de rivière

Channel Catfish<sup>5</sup>

4 (C)

4 (0)

4

Redhorse Sucker<sup>5</sup>

White Sucker<sup>5</sup> Meunier noir<sup>5</sup>

Carpe<sup>2.7</sup>

Carp<sup>2.7</sup>

Suceur rouges

4

(N)

perlan arc-en-ciel2

Rainbow Smelt<sup>2</sup>

Saumon quinnat<sup>7,89</sup>

Partle ouest du lac Ontarlo Western Lake Ontarlo

Chinook7.8.9

Anguille d'Amérique5.7

American Eel5.7

(N) 4 (N)  $\Theta$ 4

4

(4)

4 (N)

4

Truite arc-en-ciel5.7.8.9

Brown Trout5.7.8.9

ruite brune<sup>5,7,8,9</sup> ruite de lac<sup>5,7,8,9</sup>

ake Trout5.7.8.9

Rainbow Trout5,7,8,9

Saumon coho5,7,8

Coho<sup>5.7.8</sup>

20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30) 15-20 (6-8)

V

Š

()

4 3 4

4

()

53

Continued top right Suite colonne de droite

Achigan à petite boucne<sup>2,7</sup>

Smallmouth Bass<sup>2,7</sup>

Northern Pike<sup>2</sup>

Brochet<sup>2</sup>


Walleye<sup>2,7</sup>

			Lake Ontario	Lake Ontario/Lac Ontario		7	154
		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	rres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimetres (pouces)	
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30)	55 55-65 65-75 75 22) (22-26) (26-30) - (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30)	. (30)
4a. Toronto Waterfront Area Secteur riverain de Toronto	Carp <sup>7 8</sup> Carpe <sup>7,8</sup>		2200	8. Northeastern Lake Ontario Partie nord-est du	Chinook <sup>789</sup> Saumon quinnat <sup>789</sup>	4 4 2 2	<b> </b>
Continued/Suite	White Sucker <sup>57,8</sup> Meunier noir <sup>5,7,8</sup>	4	<b>(1)</b>		Rainbow Trout <sup>2</sup> Truite arc-en-ciel <sup>2</sup>	4 0 0 0	$\Theta$
	Rainbow Smelt <sup>s.7</sup> Éperlan arc-en-ciel <sup>s.7</sup>	(O)			Brown Trout <sup>27</sup> Truite brune <sup>27</sup>	(0)	
5. Credit River (spawning runs)	Chinook <sup>5789</sup> Saumon nuinnai <sup>57,89</sup>		2 2 2		Lake Trout <sup>789</sup> Truite de lac <sup>78,9</sup>		į.
Rivière Credit (frayères) 4335/7943 Peel R M	Coho <sup>5.7.8.9</sup> Saumon coho <sup>5.7.8.9</sup>	9	0		Walleye <sup>5</sup> Doré <sup>5</sup>	© (4)	
Municipalité régionale de Peel	Rainbow Trout <sup>5,7,8,9</sup> Truite arc-en-ciel <sup>5,7,8,9</sup>	9			Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	
	Brown Trout5.78.9 Truite brune5.789	(A)	$\Theta$		Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	7	1
ntario	Chinook <sup>2,7</sup>	{	6		Crapet de roche <sup>2</sup>	7 7	
Partie nord-ouest du lac Ontario	Saumon quinnat <sup>27</sup> Rainbow Trout <sup>57</sup>	3			American Eel <sup>2</sup> Anguille d'Amérique <sup>2</sup>	(D) (D)	¥.
	Brown Trout?7 Truite brune?7		<ul><li>4</li><li>4</li><li>4</li><li>4</li></ul>	9. Upper Bay of Quinte Partie supérieure de la bale de Quinte	Chinook <sup>27</sup> Saumon quinnat <sup>27</sup>		4
	Lake Trout <sup>2,7</sup> Truite de lac <sup>2,7</sup>	9	(A) (C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A		Walleye <sup>5.8.9</sup> Doré <sup>5.8.9</sup>		ŀ
	Walleye <sup>2</sup> Doré <sup>2</sup>	9	4 4 2 2		Northern Pike <sup>8</sup> Brochet <sup>8</sup>	Ö. 73	7
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\rangle \rangl			Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>		
	Yellow Perch² Perchaude²	7 7			Largemouth Bass' Achigan à grande bouche <sup>1</sup>	7 7 7	
	White Bass <sup>2</sup> Bar blanc <sup>2</sup>	(S)			Yellow Perch <sup>58</sup> Perchaude <sup>58</sup>	000000000000000000000000000000000000000	I
	Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>	7000			White Perch <sup>2</sup> Baret <sup>2</sup>	- 3 8 8	
	Rainbow Smelt <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>	00			Whitefish** Grand corégone? 7	0 0	
	Gizzard Shad² Alose à gésier²	(A)	(4)		Pumpkinseed? Crapet-soleif?	7	

69. Frenchman Bay Bale Frenchman	Northern Pike <sup>2</sup> Brachet <sup>2</sup>			Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	7
4349/505 Durham R M Municipalité régionale	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Channel Cattish <sup>2</sup> Barbue de rivière <sup>2</sup>	5 5 5
CERTIFICATION OF THE PROPERTY	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Freshwater Drum <sup>5</sup> Malachigan <sup>5</sup>	5 5 5
	White Perch <sup>2</sup> Baret <sup>2</sup>	<b>(</b>		White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
	White Bass <sup>2</sup> Bar blanc <sup>2</sup>	- B		American Eel <sup>2,7</sup> Anguille d'Amérique <sup>2,7</sup>	
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	© (D) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	10. Middie Bay of Quinte Partie centrale de la	Chinook <sup>27</sup> Saumon quinnar <sup>27</sup>	4
	Carp <sup>2</sup> Carpe <sup>2</sup>		baie de Quinte	Walleye <sup>57,89</sup>	
	White Sucker <sup>2</sup> • Meunier noir <sup>2</sup>	7		Northern Pike <sup>2</sup>	) (
	Gizzard Shad <sup>2</sup> Alose à gésier <sup>2</sup>	(4) (4)		Yellow Perch <sup>2.5,7</sup> Perchaude <sup>2.5,7</sup>	7
6b. Whitby Harbour Port de Whitby	Northern Pike <sup>27</sup> Brochet <sup>27</sup>	0		White Perch <sup>2,7</sup> Baret <sup>2,7</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
432L/ 530 Durham Ri Municipalité régionale de Durham	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	7 7		Whitefish <sup>27</sup> Grand coregone <sup>27</sup>	(a)
	Brown Bullhead <sup>2,7</sup> Barbotte brune <sup>2,7</sup>	, (I) (I) (I) (I) (I) (I) (I) (I) (I) (I)		Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	7
	Carp <sup>2.7</sup> Carpe <sup>2.7</sup>	0		Brown Bullhead <sup>2</sup>	7 7 7
	White Sucker?7 Meunier noir??7	0 0 0		Freshwater Drum <sup>5</sup> Malachigan <sup>5</sup>	<b>⊕</b>
	American Eel² Anguille d'Amérique²	Θ		White Sucker89	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
7. Ganaraska River (spawning runs)	Chinook <sup>2,8,9</sup> Saumon quinnat <sup>2,8,9</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		American Eel² Anguille d'Amérique²	
(frayères) 4357/7818	Coho <sup>8,9</sup> Saumon coho <sup>8,9</sup>	(A)		Gizzard Shad² Alose à gésier²	<b>(</b>
Hope I wp /Canton de Hope Northumberland Co Comilé de Northumberland	Rainbow Trout <sup>5,7,8,9</sup> Truite arc-en-ciel <sup>5,7,8,9</sup>	(4) (4) (2) (2) (3)			
	Brown Trout <sup>5 7,8,9</sup> Truite brune <sup>5,7,8,9</sup>	() () () () () () () () () () () () () (			
	Lake Trout? 89 Truite de lac? 89	0			
		15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)			15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

		Longueur du poisson en centimetres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
11. Lower Bay of Quinte/ Eastern Lake Ontarlo	Chinook <sup>7,8,9</sup> Saumon quinnat <sup>7,8,9</sup>	
Partie inferieure de la baie de Quinte/partie est du lac Ontario	Brown Trout <sup>7,89</sup> Truite brune <sup>7,89</sup>	000000000000000000000000000000000000000
	Lake Trout <sup>2.7</sup> Truite de lac <sup>2.7</sup>	
	Walleye <sup>57,9</sup> Doré <sup>57,9</sup>	
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(A)
	Smallmouth Bass <sup>8,9</sup> Achigan à petite bouche <sup>8,9</sup>	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	(D)
	White Perch <sup>2</sup> Baret <sup>2</sup>	3
	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	Q
	Whitefish <sup>7,8,9</sup> Grand corégone <sup>7,8,9</sup>	
	Freshwater Drum <sup>2</sup> Malachigan <sup>2</sup>	<ul><li>∅</li></ul>
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	7
	American Eel <sup>2,7</sup> Anguille d'Amérique <sup>2,7</sup>	000
	Rainbow Smelt <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>	ð

#### St. Lawrence River Fleuve Saint-Laurent



# St. Lawrence River Block Descriptors

- Thousand Islands area St. Lawrence River from east of Kingston to Brockville
- Middle Corridor St. Lawrence River from east of Brockville to Iroquois
- Lake St. Lawrence St. Lawrence River from east of Iroquois to Cornwall
- Lake St. Francis St. Lawrence River from east of Cornwall to Quebec border
- Raisin River spawning run in the river including offshore area to 10m. depth

# Fleuve Saint-Laurent-Blocs descriptifs


- Environs des Mille-fles Fleuve Saint-Laurent entre l'est de Kingston et Brockville
- Cours moyen Fleuve Saint-Laurent entre l'est de Brockville et Iroquois
   Lac St. Lawrence Fleuve Saint-Laurent entre l'est d'Iroquois et Cornwall
- 15. Lac Saint-François Fleuve Saint-Laurent entre l'est de Comwall et la frontière du Québec
- Rivière Raisin frayères de la rivière et au large jusqu'à 10 mètres de profondeur

		Fish size in centimetres (inches) Longueur du poisson en centimétres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (16-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-55 65-75 > 75 (5-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
St. Lawrence River Fleuve Saint-Laurent	Walleye <sup>2.9</sup> Dore <sup>2.9</sup>		St. Lawrence River Fleuve Saint-Laurent	Brown Builhead <sup>2</sup> Barbotte brune <sup>2</sup>	0 0
<ol> <li>Thousand Islands area Environs des Milles Îles</li> </ol>	Northern Pike <sup>5.8</sup> Brochet <sup>5.8</sup>		15. Lake St. Francis Lac Saint-François	Channel Catfish <sup>89</sup> Barbue de rivière <sup>89</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
	Smallmouth Bass <sup>5,8</sup> Achigan à petite bouche <sup>5,8</sup>			White Sucker <sup>27</sup> Meunier noir <sup>27</sup>	₩ ₩
	Yellow Perch <sup>5,8</sup> Perchaude <sup>5,8</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Redhorse Sucker8.9 Suceur rouge89	4
	Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>	7 7	16. Lake St. Francis at	Walleye <sup>5.7.9</sup>	(
	Pumpkinseed <sup>5</sup> Crapet-soleil <sup>5</sup>	J	(spawning run) Lac Saint-François,	Dorés 79 White Sucker 5.9	
	Brown Bullhead <sup>5.8</sup> Barbotte brune <sup>5.8</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	à l'embouchure de la rivière Raisin (frayères)	Meunier noir <sup>5,9</sup>	<b>4</b>
	Carp <sup>5,8</sup> Carpe <sup>5,8</sup>	(C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A			
	White Sucker <sup>5 8</sup> Meunier noir <sup>5.8</sup>	0 0			
	American Eel <sup>5</sup> Anguille d'Amérique <sup>5</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)			
St. Lawrence River Fleuve Saint-Laurent	Walleye <sup>2</sup> Doré <sup>2</sup>				
13. Middle Corridor Cours moyen	Northern Pike <sup>5</sup> Brochet <sup>5</sup>				
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	(A)			
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)			
	Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>	<ul><li>∅</li></ul>			
	Pumpkinseed <sup>5</sup> Crapet-soleil <sup>5</sup>	T T			
	Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>	<b>4</b>			
	Carp <sup>5</sup> Carpe <sup>5</sup>	(4) (2) (1)			

	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>		V	- N	Š	ð	Q.	4			_
	American Eel <sup>5</sup> Anguille d'Amérique <sup>5</sup>					- V	ð	7	4	<b>a</b>	
St. Lawrence River Fleuve Saint-Laurent	Walleye <sup>5.9</sup> Doré <sup>5.9</sup>			7	Ĭ	Ä	7	4	0		
14. Lake St. Lawrence Lac St. Lawrence	Northern Pike <sup>5</sup> Brochet <sup>5</sup>			V	ğ	ð	7	Ö	4	4	
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	Ö	4	4	$\sqrt[3]{}$	4	ĭ				
	Yellow Perch <sup>5,9</sup> Perchaude <sup>5,9</sup>	Š	Ö	()							
	White Perch <sup>2</sup> Baret <sup>2</sup>	ð	8	()							
	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	7	4								
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	Q	Q	7							
	Brown Bullhead <sup>2,9</sup> Barbotte brune <sup>2,9</sup>	Ÿ	7	Q	ď	7					
	Carp <sup>7,8</sup> Carpe <sup>7,8</sup>						ð	7	4	0	
	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>			(7)	ď	ď	7				
	American Eel <sup>2</sup> Anguille d'Amérique <sup>2</sup>	V .	7	Q	Ö	7	4				
	Walleye <sup>5,7,8,9</sup> Doré <sup>5,7,8,9</sup>		7	7	7	4	4	<b>⊗</b>	1	١	
15. Lake St. Francis Lac Saint-François	Northern Pike <sup>5,7</sup> Brochet <sup>5,7</sup>	V	4	ð	ğ	7	4	4	4	4	
	Smallmouth Bass <sup>5,8</sup> Achigan à petite bouche <sup>5,8</sup>	\displaystart \dint \displaystart \displaystart \displaystart \displayst	- A	()	7	4	0				
	Yellow Perch <sup>5,2,8</sup> Perchaude <sup>5,7,8</sup>	Ŏ	()	4							
	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	₹    }	4								
Continued top right Suite colonne de droite	Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	Ŏ	7								
		15-20 2	20-25 25	25-30 30	30-35 3	35-45 4	45-55 5	9 59-99	65-75	> 75	

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

#### Lake Erie Lac Érié



## Lake Erie Block Descriptors

- Western Basin from the Detroit River mouth to Point Pelee
- . Central Basin from east of Point Pelee to just west of Long Point Bay
- 2a. Rondeau Bay Rondeau Harbour and immediate surrounding area
- 2b. Wheatley Harbour Harbour and immediate vicinity
- Long Point Bay inner and outer bay area
- . Eastern Basin from east of Long Point Bay to the Niagara River

## 5. Detroit River Block Descriptors

- 5a. Upper from Lake St. Clair to Fighting Island
- 5b. Lower from south of Fighting Island to Lake Erie

### 6. Lake St. Clair

## 7. St. Clair River Block Descriptors

- 7a. Upper from Lake Huron to just north of Ethyl Corp.
- 7b. Middle from Ethyl Corp./Stag Island to just north of Lambton Generating Station
- 7b. Lower from Lambton Generating Station to Lake St. Clair

### Lac Érié-Blocs descriptifs

- Bassin ouest entre l'embouchure de la rivière Détroit et Pointe Pelée
   Bassin du centre entre l'est de la Pointe Pelée et l'ouest de la
- 2a. Baie Rondeau port de Rondeau et environs immédiats

baie Long Point

- 2b. Port de Wheatley environs immédiats
- Baie Long Point arrière-port et avant-port
- Bassin est entre l'est de la baie Long Point et la rivière Niagara

## 5. Rivière Détroit-Blocs descriptifs

- 5a. Cours supérieur de la rivière Détroit entre le lac Sainte-Claire et l'île Fighting
- 5b. Cours inférieur de la rivière Détroit entre le sud de l'île Fighting et le lac Érié

### 6. Lac Sainte-Claire

# 7. Rivière Sainte-Claire-Blocs descriptifs

- 7a. Cours supérieur de la rivière Sainte-Claire du lac Huron au nord de la société Ethyl Corp.
- 7b. Cours moyen de la rivière Sainte-Claire de la société Ethyl Corp. et l'île Stag au nord de la centrale électrique de Lambton
- 7c. Cours inférieur de la rivière Sainte-Claire de la centrale électrique de Lambton au lac Sainte-Claire

Lake Erie/Lac Érié


		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-16) (18-22) (22-26) (26-30) > (30)
Lake Erie Lac Érié	Coho <sup>27,9</sup> Saumon coho <sup>27,9</sup>		3. Long Point Bay Bale Long Point	Coho <sup>2.9</sup> Saumon coho <sup>2.9</sup>	0 0 0 0 0
Western Basin Bassin ouest	Walleye <sup>279</sup> Doré²≀3	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Rainbow Trout <sup>2,9</sup> Truite arc-en-ciel <sup>2,9</sup>	0 0 0
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Lake Trout <sup>2,9</sup> Truite de lac <sup>2,9</sup>	
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	8 8		Walleye <sup>29</sup> Doré <sup>29</sup>	(A)
	White Perch <sup>2</sup> Baret <sup>2</sup>	Ö Ö		Northern Pike <sup>2</sup> Brochet <sup>2</sup>	<b>(</b>
	Whitelish <sup>27</sup> Grand corégone <sup>27</sup>	5		Smallmouth Bass <sup>2,9</sup> Achigan à petite bouche <sup>2,9</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	White Bass <sup>779</sup> Bar blanc <sup>2739</sup>	7 7 7		Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	(4)
	Channel Catfish <sup>279</sup> Barbue de rivière <sup>27,9</sup>			Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Carp <sup>2,7</sup> Carpe <sup>2,7</sup>	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)		White Perch <sup>2</sup> Baret <sup>2</sup>	7 7 7
	Freshwater Drum <sup>2,9</sup> Malachigan <sup>2,9</sup>	0 0		White Bass <sup>2</sup> Bar blanc <sup>2</sup>	(b)
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	\frac{1}{2}		Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	
	Rainhow Smelt <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>	- T		Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	5 5
2. Central Basin Bassin du centre	Coho <sup>2</sup>			Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>	7 7
	Rainbow Trout <sup>2,7</sup>			Bluegill? Crapet arlequin?	7
	-   > L			Brown Bullhead <sup>2,9</sup> Barbotte brune <sup>2,9</sup>	7 7 7 7 7
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	0		Channel Caffish <sup>2</sup> Barbue de rivière <sup>2</sup> Caro <sup>2</sup>	
	White Perch <sup>2</sup> Baret <sup>2</sup>			Carpe <sup>2</sup>	0 0 0 0 0 0
	Whitelish <sup>2</sup> Grand corégone <sup>2</sup>	T T		Malachigan <sup>2</sup>	©

d)	
Пē	
щ	
Lac	
<u>e</u>	
Ū	
햣	
Ę	

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)	-		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces).
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Detroit River Rivière Détroit	White Bass <sup>2</sup> Bar blanc <sup>2</sup>	(A)	7b. Middle St. Clair River Cours moyen de la	Freshwater Drum <sup>5</sup> Malachigan <sup>5</sup>	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Continued/Suite	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	<b>(4)</b>		White Sucker <sup>5</sup> Meunier noir <sup>5</sup>	
	Carp <sup>7,8,9</sup> Carpe <sup>7,8,9</sup>	(4) (2) (1)		Gizzard Shad <sup>5</sup> Alose à gésier <sup>5</sup>	(A)
	Freshwater Drum <sup>2</sup> Matachigan <sup>2</sup>		7c. Lower St. Clair River Cours Inférieur de la	Walleye <sup>5.8</sup> Doré <sup>5 8</sup>	(6)
5b. Lower Detroit River Cours inférieur de la	Walleye <sup>89</sup> Doré <sup>89</sup>		rivière Sainte-Claire	Yellow Perch² Perchaude²	
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	0		Bluegill' Crapet arlequin'	
	White Bass <sup>8,9</sup> Bar blanc <sup>8,9</sup>	7 7		Carp <sup>2.7</sup> Carpe <sup>2.7</sup>	4
	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>	7 7		White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	\frac{1}{2}
	Channel Caffish <sup>8,9</sup> Barbue de rivière <sup>8,9</sup>	(4) (4)		Redhorse Sucker <sup>2</sup>	(A) (A)
	Carp <sup>29</sup> Carpe <sup>29</sup>	(a) (d) (d)		Gizzard Shad <sup>2</sup> Alose à gésier <sup>2</sup>	
6. Lake St. Clair Lac Sainte-Claire	Walleye <sup>5,7,8,9</sup> Doré <sup>5,7,8,9</sup>	(A) (A) (B) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C			
4228/8240 Essex & Kent Cos Comtés d'Essex et de Kent	Northern Pike <sup>5</sup> Brochet <sup>5</sup>				
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	(4) (2) (3) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5			
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>	7 7 7			
	White Perch <sup>2,7</sup> Baret <sup>2,7</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)			
	White Bass <sup>5</sup> Bar blanc <sup>5</sup>	(4) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5			
	Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>	(A)			
		-			

				8	00				   .	7		0						@
				0	0	7		4	4	8		0						4
				4	7	8	4	Ö	Ö	Ö			4	\(\bar{\pi}\)	4			4
			4	Ö	\displaystart \dint \displaystart \displaystart \displaystart \displayst	\displaystart \dint \displaystart \displaystart \displaystart \displayst	7	8	- U	7			\bar{\bar{\bar{\bar{\bar{\bar{\bar{\bar	- I	TI TI	IL		4
4			7		8	7	7		Ö	7	3		0	8	0	8		
8	7	{}	V		V	8	7		· ·	7	3		V		4	8	4	
4	8	Ö									Ö					8	Q	
Black Crappie <sup>5</sup> Marigane noire <sup>5</sup>	Pumpkinseed <sup>5</sup> Crapet-soleil <sup>5</sup>	Bluegill <sup>2</sup> Crapet arlequin <sup>2</sup>	Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>	Channel Catfish <sup>5,7,9</sup> Barbue de rivière <sup>5,7,9</sup>	Carp <sup>5,7,8,9</sup> Carpe <sup>5,7,8,9</sup>	Freshwater Drum <sup>5</sup> Malachigan <sup>5</sup>	White Sucker583 Meunier noir583	Quillback Carpsucker <sup>5</sup> Couette <sup>5</sup>	Walleye <sup>s,8</sup> Doré <sup>s,8</sup>	Northern Pike <sup>6</sup> Brochet <sup>6</sup>	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>	Carp <sup>5,7</sup> Carpe <sup>5,7</sup>	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>	Redhorse Sucker <sup>5</sup> Suceur rouge <sup>5</sup>	Walleye <sup>5.8</sup> Doré <sup>5.8</sup>	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>	Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>	Carp <sup>5.7,8</sup> Carpe <sup>5.7,8</sup>
									St. Clair River Rivière Sainte-Claire	7a. Upper St. Clair River Cours supérieur de la rivière Cainte-Claire					7b. Middie St. Clair River Cours moyen de la	re Sainte-Ciaire		Continued top right

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)



## Lake Huron Block Descriptors Lake Huron

- H1 open water south of Manitoulin Island from Cockburn Island to just west of Fitzwilliam Island
- H2 from Fitzwilliam Island to Stokes Bay
- H3 from south of Stokes Bay to Point Clark
- 14 from south of Point Clark to north of Grand Bend
- H5 from Grand Bend to Point Edward

#### Georgian Bay

- **GB1** area bounded on the west side by Bold Point to Fitzwilliam Island and on the east side by south of Killarney Bay to the French River mouth.
- GB2 area bounded on the west side by south of Fitzwilliam Island to Lion's Head and on the east side to the middle of the Bay.
- **GB3** area bounded on the west side by the middle of the Bay and on the east side from south of the French River mouth to the Moon River mouth.
- GB4 southern Georgian Bay from south of Lion's Head to south of the Moon River mouth.
- GB4a Collingwood Harbour harbour area.

### North Channel

- NCI north side of Manitoulin Island from St. Joseph Island to Serpent Harbour on the north side and Barrie Island on the south side.
- NC2 north side of Manitoulin Island from east of Serpent Harbour to Killarney Bay on the north side and from Barrie Island to Bold Point on the south side.

### St. Marys River

St. Marys River from Lake Superior to St. Joseph Channel

### Lac Huron-Blocs descriptifs

# Lac Huron Eaux libres au sud de l'île Manitoulin - entre l'île Cockburn et l'ouest

- H1 Eaux libres au sud de l'île Manitoulin entr de l'île Fitzwilliam
- H2 Entre l'île Fitzwilliam et la baie Stokes
- Entre le sud de la baie Stokes et la pointe Clark
- 14 Entre le sud de la pointe Clark et le nord de Grand Bend
- H5 Entre Grand Bend et la pointe Edward

### Baie Georgienne

- GB1 Zone délimitée à l'ouest par la pointe Bold jusqu'à l'île Fitzwilliam, et à l'est par le sud de la baie Killamey jusqu'à l'embouchure de la rivière des Français.
- 5B2 Zone délimitée à l'ouest par le sud de l'île Fitzwilliam jusqu'à Lion's Head, et à l'est par le centre de la baie.
- GB3 Zone délimitée à l'ouest par le centre de la baie, et à l'est par le sud de l'embouchure de la rivière des Français jusqu'à l'embouchure de la rivière Moon.
- GB4 Zone du sud de la baie Georgienne qui s'étend du sud de Lion's Head jusqu'au sud de l'embouchure de la rivière Moon.
- GB4a Port de Collingwood région du port.

#### Chenal Nord

- NC1 Zone au nord de l'île Manitoulin entre l'île St-Joseph et le havre Serpent au nord, et l'île Barrie au sud.
- NC2 Zone au nord de l'île Manitoulin entre l'est du havre Serpent et la baie Killarney au nord, et entre l'île Barrie et la pointe Bold au sud.

### Rivière St. Marys

Rivière St. Marys - entre lac Supérieur et le chenal St. Joseph

Lake Huron/Lac Huron

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimetres (pouces)
Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-36 35-45 45-55 55-65 65-75 > 75 (6-8) (6-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-20) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (25-26) (25-30) > (30)
Lake Huron H1 Lac Huron H1	Chinook <sup>7.8.9</sup> Saumon quinnat <sup>7.8.9</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Lake Huron H4 Lac Huron H4	Chinook <sup>2</sup> Saumon quinnat <sup>2</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Rainbow Trout <sup>2</sup> Truite arc-en-ciel <sup>2</sup>	\$ \$ \$		Rainbow Trout <sup>2</sup> Truite arc-en-ciet <sup>2</sup>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Lake Trout <sup>2.7</sup> Truite de lac <sup>2.7</sup>			Lake Trout <sup>2,7</sup> Truite de lac <sup>2,7</sup>	
	Splake <sup>2</sup> Truite moulac <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	(A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	(A)		Whitefish <sup>2.7</sup> Grand corégone <sup>2.7</sup>	
	Whitefish <sup>27</sup> Grand corégone <sup>2,7</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Ling <sup>2</sup> Lotte <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)
	Cisco¹ Cisco¹	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Longnose Sucker <sup>5</sup> Meunier rouge <sup>5</sup>	(S)
	Channel Catfish <sup>7,8,9</sup> Barbue de rivière <sup>7,8,9</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Lake Huron H5	Chinook <sup>5,7,9</sup>	
	Carp <sup>2,7</sup> Carpe <sup>2,7</sup>	(4) (2) (2)	Lac nuron no	Saumon quinnate 73 Pink Salmon <sup>2</sup>	
	Ling <sup>2</sup> Lotte <sup>2</sup>	0 0		Saumon rose <sup>2</sup> Rainbow Trout <sup>2</sup>	• { · } {
	<ul> <li>White Sucker<sup>2</sup></li> <li>Meunier noir<sup>2</sup></li> </ul>	7 7		Truite arc-en-crel <sup>2</sup> Lake Trout <sup>5,7</sup>	
	Rainbow Smelt <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>	Ü		Valleyes	}
Lake Huron H2 Lac Huron H2	Lake Trout <sup>2 7</sup> Truite de lac <sup>2,7</sup>	(4) (4) (2)		Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>	
	Whitetish <sup>27</sup> Grand corégone <sup>2,7</sup>			Yeilow Perch <sup>2</sup> Perchaude <sup>2</sup>	(4) (4)
	Round Whitefish <sup>2</sup> Ménomini rond <sup>2</sup>	0 0		White Perch² Baret²	(A)
	Cisco <sup>2</sup> Cisco <sup>2</sup>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Whitefish <sup>5,7</sup> Grand corégone <sup>5,7</sup>	0 0 0
	Ling² Lotte²	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		White Bass <sup>2.7</sup> Bar blanc <sup>2.7</sup>	
	Bloater <sup>2</sup> Cisco de fumage <sup>2</sup>	0		Channel Catfish <sup>5,7,9</sup> Barbue de rivière <sup>5,7,9</sup>	

	(A)	<b>(4)</b>	Č Ö	7 7 7	<b>9</b>	( <del>4</del> )	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		U U	000000000000000000000000000000000000000	7 7 7	U U U U U U U U U U U U U U U U U U U	-		<b>→</b>	0	7 7	000000000000000000000000000000000000000		15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Carp <sup>5,7,9</sup> Carpe <sup>5,7,9</sup>	Freshwater Drum <sup>5</sup> Malachigan <sup>5</sup>	Ling57 Lotte57	Bloater <sup>5</sup> Cisco de fumage <sup>5</sup>	Chub <sup>2</sup> Chub <sup>2</sup>	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>	Rainbow Smelt² Éperlan arc-en-ciel²	Georgian Bay GB1 Walleye² Baie Georgienne GB1		Yellow Perch² Perchaude²	Cisco <sup>2</sup> Cisco <sup>2</sup>	Chub? Chub?	White Sucker <sup>2</sup> Merinier noir <sup>2</sup>	Georgian Bay GB2 Lake Trout?	B2	Grand corégone <sup>2</sup>	Menomini rond <sup>2</sup>	Ling <sup>2</sup> Lotte <sup>2</sup>	Chub <sup>2</sup> Chub <sup>2</sup>		
<b>⊕</b>	<b>(4)</b>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			7 7		7 7	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7	0   0   0	0 0 0		33-45 45-55 55-65 65-75 75-90 > 90	(10.00) (10.00) (10.00) (10.00)	}		15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Rainbow Trouts?8 Truite arc-en-ciel528	ake Trout <sup>2.7</sup> ruite de lac <sup>2.7</sup>	Brown Trout <sup>2,7</sup> Truite brune <sup>2,7</sup>	Walleye <sup>2</sup> Doré <sup>2</sup>	Northern Pike¹ Brochet¹	Smallmouth Bass <sup>3</sup> Achigan à petite bouche <sup>3</sup>	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	Whitefish <sup>2,7</sup> Grand corégone <sup>2,7</sup>	Round Whitetish <sup>2</sup> Ménomini rond <sup>2</sup>	Channel Cattish <sup>2,7</sup> Barbue de rivière <sup>2,7</sup>	Carp <sup>2.78</sup> Carpe <sup>2.78</sup>	Ling <sup>2</sup> Lotte <sup>2</sup>	Bloater <sup>8</sup> Cisco de tumage <sup>8</sup>	Chub² Chub²	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	Longnose Sucker <sup>2</sup>		Chinook <sup>2.79</sup>			


25-65 65-75 > 75 22-26) (26-30) > (30) 171

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Emplacement	Species/ Espèces	(6-8) (9-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Emplacement	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Georgian Bay GB3 Baie Georgienne GB3	Lake Trout* 7 Truite de lac2 7	<b>(4)</b>	North Channel NC1 Chenal Nord NC1	Chinook <sup>7,8</sup> Saumon quinnat <sup>7,8</sup>	
	Walleye <sup>2</sup> Doré <sup>2</sup>	(A)		Pink Salmon <sup>8</sup> Saumon rose <sup>8</sup>	T T
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	\frac{1}{2}		Rainbow Trout <sup>2</sup> Truite arc-en-ciel <sup>2</sup>	7
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Lake Trout <sup>27</sup> Truite de lac <sup>27</sup>	0
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Walleye <sup>7,8,9</sup> Doré <sup>7,8,9</sup>	(A) (B)
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	₹} ₹		Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(1) (4) (4) (4)
	Whitefish <sup>2,7</sup> Grand corégone <sup>2,7</sup>	7 7		Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>	7 7
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>	<b>(</b>		Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	000000000000000000000000000000000000000
	Ling <sup>2</sup> Lotte <sup>2</sup>	(4) (4)		Whitetish <sup>27</sup> Grand corégone <sup>27</sup>	000000000000000000000000000000000000000
	Chub² Chub²	7		Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>	T T
Georgian Bay GB4	Chinook <sup>2.79</sup> Saumon ouinnat <sup>2.79</sup>	7 7 7		Channel Catfish <sup>8</sup> Barbue de rivière <sup>8</sup>	(A)
	Pink Salmon <sup>2</sup> Saumon rose <sup>2</sup>	7		Ling <sup>2</sup> Lotte <sup>2</sup>	₩ ₩ ₩
	Rainbow Trout?7 Truite arc-en-ciel?7		North Channel NC2 Chenal Nord NC2	Chinook <sup>2,7</sup> Saumon quinnat <sup>2,7</sup>	
	Lake Trout <sup>27</sup> Truite de lac <sup>27</sup>	000000000000000000000000000000000000000		Lake Trout <sup>8</sup> Truite de lac <sup>8</sup>	
	Splake <sup>7,8</sup> Truite moulac <sup>7,8</sup>	<b>(b)</b>		Splake <sup>27</sup> Truite moulac <sup>27</sup>	<b>9</b>
	Walleye <sup>2</sup> Doré <sup>2</sup>			Walleye <sup>78,9</sup> Doré <sup>78,9</sup>	7 7
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>			Northern Pike <sup>2</sup> Brochet <sup>2</sup>	000000000000000000000000000000000000000
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>			Yellow Perch² Perchaude²	7 7 7

Georgian Bay GB4a

Collingwood Twp Canton de Collingwood Grey Co./Cté de Grey Collingwood Harbour Port de Collingwood 4429/8013

#### Lake Superior Lac Supérieur



## Lake Superior Block Descriptors

- Border/Pie Island area from U.S. border to west of Pie Island
- Thunder Bay Outer Harbour area bay area north of Pie Island/ Thunder Cape - excluding Inner Harbour area
- Thunder Bay Inner Harbour inner harbour area around Kam and Mission River mouths
- Black Bay area Black Bay from north of Edward Island
- Pie Island/Schreiber Point area open water from Pie Island to Schreiber Point
- Nipigon Bay bay area from north of Simpson Island to Vipigon River mouth و.
- Schreiber Point/Sewell Point area open water from Schreiber Point to Sewell Point
- Jackfish Bay including Moberly and Tunnel Bays
- Peninsula Harbour Harbour and immediate vicinity 8a.
- Michipicoten Island area open water from Sewell Point to Cape Gargantua
- Agawa Bay/Batchawana Bay area open water from south of Cape Gargantua to Batchawana Bay 9
- Goulais Bay area from south of Batchawana Bay to the St. Marys River 11.

## Lac Supérieur-Blocs descriptifs

- Environs de la frontière Ontario-États-Unis et de l'île Pie entre la frontière et l'ouest de l'île Pie
- nord de l'île Pie et du cap Thunder à l'exclusion de l'arrière-port Environs de l'avant-port de Thunder Bay - partie de la baie au Arrière-port de Thunder Bay - près de l'embouchure des તં
  - ivières Kam et Mission
- Environs de la baie Black partie de la baie Black au nord de ile Edward
- Environs de l'île Pie et de la pointe Schreiber eaux libres entre Baie Nipigon - partie de la baie entre le nord de l'île Simpson et embouchure de la rivière Nipigon 'île Pie et la pointe Schreiber ٠.
- Environs de la pointe Schreiber et de la pointe Sewell eaux libres entre les pointes Schreiber et Sewell
- Baie Jackfish y compris les baies Moberly et Tunnel
  - Port de Peninsula environs immédiats
- Environs de l'île Michipicoten eaux libres entre la pointe Sewell et le cap Gargantua
- Environs des baies Agawa et Batchawana eaux libres entre le sud du cap Gargantua et la baie Batchawana 10.
- 11. Environs de la baie Goulais entre le sud de la baie Batchawana et la rivière St. Marys

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)			Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)
Location/ Lieu	Species/ Espèces	15-20 20-25 25-30 30-35 35-46 45-55 55-65 65-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)	Location/ Lieu	Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-55 55-75 > 75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)
Lake Superior Lac Supérieur	Lake Trout <sup>78</sup> Truite de lac <sup>78</sup>	(4) (4) (5) (1) (4) (4) (4) (4) (4) (5) (4) (4) (5) (4) (4) (5) (4) (4) (5) (4) (4) (5) (4) (5) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	6. Nipigon Bay Baie Nipigon	Chinook <sup>69</sup> Saumon quinnat <sup>8,9</sup>	(4) (2)
1. Border/Pie Island Environs de la frontière	Walleye <sup>2</sup> Doré <sup>2</sup>			Rainbow Trout?7 Truite arc-en-ciel?7	7 7
de l'île Ple	Northern Pike <sup>2</sup> Brochet <sup>3</sup>	(A)		Lake Trout <sup>7,89</sup> Truite de lac <sup>7,89</sup>	7 7 7
	Whitefish?8 Grand corégone?8	, (A)		Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>	\$\frac{1}{4}\$
	White Sucker <sup>8</sup> Meunier noir <sup>8</sup>	7 7		Whitefish 789 Grand corégone 789	7
2. Thunder Bay Outer Harbour area	Chinook?	J J		White Sucker	000000000000000000000000000000000000000
Environs de l'avant-port de Thunder Bay	Lake Trout <sup>7,8,9</sup> Truite de lac <sup>7,8,9</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	7. Schreiber Point/Seweil Point area Environs de la pointe	Chinook <sup>89</sup> Saumon quinnat <sup>89</sup>	
	Walleye2 Doré2	<b>(4)</b>	Schreiber et de la pointe Seweil	Rainbow Trout <sup>8</sup> Truite arc-en-ciel <sup>8</sup>	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)		Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	(A) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C
	Whitefish <sup>7,8</sup> Grand coréonne <sup>7,8</sup>	(2) (1)		Walleye <sup>2</sup> Doré <sup>2</sup>	\$\begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
	Round Whitelish	0 0		Round Whitefish <sup>2</sup> Ménomini rond <sup>2</sup>	7
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>	7		Cisco <sup>2</sup>	7
	Longnose Sucker <sup>8</sup> Meunier rouge <sup>8</sup>	₹ ₹ ₹		White Sucker* Meunier noir²	ð
3. Thunder Bay inner Harbour area	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>	7	Bale Jackfish	Lake Trout <sup>789</sup> Truite de Jac <sup>789</sup> Whitelish <sup>27</sup>	
Thunder Bay	Walleye <sup>8</sup> Doré <sup>8</sup>			Grand corégone <sup>2.7</sup>	9
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>	0		Ménomini rond²	Ö
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>	7 7		Meunier noir <sup>2</sup>	\(\frac{1}{3}\)

771

## **Location Index**

## Index des emplacements

This index not only lists the page numbers of all the locations listed in this guide, but also provides a cross-index of lakes with more that no ne locat name. The location names are lakes unless otherwise indicated (e.g. Abitini R. is Abitini River). Where there is more than one waterbody with the same name, the county or district where each waterbody is located is indicated in brackets beside the name (e.g. Bark (Renfew)). As well, where there is more than one location sampled for the same waterbody, the total number of locations is indicated in brackets (e.g. Abitib R. (7)).

L'index donne, en plus du numéro de page où l'on peut trouver les divers emplacements figurant dans ce guide, un index croisé des cours d'eau connus sous plusieurs noms. Les noms d'emplacements se rapportent aux lacs, sauf indications contraires (p.ex. Abitibi R. signifie rivière Abitibi). Lorsque le même nom désigne plus d'un cours d'eau, le comté ou le district où se trouve chaque cours d'eau est donné entre parenthèses (p.ex. Bark (Renfew)). De nième, lorsque plus d'un emplacement est donné pour le même cours d'eau, on donne le nombre total d'emplacements entre parenthèses (p.ex. Abitibi R. (7)).

	87	88	88	32	88	88	32	165	32	32	88	88	32	83	83	88		75	32	33	83	33	83	. 89	83	88	88	88	33	00
ш	Eabamet	Eady	Eaglehead	Eagle (Frontenac)	Eagle (Kenora)	Eagle (Kenora)	Eagle (Parry Sound)	Eastern Basin (L. Erie)	Eastern	East (Prince Edward)	East (Kenora)	Echo (Aigoma)	Echo (Muskoka)	Eddie	Eden.	Edna	Edwards Cr - see (voir)	Abitibi R	Eets	Eginton Flats Pond	Eleanor .	Elephant	Elizabeth (Sudbury)	Elizabeth (Thunder Bay)	EIK	Elliot	Eimer	Emerald .	Emmett	Endelman
		29	58	29		61		102	8.4	59	84	84	84	. 29	84	161	85	29	. 85	28	28	28		154		23	85	82	82	- 28
	Constance	(Ottawa-Carleton)	Constant	Contau	Cook Bay - see (voir)	L Simcoe	Cook's Pond - see (voir)	Kesagami R	Cooper	Cope	Coppell	Cordick	Cordingley	Cordova	Corner Lakes	Cornwall Is .	Cosgrave	L Couchiching	Cox	Cranberry	Crane	Credit R (Streetsville)	Credit R	(mouth/embouchure).	Credit R - see (voir)	Black Cr	Crerar .	D	Crooked Pine	Crosby
	24	24	24	. 25	25		37	83	25	83	83	83			83	25	25	83	83	24	. 25	24	83	. 24	25	25	82	25	25	52
	Buck (Parry Sound)	Buck (Parry Sound)	Buckhorn	Buckshot	Buller	Burden see (voir)	Jacks L	Burns (Aigoma)	Burns (Renfrew)	Burntbush	Burrows	Burt .	(	ر	Cabin	Cache .	Calabogie	Calm	Calstock	Cameron (Bruce)	Cameron (Victoria)	Camp	Campfire	Canagagigue Cr. (2)	Canal	Canisbay	Canoeshed	Canonto	Cardwell	Caribou
	. 78	21	7.9	21	79	62 .	21	20	7.9	7.9	20	20	21	21	7.9	. 21	. 21	21	. 22	22	22	. 22	. 22	7.9	. 79	80	80	23	80	23
	Beaver (Sudbury)	Beaver R (2)	Beavertrap	Bella	Bell Cr	Bellows	Belmont	Belwood	Bending	Bennet .	Bennett	Bentshoe	Berford	L. Bernard	Big Basswood	Big Clear (Frontenac)	Big Clear (Frontenac)	Big Creek	Big Gull	Big Mink	Big Porcupine	Big Rideau	Big Salmon	Big Sawbill	Bigshell	Big Trout	Big Turkey	Bighead R	Bigwater	Bigwind
	4	Abamasagi 75	Abbotsford 75	Abimatinu 75	L Abitibi 75	Abitibi R (7) 75	Aegean 75	Agnes 75	Agnew 75	Agonzon 75	Agutua 75	Ahmic 19	Artken 76	Albany R 76	Albany R - see (voir)	Osnaburgh 76	Allan . 76	Alph 76	Amikougami 76	Angling 77	Anima Nipissing 77	Anjigami 77	Anstruther 19	Antoine 19	Apungsisagen 77	Aquatuk 77	Ara 77	Aramis 76	Ardoch 19	Arran 19

101 101 102 40 40	102 102 40 40 103	103	102	102 102 41 41 41 102 102 102	103 103 103 103 103 103 103 103 103 103
Kenogami Kenogaming Kenogaminsis (2) Kenogamissi Kernick	Kesagami R Kesagami R Kette Cr Key R Keys	Killala Kilvert Kindogan Kindogan	Kinogama Long (Timiskaming). Kinoshokwi Kirkness Kirkness	Knoph Koshong Kushong (Kniskami Kushog (Haibutton) Kushog (Timiskaming) (Timiskaming) (Timiskaming) Kwinkwaga	abultine tabultine tabulti
97 38 39 39	96 39 96	339 39 39 39 39 39 39 39 39 39 39 39 39	38 38 38 38	97 33 33 168 168 97 97	X X X X X X X X X X X X X X X X X X X
Hazelwood Hazen Head (Hairburton) Healey Healey Heart Heart	Helen Heron Herrick Hicks Hidden Hinh	Highrush Hogan Holland Marsh Canals Holland R	Horn Hornblende Horseshoe (Haiburton) Horseshoe (Kenora) Horseshoe (Simcoe)	Howard Hunbert Hungsy Hunds Bay Hunds L Huron L Huron I Hunon I Huron	Iron (Nubsang) Iron (Subbury) Iron (Subbury) Iron Range Ison (Cochrane) Island (Cochrane) Island (Cochrane) Island (Cochrane) Island (Cochrane) Island (Parry Sound) Island (Parry Sound) Island (Parry Sound)
90 34 34 90 90	8 91 91 91	35 35 35	92 92 92 93	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	35 93 92 92 92 92 93 35
				4"	
Frank &Thunder Bay) Frank (Thunder Bay) Fraser (Hastings) Fraser (Parry Sound) Fraser (Thunder Bay) Frederick House Frederick House R		Galearry Gananoque Ganaraska R Ganaraska R (mouth/embouchure)		(Gothrane) n Bay Cochrane) Kenora) nn ter Pool	XX. XX. XX. XX. XX. XX. XX. XX. XX. XX.
Frank (Frank (Frank (Fraser Fraser Fraser Fraser Fraedmin Frederii)	French R Frenchman Bay Fungus Fushimi	31 Galearry 87 Gananogue 31 Ganaraska R 31 Ganaraska R 87 (mouth/embouchure)	Garden Gargantua Garrent Garrent Loch Garry	George (Boure) George (Cochrane) Georgan Bay Gorgan Bay Gorgan Bay Gorson L Ghosn L Ghosn L Ghosn C Glord Gillod Gillod Gillor Gorseler Gord Gord Gord Gord Gord Gord Gord Gor	iom U Bay ient ient

104	42	104	. 105	105	105	105	42	-8	104	43	104	43	104	52	43	104	104	42	105	105	105	105	105	42	106	7.	106	106	106	164	42	43	106	43	
								1	ittle Gutl (Haliburton)		ac.		ni rough) –	onabee R		wadge	٥				. dhuma	enora)				onud) -	iphant L	aming)	aming).	À	ton)	ognua)		rane)	3
imerick (	ingham	ngman nnk	Lisoar	isgar itte åbitibi	iffle Agawa	ittle Credit R	iffle Crooked	ittle French R	ittle Gufl (Haliburto ittle Gufl (Kenora)	ittle Hawk	ittle Jacktish R	ittle Kennisis	uttle Kesagami	see (voir) Otonabee	ittle (Simcoe)	uttle Manitouwadge	ittle Missinaibi	offile Mykiss	ottle Serpent	ittle Silver	ittle Tomiko	ittle Trout (Kenora)	ittle Turtle	ivingstone	ond (Lanark)	Long (Parry Sound)	see (voir) Oliphant	(Тітізкатіпд	ong (Timiskaming	ong Point Bay	.oon (Haliburton)	orimer	orrain	Loughbarangii Louisa Louise (Cochrane)	
Limerick	Ling	Ling	Linn	Lisgar	Little	Little	Little	a a	Little	Tittle	Liffe	Little	Little	See	Little	Little	Little	Little		Little	Little		Little	Livin	Lola	Long	See	Long	Long	Long	Loon	Local	Lorrain		Ď.
176	66	99		67	66	98	40	98	40		8 6	98	80 0	40	99	99	100	100	7.8	100	100	. 101	101	41	41	101	101	100	100	001	100	101	101	101	
8 B			r (mouth,	S S							Ē					(2)	ашо	000 - 0	Ssing)			(c)	amou	ak	oka		_		R (2)						
Nottawasaga acktish Bay	Jacklish	Jacks	leanette's Cr (mouth/ embauchure) - see	voir) Thames	erry	Jog	Jordan Joseph	lowsey	Julian		Kabinakagami Kanawono	(agianigamı	Kagiano	Kahshe	Kamaniskeg Kamiskotra	(amiskotia R (2)	Kam R (3) Kamungishkamo	Kaneki .	Bear (Nipissing)	(aprskau (apkichi	apuskasıng	Karchuk	Kasakanta	Kashwakamak	Kasshabog Katchewanonka	Katodawa	Kattawagami	Kawene	Kawinogans R	Keenoa	6	Kemo	Kenetogamı	(ennedy	2
13 N	3 Jac	3 Je	Je:	(VC		9 Jo	6 -	or 91	15 15	<b>X</b>	15 Ka	5 Ka	15 Ka	5 Ka	14 Ka	14 Ka	15 Ka 17 Ka	15 Ka	. B	X X	17 Ka		37 Ka		152 Ka	- Ka	95 Ka	_	26 X	96 Ke	96 Keg	SS Xe	36 Ke	Ke Ke	
0 0	0.0	n 60	see			.0ka 4	6 6		on on		o e	:	voir 3				o e				es c			3 (*)	200	3 (7)	5, 5		0, 6		5 6	6		:	,
		ainy River	rassy (Sudbury) – see (voir) Wawiashkashi L	ILIOWS	st Bay -	see (voir) L. Muskoka raveyard (Algoma) .	(Sudbur)				Pond		ord Reser	6	J R (4)					-					Harbour #1	12				œ	schrane) .	rry sound	(enora)	( P	
Grandeur Granitehill	Grant	Grassy (Rainy River)	Grassy (Sudbury) - see (voir) Wawiashkashi L	Grassy Narrows	Gravenhurst Bay -	see (voir) L. Musko Graveyard (Algoma)	Graveyard (Sudbury) Gravs	Green	Greenbush Greenmantle	Greenwater	Gremm Grenadier Pond	Griffin	Grist G Ross Lord Beservoir	Graundhog	Graundhog R Guelah	Guernsey	Guilfoyle Gull	Gulfrock	Gurney	I	Haas	Hallway	Haliburton	Halls	Hamilton Harbour	Hamlock #2	Hamnton	Hanlan	Hansen	Harricanaw	Harris (Cochrane)	Harris (Parry Sound) Hawk	Hawley (Kenora)	Hays Hays Hayward	
88		5 80	33	33		06		33	32				32	06	06			16.0		33	91	33 -	147	9.1	33	33	333	34	34	34	107	701	06	143	2
									, JID/				~										#625 L								ox (Sudbury) - see (voir)			see (voir)	
	skwanonwatin	Ē				an an	_		Falls Fanshawe Reservoir				Farren – see (voir) Farrell L	i	pje	(enora)	awn (Muskoka) ernow		Mile	bot	uc		Fish - see (voir) #625 L Five Mile	:			. 6	:		ox (Muskoka)	dbury) -			1	
Endikai L. Erie	Eskwan	Esnagami	Esnag.	Esten	Eva	Evangeinne	Fairbank	Fairy	Falls Fanshav	Faraday	Farrel	Farrell	Farren – (	Fat	Favel Favourable	Fawn (Kenora)	Fawn (N	Fields	Fifteen Mile	Fifth Depot Findlay	Finlayson	Fisher	Fish - Se	Flack	Flaherty	Fletcher	Foote	Fartune	Foster Four Mile	Fox (M	Fox (Su	Fraleck	Frances	Frank Cr.	
28	82	28		45	53	98		. 29	144	29	98	98.	30	98	30	30	31	87	31	165	. 31	3 6	E E	.31	31	98	30	986	980	98	98	8 60	87	87	3
28	80.0	28		œ		98				29	8 8 6	98.			30	30		87	31	165	31	. 31	- 3	31	31			y).	30	99	98	0 80	87	87	3
cho	Se .		(Haldimand-Norfolk)	œ		:					vater 86																	y).		, us			À	87	
Cross 28	Se .	Crawe 28	(Haldimand-Norfolk)	See (voir) Lynn R 45 Crystal (Kenora) 85	rough)	Cutter 86	٥		The Dalles – see (voir) Winniped R		Darkwater 86		De Courcey 86 Deer Creek Reservoir 30		Delanev 87		Delhi Reservoir 31	Denyes 87		Detroit R (2) 165			Dickey 31		Dobie 86		Dog (Frontenac). 30	y).	Dogtooth . 86	, us		Donnegana 86		Dora 87	
cho	Se .		(Haldimand-Norfolk)	œ		:	. 82 D				83 Darkwater 86													28 Dickson	84 Dobie 85 Doe			y).		Daminian	Donald		À	288	
cho	82 Crasswise.	26 Croken	(Haldimand-Norfolk)	œ	164 Crystal (Peterborough)	:	. 82 D				83 Darkwater 86							. 84 Denyes	84 Depat		) 27 Devil	27 Diamond	27 Dickey	28 Dickson	84 Dobie 85 Doe	85 Dog (Algoma)		y).	Dogtooth .	. 173 Dominion	28 Donald	Donnegana	28 Dannelly	288	
r 82 Crass	ar 82 Crosswise.	ui H (Z). Z6 Croke	26 Crown	27 see (voir) Lynn R 27 Costal (Kenna)	sin (L Erie) 164 Crystal (Peterborough)	27 Culverson	pleau R 82 D	82 Dalhousie	n. 83 The Dalles – see (voir) 83 Winnipeg R	r 26 Dairympie	R. 83	26 Davies	83 De Courcey 83 Deer Creek Beservoir	83 Deer	83 Deerock 26 Delanev	84 Delano	n R 84 De Lesseps 84 Delhi Reservoir	Baservour 26 Denature	84 Depat	84 Deschenes	) 27 Devil	27 Diamond	27 Dickey	28 Dickson	84 Dobie 85 Doe	85 Dog (Algoma)	85 Dog (Frontenac).	85 Dog (Thunder Bay).	. 85 Dogtaoth.	. 173 Dominion	28 Donald	indo 85 Donnegana 85 Donnegana	go R 28 Dannelly	288	
Carpenter 82 Cross Cashel 26 Crossecho	Castlebar 82 Crosswise.	Cataragui H (2). 26 Crotch Cattish 82 Crowe.	Cecebe 26 Crown Cear Cr 82 Crystal (Haldimand-Norlolk)	Cedar 27 see (vair) Lynn R	Central Basin (L. Erie) 164 Crystal (Peterborough)	Canfre 27 Culverson 27 Culverson 27	Chapleau R . 82 D	82 Dalhousie	Charlton. 83 The Dalles – see (voir) Chase. 83 Winnipeg R	Cheddar 26 Daitympie	Chemino 26 Darkwater 86	26 Davies		83 Deer		84 Delano			84 Depat		) 27 Devil	27 Diamond	27 Dickey	28 Dickson		85 Dog (Algoma)		85 Dog (Thunder Bay).	Dogtooth .	ingwood Harbour 173 Daminian	28 Donald	85 Donnegana 85 Donnegana	go R 28 Dannelly	28 Di	
r 82 Crass	23 Castlebar 82 Crosswise.	80 Cattish 82 Crowe	Cecebe 26 Crown Cecebe 82 Crostal (Haldimand-Nortolk)	27 see (voir) Lynn R 27 Costal (Kenna)	Central Basin (L Erie) 164 Crystal (Peterborough)	27 Culverson	Chapleau R 82 D	81 Charlotte 82 Dalhousie	n. 83 The Dalles – see (voir) 83 Winnipeg R	Cheddar 26 Dairympie	R. 83	26 Davies	83 De Courcey 83 Deer Creek Beservoir	83 Deer	83 Deerock 26 Delanev	84 Delano	n R 84 De Lesseps 84 Delhi Reservoir	Baservour 26 Denature	84 Depat	84 Deschenes	) 27 Devil	27 Diamond	27 Dickey	28 Dickson	84 Dobie 85 Doe	85 Dog (Algoma)	85 Dog (Frontenac).	85 Dog (Thunder Bay).	. 85 Dogtaoth.	. 173 Dominion	28 Donald	indo 85 Donnegana 85 Donnegana	go R 28 Dannelly	288	
Carpenter 82 Cross Cashel 26 Crossecho	23 Castlebar 82 Crosswise.	80 Cattish 82 Crowe	Cecebe 26 Crown Cear Cr 82 Crystal (Haldimand-Norlolk)	81 Cedar 27 see (voir) Lynn R	23 Central Basin (L Erie) 164 Crystal (Peterborough)	23 Centre 27 Culverson	(2) 81	81 Charlotte 82 Dalhousie	ion 81 Charlton 83 The Dalles – see (voir) 81 Chase 83 Winniped R	R 80 Cheddar . 26 Dairympie	R. 83	26 Davies	83 De Courcey 83 Deer Creek Beservoir	83 Deer	22 Chipman 83 Deerock	80 Chub	22 Chukini R 84 De Lesseps 80 Cigar 84 Delhi Reservoir	80 Clareville Becervoir 26 Denastrice	84 Depat	84 Deschenes	) 27 Devil	27 Diamond	27 Dickey	28 Dickson	84 Dobie 85 Doe	85 Dog (Algoma)	85 Dog (Frontenac).	85 Dog (Thunder Bay).	. 85 Dogtaoth.	23 Callingwood Harbour 173 Daminion	82 Commanda 28 Donald	indo 85 Donnegana 85 Donnegana	24 Canestogo R 28 Dannelly		
80 Carpenter 82 Cross 80 Cashel 26 Crossecho	23 Castlebar 82 Crosswise.	se (voir) Gough 92 Cataragui H (2). 26 Crowe 82 Crowe	81 Gecebe 26 Crown 177 Gedar Cr 82 Crystal (Haldimand-Norlolk)	81 Cedar 27 see (voir) Lynn R	23 Central Basin (L Erie) 164 Crystal (Peterborough)	23 Centre 27 Culverson	Rav) (2) 81	81 Charlotte 82 Dalhousie	ion 81 Charlton 83 The Dalles – see (voir) 81 Chase 83 Winniped R	R 80 Cheddar . 26 Dairympie	Chalk 22 Chemino 26	. 22 Chesley . 26 Davies	22 Chiblaw 83 De Courcey 80 Chilton 83 Deer Creek Reservoir	sucker 80 Chin 83 Deer	22 Chipman 83 Deerock	80 Chub	22 Chukini R 84 De Lesseps 80 Cigar 84 Delhi Reservoir	are 23 Clare 84 Denyes	84 Clarice 84 Depot		d 81 Clear (Halburton) . 27 Devil	it 81 Clear (Parry Sound) 27 Diamond	81 Clear (Parry Sound) 27 Dickey	od Clearwater (Muskoka) 28 Dickson	23 Clearwater (Thunder Bay) 84 Dobie 81 Clearwater West 85 Doe	Cleaver 85 Dog (Algoma)	ck 85 Dog (Frontenac).	. 82 Coball	82 Cabre . 85 Dogtaoth.	Creek 23 Collingwood Harbour 173 Dominion	82 Commanda 28 Donald	wick 82 Comp. 85 Donnecana	24 Canestogo R 28 Dannelly		
Carpenter 82 Cross Cashel 26 Crossecho	Binbrook Reservoir 23 Castlebar 82 Crosswise.	Birch – see (voir) Gough 92 Cataragui H (Z). Zb Crotch Biscotasi 80 Catrish 82 Crowe.	Biscolasing 81 Cecebe 26 Crown 177 Cecebe 82 Crystal (Haldimand-Nortolk)	Black Beaver 81 Cedar 27 see (voir) Lynn R Black Birch 81 Centennal 27 Crestal (Kentra)	Black Creek . 23 Central Basin (L Erie) . 164 Crystal (Peterborough)	Black (Haliburton) 23 Centre 27 Culverson Black (Lanark) 23 Chandos 27 Culter	Black R (2) 81	Black R. (Timiskaming) 81 Charlotte 82 Dalhousie	Black Sturgeon 81 Charlton. 83 The Dalles – see (voir) Black Trout 81 Chase. 83 Winnipeg R	Blackwater R 80 Cheddar 26 Dalrymple	R. 83	Blue Hawk . 22 Chasley 26 Davies	Blue Rack 22 Chiblaw 83 De Caurcey Riusherry 80 Childan 83 Deer Creek Reservoir	Bluesucker 80 Chin 83 Daer	Bob (Frontenac) 22 Christie 26 Delaney	Bobs (Cochrane) 80 Chub 84 Delano	Boleau 22 Chukini R 84 De Lesseps Bolster 80 Cigar 84 Delhi Reservoir	Bonnechere 23 Clare 84 Denyes Romer 80 Clareville Recenoir 26 Denyes	Borden 81 Clarice 84 Depot	Boshkung 23 Clay 84 Deschenes	Botslord 81 Clear (Haliburton) . 27 Devil	Bouring 81 Clear (Parry Sound) 27 Diamond	Bovril 81 Clear (Parry Sound) 27 Dickey Row 23   Clear (Perfrew) 27 Dickey	Bowland 81 Clearwater (Muskoka) 28 Dickson	Brady 23 Clearwater (Thunder Bay) 84 Dobie Rrang R. Dienwater Weet R5 Die	Brandy 23 Cleaver 85 Dog (Algoma)	Brant R 81 Clift 85 Dog (Frontenac). Reakpack R2 Clinto	Bridgeland 82 Coball 85 Dog (Thunder Bay).	Bright 82 Cabre 85 Doglaoth.	Bronte Creek 23 Callingwood Harbour 173 Daminian	Bruce 82 Commanda 28 Donald	Brinswick 82 Comp. 85 Donnegara	Buckanan . 24 Consistago R 28 Donnelly Buck (Ernotasses) 24 Confederation 84 Dan Buck (Ernotasses) 24 Dan	Buck (Kendra) 82 Confederatul 64 Or Buck (Kendra) 82 Consecon 28 Di Buck (Miskoka) 84 Constante (Corbrane) 84 I	ביים (יונסטיים): ביים ביים ביים ביים ביים ביים ביים
Bigwood 80 Carpenter 82 Cross Saliv 80 Cashel 26 Crossecho	Binbrook Reservoir 23 Castlebar 82 Crosswise.	se (voir) Gough 92 Cataragui H (2). 26 Crowe 82 Crowe	76 Biscolasing 81 Cecebe 26 Crown 77 Rark Bay 177 Cedar Cr 82 Crystal (Haldimand-Nortolk)	77 Black Beaver 81 Cedar 27 See (voir) Lynn R 77 Black Burch 81 Centennal 27 Crostal (Kentral	Black Creek . 23 Central Basin (L Erie) . 164 Crystal (Peterborough)	Black (Haliburton) 23 Centre 27 Culverson Black (Lanark) 23 Chandos 27 Culter	Rav) (2) 81	Black R. (Timiskaming) 81 Charlotte 82 Dalhousie	ion 81 Charlton 83 The Dalles – see (voir) 81 Chase 83 Winniped R	R 80 Cheddar . 26 Dairympie	Chalk 22 Chemino 26	. 22 Chesley . 26 Davies	22 Chiblaw 83 De Courcey 80 Chilton 83 Deer Creek Reservoir	Bluesucker 80 Chin 83 Daer	Bob (Frontenac) 22 Christie 26 Delaney	Bobs (Cochrane) 80 Chub 84 Delano	Boleau 22 Chukini R 84 De Lesseps Bolster 80 Gigar 84 Delhi Reservoir	are 23 Clare 84 Denyes	Borden 81 Clarice 84 Depot	Boshkung 23 Clay 84 Deschenes	Botslord 81 Clear (Haliburton) . 27 Devil	Bouring 81 Clear (Parry Sound) 27 Diamond	81 Clear (Parry Sound) 27 Dickey	Bowland 81 Clearwater (Muskoka) 28 Dickson	Brady 23 Clearwater (Thunder Bay) 84 Dobie Rrang R. Dienwater Weet R5 Die	Brandy 23 Cleaver 85 Dog (Algoma)	78 Breakneck 82 Clinto 28 Dno (Hathurdon)	. 154 Bridgeland . 82 Cobalt . 85 Dog (Thunder Bay).	Bright 82 Cabre 85 Doglaoth.	78 Bronte Creek 23 Collingwood Harbour 173 Daminion	21 Bruce 82 Commanda 28 Donald	Brinswick 82 Comp. 85 Donnegara	Buckanan . 24 Consistago R 28 Donnelly Buck (Ernotasses) 24 Confederation 84 Dan Buck (Ernotasses) 24 Dan	21 Buck (Kriontalac)	יייי בין פספיינים (ספיינים פיייים בין
19 Bigwood 80 Carpenler 82 Cross	76 Binbrook Reservoir 23 Castlebar 82 Crosswise.	76 Birch – see (voir) Sough 92 Cataraqui H (2). 26 Croch 76 Biscolasi 80 Cattish 82 Crowe.	76 Biscolasing 81 Cecebe 26 Crown (2) 76 Black Bay 177 Cedar Cr 82 Crystal (Haldimand-Norlolk)	R 77 Black Beaver 81 Cedar 27 see (voir) Lynn R 7 Black Burch 81 Centennal 27 Crestal (Kenna)	Black Creek . 23 Central Basin (L Erie) . 164 Crystal (Peterborough)	Black (Haliburton) 23 Centre 27 Culverson Black (Lanark) 23 Chandos 27 Culter	Black R (2) 81	Black R. (Timiskaming) 81 Charlotte 82 Dalhousie	Black Sturgeon . 81 Charlton 83 The Dalles – see (voir)  Black Trout . 81 Chase 83 Winnipeg R	Js 18 Blackwater R 80 Cheddar 26 Dalrymple	Chalk 22 Chemino 26	19 Blue Hawk . 22 Chesley . 26 Davies	77 Blue Rock 22 Chiblow 83 De Courcey 78 Blueherv 80 Chilton 83 Deer Creek Reservoir	78 Bluesucker 80 Chin 83 Deer	78 Bob 22 Chipman 83 Deerock 78 Bobs (Frontenac) 22 Christie 26 Delaney	19 Bobs (Cochrane) 80 Chub 84 Delano	Boleau 22 Chukini R 84 De Lesseps Bolster 80 Cigar 84 Delhi Reservoir	Bonnechere 23 Clare 84 Denyes Romer 80 Clareville Recervoir 26 Danasture	79 Borden 84 Clarice 84 Depart		79 Botsford 81 Clear (Halibution) . 27 Devil	Bouring 81 Clear (Parry Sound) 27 Diamond	20 Bovil 81 Clear (Parry Sound) 27 Dickey 79 Row 23 I Clear (Bertrew) 27 Dickie	Bay 177 Bowland 81 Clearwater (Muskoka) 28 Dickson	79 Brady 23 Clearwater (Thunder Bay) 84 Dobie 78 Brann 81 Clearwater West 85 Dire	Brandy 23 Cleaver 85 Dog (Algoma)	78 Breakneck 82 Clinto 28 Dno (Hathurdon)	. 154 Bridgeland . 82 Cobalt . 85 Dog (Thunder Bay).	20 Bright 82 Cabre 85 Doglaoth.	78 Bronte Creek 23 Callingwood Harbour 173 Daminian	21 Bruce 82 Commanda 28 Donald	Doury)	24 Consisting 28 Dannelly 29 Burth (Emphase) 24 Consisting 84 Dan Ely	21 Buck (Kriontalac)	יייי בין פספיינים (ספיינים פיייים בין
Bigwood 80 Carpenter 82 Cross Saliv 80 Cashel 26 Crossecho	76 Binbrook Reservoir 23 Castlebar 82 Crosswise.	Birch – see (voir) Gough 92 Cataragui H (Z). Zb Crotch Biscotasi 80 Catrish 82 Crowe.	76 Biscolasing 81 Gecebe 26 Grown 177 Geda Gr 82 Crystal (Haldimand-Norlolk)	77 Black Beaver 81 Cedar 27 see (voir) Lynn R	77 Black Creek 23 Central Basin (L Erie) 164 Crystal (Peterborough)	Black (Haliburton) 23 Centre 27 Culverson Black (Lanark) 23 Chandos 27 Culter	Black R (2) 81	18 Black R (Timiskaming) 81 Charlotte 82 Dalhousie	Black Sturgeon 81 Charlton. 83 The Dalles – see (voir) Black Trout 81 Chase. 83 Winnipeg R	Js 18 Blackwater R 80 Cheddar 26 Dalrymple	Chalk 22 Chemino 26	19 Blue Hawk . 22 Chesley . 26 Davies	Blue Rack 22 Chiblaw 83 De Caurcey Riusherry 80 Childan 83 Deer Creek Reservoir	78 Bluesucker 80 Chin 83 Deer	Bob (Frontenac) 22 Christie 26 Delaney	19 Botos (Cochrane) 80 Chub 84 Delano	Boleau 22 Chukini R 84 De Lesseps Bolster 80 Cigar 84 Delhi Reservoir	Bonnechere 23 Clare 84 Denyes Romer 80 Clareville Recervoir 26 Danasture	79 Borden 84 Clarice 84 Depart	Boshkung 23 Clay 84 Deschenes	79 Botsland 81 Clear (Halburton) . 27 Devil	Bouring 81 Clear (Parry Sound) 27 Diamond	Bovril 81 Clear (Parry Sound) 27 Dickey Row 23   Clear (Perfrew) 27 Dickey	Bay 177 Bowland 81 Clearwater (Muskoka) 28 Dickson	Brady 23 Clearwater (Thunder Bay) 84 Dobie Rrang R. Dienwater Weet R5 Die	R 20 Brandy 23 Cleaver 85 Dog (Algoma)	78 Breakneck 82 Clinto 28 Dno (Hathurdon)	nle (3) 154 Bridgeland 82 Cobalt 85 Dog (Thunder Bay).	Bright 82 Cabre 85 Doglaoth.	78 Bronte Creek 23 Callingwood Harbour 173 Daminian	nd) 21 Bruce 82 Commanda 28 Donald	78 Brinswick 82 Como 85 Donnecana	24 Consisting 28 Dannelly 29 Burth (Emphase) 24 Consisting 84 Dan Ely	nx 8. Addinoton) 21 Burk (Miscoka) 24 Constanto 29 Di 28 Di 29 Conscon 29 Di 20 Di 2	יייי בין יייייייייייייייייייייייייייייי

(Cochrane)	Megisan. 111	Norcan 51	Pickerel R . 55	Round (Parry Sound) 5	9 Skeleton (Muskoka) 8 Skeleton (Timiskamind)	62 Timber 136 130 Timberwolf 66	White (Peterborough) 70 White (Peterborough) —
Low Water 106	Memesagamesing 47		*	Round (Rentrew)			see (voir) Dummer L 31
Aitken .	Menako 111	North Channel (L. Huron) 168	Pic R 122	Round (Sudbury) 126	5 Skog . Skootamatta	Tom	White Other (Kenora) 142
Lower Buckhorn 44	Mercer 112			Round Island		Tom Chief	Bay)
	. enda		. (Buru	Round Schooner		131 Tomiko 137	White Partridge 70
Lower Detour . 107	Meta . 112	North Raft 115	Pigeon (Victoria) 55	Routine	5 Smiley	Toole	goma) .
Hav.			rane)	Rufus		Toothpick	
Notch	Michipicoten Is 177	North Tweed 117	18ck)	Rushbrook		62 Torrance 136	Whitelish (Sudbury) (2) 142 Whitelish (Thinder Ray) 142
Lower Opikinimika . 106	Michiwakenda 112 Middio Three Duck – see	Northern Light 117	Prigrim 123 Prine (Haliburton) 54	Ruth	59 Snowdrift	Trapline	Whitepine (Sudbury) 143
Paudash .	(voir) Three Duck L 135			Ryan		rows	Whitepine (Sudbury) . 143
Lower Rideau 44	Midland Park - see (voir)	Nottawasaga R 51	Pipe 123	S	Splace	Trent R (4)	Whitestone (Kenora) 143
Lower Ross Lower Steeprock – see (voir)	Milinemungshing 112			Lac aux Sables		Triangular	Whitestone (Parry Sound) 70
		Nym 117	Reservoir	Saddle.		Trident	
Lower Tweed 106		C		Saganash 127	7 South Anul	Trout (Kennra)	Wicksteed (Algoma). 142 Wicksteed (Noissing) 142
	amp dms		no.	St Amanu			
Lowry - see (voir) Rine Bock 1	Mills Reservoir 47	Oak (Peterhorough) 51	Plevna – see (voir)	St Catharines -		g) 68 & 1	ence 1
	-			Water Intake Canal		Trout (Parry Sound)	
Lulu 106	Minisinakwa 113		D.	L St Clarr		udbury)	Wildgoose 142
	Ministic 113	es es		St Clair R (3)	67 South Portage	b3   Ukanee   13/	
Lyell – see (voir)	Ministrik 113	Obaskaka 118	Poppy 122	L. St. John	58 Spangle	Tupman	
	Ki .	ת	Haliburton)	St. Joseph	-	Turtle (Nipissing) 68 &	
Lyon 106	Misema 113	- see (voir)	Portage (Parry Sound) 55	L St Joseph (Kenora)	8 Sparrow	63 Turtle (Rainy River) 138	Wilson (Cochrane) 143
Lyons Cr 45	Miskokway 46	Eagle L 88	Prairie Ree 125	(Thunder Bay)		Tweed	
Σ		i i		L St Lawrence	, ,,	Twelve Mile	
Macaulay107	bi R			St. Lawrence R		Two River	Windigokan 143
Mackie 45	Missisa 112	Onaman 118	Pringle 123	St Marys H	3 Starnes	J	
Madawanson 107				L St Peter		Umfreville	R (2)
	2) 1		- see (voir)	L St. Therese		Unnamed	Wintering \$. 145
Madden 107	Mississagua 46	Opasatika 119	Pullan 123	Sand (Altoma)	9 Steenhill Falls Reservoir -	Unnamed #3	
	Mississippi R (3) 47	way		Sand (Cochrane)		Unnamed #4	
wan R.	Mistango 113		Pusey 55	Sand (Frontenac)	59 Stinklish	132 Unnamed #420 . 68	Wolf (Hastings) 71
	Mistinikon113	Opinion 119	Pusiincn	Sand (Nettora)		Upper beveriey	Wolle (Frontenac) 71
Mailland B 44		Opinicali	o	(punos		Upper Rideau	- (p)
	Moira 49		on Reservoir	Sand (Sudbury)		Upper Ross	see (voir) Beatty L 21
Makonie 108		Opinnagau R 118	Ouetico 123	Sand Point	9 Stormy	63 Upper Windigo . 138	Wolverine 145
Mameigwess (Kenora) 108	Molson 113	Opishing 118	Unirke	Sandy #1	., .,	Urbach	
	nawson 1	Orangeville Reservoir 51	œ	Sandy #2		Ī	
	_	,	Racine 123	Sandybeach		133 Valence Reconour 60	Woodcock 72
Manifolwaba . 44	Moon H 49	Oscar . 118	Ranned Wood 124	Sanawe	Sturgeon (Victoria)		

144	144	7,	145	145	145	145	145	146	146	146	146	146	146	147	147	147	7														
Lake of the Woods Wright	Yorston Yorston R	2	Zadı	Zinger 1 121-9	1 15	L 16H-96 L 16H-97	L 17H-12	L 19E-62	L 19E-72	L 19F-76 L 20F-113	L 20G-134	1 216-103	L 211-04	1 231-54	L 53H-3	L #108 #625.1	J 620#														
138 69 138	138	139	139	140 68	99	140	140	140	140	68	141	145	141	141	27	141	141	141	140	140	140	140	141	7.0	70	70	7.1	7 7	141	141	142
Vermilion L. Vernon Victoria	Wababimiga	Wabigoon	Wabigoon R Wabikoba	Waboosekon	Wainfieet M	Wakami Wakwayowkastic	Walker	Wanapiter	Wangoon	Waseosa	Wasicho Wasi – see (voir)	Wistiwasing	Watabeag	Watersnake	Clear (Parry Sound)	Wavell .	Wawagoshe	Wawang	Weagamow	Weller (3)	Wenesaga	Wenebegon	Werner	Weslemkoon	West (Cochrane) West (Prince Edward)	West Don R (2)	West Humber R (2)	West Larkin	West Shining Tree Western Basin (L. Erie)	Whalen	Wheatiey Harbour Whistle White (Lanark)
Sturgeon R (Thunder Bay) (2) 133 Sucker 134	Sumach 134	Supplied 134 Susanne 134	Sutton R 135	Sutton R (month/emhonichure) 135	6	Swan (Nipissing) 64 Swany – see (voir)	Grass L 36	Sydenham R (3) 64	-	Tablerock . 135	Tadenac 65 Takwata 135	Talbot R. 65	65 & (voir)	Ghost L 93		Tatachikapika 135	u	Tea 64	: cc	L lemagamı 134 Temperance 64	Tetapaga 134	R (9)	Theatre . 135	spot	Thistle 135 Thor 135	ng 1	Thousand Islands 160	Three Mile (Muskoka) 66	Three Mile (Parry Sound) 67 Threecorner	Threenarrows 136	Thunder Bay Harbour (2) 176 Tilden 66
Sasaginaga 128 Saugeen R 60 Savoy 128 Savon	rhorn – see (voir)	lbik 1	(voir)	School   S	2).	Seagull 61	Depot .	Segise – see (voir)	Wabigoon R 139	Separation (Kenora) 129	Separation (Timiskaming) 129 Secekinika 130	Setting Net 130	Lac Seul 130 Severn R (Kenora) 130	Severn R (Muskoka) – see		Shabomeka 60		Shackleton 130 Shacp		Sharbot 60		- :	Shinlabeer 131 Shining Tree 131		Silcox		Sill 130		L Simcoe. 61	ıda	Sisseney 130 Six Mile 62
10.77.10.10											10.10				2 (0		2	·0 b	·^												
. 55 124 125 56	160	124	124	56	124	124	125	125	125	. 26	5,6	125	125	57	126	126	2,12	126	126	. 22	56	57	106	12(	2 2	126	127	58	127	19	58 58 127
Rainy (Parry Sound) 58 Rainy (Rainy River) (6) 128 Rainy R (4) 128 Raisin R	/embouchure)	Ramsey (Sudbury) 124 Ramsey (Sudbury) 124		Raven (Halfburton) 56	miskaming)					Red Deer 56	Redhorse 56					Regan 126	lle	Reta 126 Rice (Peterborough) (2) 53	ì	Rideau – see (voir) Big Rideau		Jn	Robillard – see (vorr)		Robin (Parry Sound) 5 Robinson (Hastings) 5:	on (Rainy River).	Rock teland	en R.	Roddy 127	u Bay	Rouge Marsh 58 Roughrock 127
Sound) . River) (6) .	53 & 119 Raisin R frouth/embouchure)	53 Ramsey (Sudbury) 53 Ramsey (Sudbury)	119 Ranger	Raven (Haliburton)	r 120 Raven (Timiskaming)	Reading	. 120 Reaume	n 120 Red	120 Red Cedar	Red Chark	Redhorse Red Pine	komeka 121 Redpine	53 Red Rock	Redstone	n 53 Regal		121 Restoule	Peterborough) (2)	120 Rice (Sudbury).		120 Rideau R (3)	54 Robertson		54 Robin (Cochrane)	Robin (Parry Sound) Robinson (Hastings)	on 121 Robinson (Rainy River).	Rock Book teland	43 Rocky Saugeen R.		e). 121 Rondeau Bay	
118 Rainy (Pary Sound). 118 Rainy (Rainy River) (6). 118 Rainy R (4). 51 Raisin R	Skuli 14 Otter (6) 53 & 119 Raisin R Ra	53 Ramsey (Sudbury) 53 Ramsey (Sudbury)	48 Ouellel 119 Ranger 115 Owlet. 119 Rapid	Oxtongue 53- Raven (Haliburton)	48 Ozone Cr 120 Raven (Timiskaming)	. 115 P Reading .	Paguchi . 120 Reaume	48 Pakashkan 120 Red	(Algoma)115 Pakhoan	jbury) 114 Pakwash 120 Ked Chaik 114 Palmerston 53 Red Deer	che 121 Redhorse	an 49 Papakomeka 121 Redpine	114 Papineau 53 Red Rock	Parks 121 Redstone	53 Regal	54 Regan	114 Pays Plat R 121 Restoute	121 Reta 120 Rice (Peterborouch) (2)	115 Pedro 120 Rice (Sudbury)	ing 120 Hideau – See (voif) 120 Big Rideau	115 Penelton 120 Rideau R (3)	er Bay) 115 Peninsula Tarbour 54 Robertson	54 Robillard – see (voir)	wassi 116 Percy Reach 54 Robin (Cochrane)	. 120 Robin (Parry Sound)	50 Peterson 121 Robinson (Rainy River)	Pettit Poweren con (nois)	July Saugeen R	121 Roddy	117 Pickerel (Cochrane). 121 Rondeau Bay	. 55 Rouge Marsh 122 Roughrock

## Fish Identification

The consumption advice provided in this book is related to specific species of fish and, in order to use the information properly, it is important to correctly identify the species of fish caught. On the following pages are sketches of the types of the fish most commonly sought in Ontario. Accompanying each picture is a brief description of the length and weight ranges Federation of Anglers and Hunters through their Ontario Record Fish Registry program. of the adult fish that anglers are likely to catch from Ontario's lakes and streams. For those fishermen lucky enough to land a "lunker", the record size of many species are provided for comparison. The record size information is obtained from the Ontario (see address on page 194)

Information on the distribution (D), spawning time (S) and food consumed (F) is also provided.

illustrations from two publications: Bulletin 184, Fisheries Research Board of Canada muskellunge and the sturgeon, which were drawn by Andreas Radman of the Ontario "Freshwater Fishes of Canada" by Scott and Crossman, and "Fish of Ontario" (poster) Ministry of the Environment, These illustrations were redrawn based on original fish The fish illustrations were drawn by Rebecca Brebner, with the exception of the distributed by the Ministry of Natural Resources.

## Identification des poissons

particulières de poisson et, pour tirer parti de cette information, il importe d'identifier Les conseils de consommation donnés dans le présent guide portent sur des espèces correctement les espèces que l'on prend.

cours d'eau de l'Ontario. Pour ceux qui auraient la chance de sortir une « grosse pièce », poissons adultes que le pêcheur à la ligne a des chances de prendre dans les lacs et les Ces statistiques sont tirées du registre de la pêche de l' Ontario Federation of Anglers On trouvera dans les pages qui suivent des croquis des types de poissons qui se description indicative de la fourchette de dimensions et de poids où se situeront les pêchent le plus souvent en Ontario. Chaque image est accompagnée d'une brève la taille record est indiquée pour beaucoup d'espèces aux fins de comparaison. and Hunters, (voir la page 196) On donne également des renseignements sur l'habitat des poissons (H), leurs périodes de frai (F), et leur nourriture (N).

Canada, «Freshwater Fishes of Canada», de Scott et Crossman et « Poissons de l'Ontario » tirées de deux publications : le bulletin 184 de l'Office des recherches sur les pêcheries du l'Environnement de l'Ontario. Les croquis ont été faits à partir d'illustrations originales maskinongé et de l'esturgeon, qui sont l'oeuvre d'Andreas Radman, du ministère de Les croquis des poissons ont été réalisés par Rebecca Brebner, sauf ceux du affiche diffusée par le ministère des Richesses naturelles de l'Ontario.

#### Northern Pike Brochet

Length/longueur: 45-100 cm 1.5-17.5 lb

Record (Ontario): 19.11 kg 42.12 lb Weight/poids: 0.7-8.0 kg



adults consume fish, but also take ducklings. quiet, heavily vegetated waters throughout early spring

frogs and small muskrats

le paisson adulte se nourrit de poissons et aussi de canetons, de prenouilles et de petits rats musques début du printemps

### Joue recouverte d'écailles; **Brochet**

Sheek/Joue

half of opercle only scaled,

Cheek fully scaled, upper

10 pores on undersides of

lower jaw. Northern pike.

(E. lucius)

partie supérieure de l'operseulement; 10 pores sous cule recouverte d'écailles a mâchoire inférieure. Brochet(E. lucius)

## Maskinongé

Seule la partie supérieure de la recouverte d'écailles; de 12 à 18 pores sous la mâchoire oue et de l'opercule est inferieure. Maskinongé. E. masquinongy)

#### Muskie

12-18 pores on undersides scaled only on upper half, of lower jaw. Great Lakes Cheek and opercle both (E. masquinongy) muskellunge



#### Muskellunge Maskinongé

Record (Ontano): 147.3 cm/29.48 kg S8 in/po/65.0 lb 28-46 in/po ength/longueur: 71-117 cm Neight/poids : 3.5-16.0 kg 8-35 lb



spring mainly fish, but also crayfish, frogs, mice. quiet, weedy areas of lakes and rivers ÒSE

muskrats and watertowl

des grenouilles, des souris, des rats musquès et des surtout des poissons, mais aussi dev ecrevisses

#### Valleve

10-33 in/po Length/longueur: 25-85 cm Weight/polds: 0.25-6.0 kg 0.5-13 lb

Record (Ontario) : 92.7 cm/10.09 kg 36.5 in/po/22.25 lb

mainly cold, clear waters throughout Ontario

early spring mainly fish




N: surtaut des paissans F. début du printemps l'Ontario

#### Record (Ontario): 61.0 cm/4.46 kg 24 in/po/9.84 lb Length/longueur: 25-50 cm 10-20 in/po Weight/poids: 0.5-2.3 kg Minite!

Achigan à petite bouche

Smallmouth Bass



F. jun N. paissans, écrevisses et insectes

fish, crayfish, insects

June

### Doré noir

10-16 in/po Length/longueur: 25-41 cm

Record (Ontano) : 56.4 cm/2.0 kg 22.2 in/po/4 4 lb Weight/poids: to/jusqu' à 0.5 kg



vastes étendues d'eau trouble peu profande, dans tout l'Ontario H

large, shallow, turbid waters throughout Ontario late May and early June fish, insects and freshwater shrimp

poissons, insectes et crevettes d'eau dauce fin mai, début juin

## Achigan à grande bouche Largemouth Bass

Length/longueur : 25-55 cm 10-22 in/po 10.43 lb Record (Ontano): 4.73 kg Weight/poids: 0.3-2.3 kg 0.7-5 lb



D: warm, weedy, slow or still waters with mud S: June F: mainly fish, but also crayfish and frogs

bottoms, in Southern Ontario

N: surtout des poissons, mais aussi des écrevisses et des grenouilles



Length/longueur: 15-30 cm 6-12 in/po Weight/poids: 0.2-0.3 kg 0.4-0.7 lb

Record (Onterio) : 37.5 cm/1.02 kg 14 8 in/po/2.25 lb

D: clear waters with some vegetation throughout

April or May insects, crayfish, snails and fish

SG

Ontario

eaux claires contenant un peu de végétation, dans tout F: avril ou mai
N: insectes, êcrevisses, escargots et poissons l'Ontario H



6-8 in/po

**Rock Bass** 

0.5-1 lb

 D: warm, clear, shallow, slow waters with gravel or rocky bottoms, northward to Lake Abitibi insects, crayfish, small fish Spring SE

roches ou de gravier jusqu'au lac Ahinhi au nord H: eaux chaudes, claires, peu profondes à fond de

F.: prutemps
N.: insectes, écrevisses, petits paissons


183

#### Saumon quinnat Chinook

Length/longueur: 30-100 cm 12-39 In/po

Weight/poids:0.5-18.0 kg 1-40 lb

Record (Ontano): 114.3 cm/20.62 kg 45 In/po/45.38 lb



Nageoire anele de 15 à 17 rayons aneux

Negeoire anale

Anal

Start ray count from first rudimentary ray no.1 The last ray usuelly is branched to bottom

Commencez à compler les rayon rayons a partir du premier rayon rudimentaire (1). Le demier rayon est généralement ramulé.

originaire de la côte du Pacifique et intraduit dans les F: à maturité, remonte les rivières pour frayer en Grands Lacs de l'Ontario H

automne; meurt ensuite

at maturity, swims up rivers to spawn in fall; D: introduced into Great Lakes from Pacific

West Coast

ŝ

dies after spawning mainly smelt and alewives

surtaut des éperlans et des alevins

### Saumon rose Pink Salmon

Record (Ontario) : 83.0 cm/5.9 kg 32.7 in/po/13.06 lb ength/longueur . to 46 cm 18 in/bo



has spread naturally through Great Lakes after introduction from Pacific West Coast into

ä

at maturity, travels up rivers to spawn in fall;

Lake Superior smelt, insects

dies after spawning

Ġ.

à maturité, remonte les rivières pour frayer en autonne: meurt ensuite éperlans, insectes

### Truite arc-en-ciel Rainbow Trout

-ength/longueur: 15-75 cm

6-30 In/po Weight/poids:0.2-5.5 kg 0.5-12 lb

Record (Ontario): 97.8 cm/13.21 kg 38.5 in/po/29 12 lb

Bouche blanche

Mouth white

mouchetée en lignes in radiating rows Queue toute

Spots over entire tail

migrates up river to spawn from December to May primarily a lake fish throughout Great Lakes. area, introduced from Pacific West Coast

D.

insects, freshwater shrimp, fish, snails

SG

clams, leechs

 F: remonte les rivières pour frayer de décembre à mai
 N: insectes, crevettes d'eau dance, poissons, excargots, insectes, crevettes d'eau dauce, poissons, escargots, H: originaire de la côte du Pacifique; poisson vivant surtaut dans les lacs de la région des Grands Lacs

de 10 à 12 rayons eneux

10-12 Anel rays

coquillages et sangsues

#### Saumon coho Soho

Length/longueur: 30-75 cm 12-30 in/po Weight/poids: 0.5-8.0 kg

Record (Ontario): 13.0 kg 28.64 tb 1-18 lb

gencives blanchâtres Bouche sombre gums whillsh Mouth derk

Spots on upper part of teil de la queue mouchetée Partie supéneure de 13 à 15 rayons aneux 13-15 Anal rays

swims up rivers in late fall to spawn at maturity, introduced into Great Lakes in the mid 1960s from Pacific West Coast

dies after spawning . . mainly smelt and alewives

F.: remonte les rivières pour frayer à maturité en automne; H : originaire de la côte du Pacifique, introduit dans les Grands Lacs au milieu des années 60

meurt ensuite

N: surtom des éperlans et des alevins

### Truite de lac (touladi) Lake Trout

Record (Ontario): 130.8 cm/28.63 kg 51.5 in/po/83.12 lb Length/longueur: 30-80 cm 12-31 in/po Weight/poids:0.27-4.5 kg 0.6-10 lb

H: eaux fraîches des lac profonds de tout l'Ontario F: votobre

N: poissons, larves d'insectes et ploncton

 D: cool waters of deep lakes throughout much of fish, insect larvae and plankton Ontario October

#### **Brown Trout** ruite brune

6-16 in/po Length/longueur: 15-65 cm Weight/poids: 0.2-4.5 kg

Record (Ontario) : 96.5 cm/15.59 kg 38.0 in/po/34.38 lb 0.5-10 lb

H: originaire d'Europe et introduite dans les cours d'eou du sud de l'Ontario

introduced from Europe into Southern Ontario

streams

fall

SE

insects, fish, crayfish, worms

аиготпе

insectes, poissons, écrevisses et vers

### Omble de fontaine **Brook Trout**

Saumon de l'Atlantique

10-28 In/po Length/longueur: 25-70 cm Atlantic Salmon

Weight/poids:0.9-3 6 kg

2-8 lb

Record (Ontario) : 88.9 cm/11.02 kg 35 in/po/24.30 lb

Record (Ontario) : 80.0 cm/6.58 kg 31.5 in/po/14.5 lb Length/longueur: 15-40 cm 6-16 in/po Weight/poids · 0.2-0 9 kg 0.5-2 lb



H: introduit récemment dans le lac Ontario et le lac Trout (North Bay) recently stocked in Lake Ontario and Trout Lake

(North Bay)

automne; peut remonter les rivières dès le milieu de l'été; peut frayer plusieurs fois fall; may enter rivers from mid-summer; can spawn more than once mainly smelt and alewives in Lake Ontario

OSE. surtout des éperlans et des alevins dans le lac Ontaria

insects, fish, crayfish, clams, snails cool, clear streams and small lakes

late fall

H.: cours d'eau fraîche et limpide et petits lacs F.: fin de l'automne N.: inxectes, poissons, écrevisses, coquillages et escargots

#### Grand corégone Whitefish

Length/longueur : 30-65 cm 12-26 in/po

Weight/poids: 0.3-4 0 kg 0.5-9 lb

Record (Ontario): 74.9 cm/6.70 kg 29.5 in/po/14 77 lb

- many inland lakes from Great Lakes to Hudson Bay
- aquatic insect larvae, clams, snails and plankton November and December

herring showing differences


Profiles of whitefish and

due to position of snout or

upper jaw.

A. The mouth is overhung by the snout or upper jaw; rounded profile. Whitefish (Coregonus clupeaformis)

Whitefish



ength/longueur: 36-53 cm 14-21 in/po

Weight/poids: 0.9-1.8 kg

Barbue de rivière

Channel Catfish

- H : lacs intérieurs, des Grands Lucs à la baie
- N: larves d'insectes aquatiques, coquillages, escargots novembre et décembre et plancton

d'Hudson

fish, aquatic insects, crayfish, clams and snails

spring or summer

Great Lakes and larger lakes and rivers in

ä



- sud de l'Ontario et de certames régions du Nord printemps ou été £ 2
- poissons, insectes aquatiques, écrevisses, coqaillages et escargots

#### **Brown Bullhead** Barbotte brune

cisco: remarquez la position

du museau (mâchoire

supérieure).

Profils du corégone et du

Record (Onteno) : 41.6 cm/1.08 kg 16.4 in/po/2.37 lb Length/longueur: 20-36 cm 8-14 ir/po Weight/poids: 0.3-0.45 kg 0.8-1 lb



warm, slow waters throughout Southern Ontario and parts of Northern Ontario spring ä

sur la bouche. Profil arrondi.

Corégone. (Coregonus

clupeaformis)

A. Le museau (mâchoire

Grand corégone

supérieure) est en saillie

- insect larvae, crayfish, worms, clams, snails. fish and plant material
- H: eaux chaudes et tranquilles da sud de l'Ontario et de certaiaes régions du Nord printemps
  - larves d'insectes, écrevisses, vers, coquillages escargots, paissans et plantes

## Cisco (Hareng de lac) Cisco (Lake Herring)

ength/longueur: 20-30 cm 8-12 in/po Neight/poids:0.3-0.5 kg 0.5-1 lb


23.5 in/po/4.33 lb Record (Ontario): 59.7 cm/1.96 kg

- November or December mainly plankton, but also aquatic insects, clams cold waters throughout Great Lakes to Hudson Bay

and snails



- H: eaux froides des Grands Lacs à la baie d'Hudson F: novembre ou décembre N: surtout du plancton, mais aussi des insectes
- surtout du plancton, mais aussi des insectes aquatiques, des coquillages et des escargots



Length/longueur: 30-75 cm

Carpe

proéminent; profil pointu.

Cisco. (C.artedii).

B. Le museau n'est pas

hung by the snout; pointed

profile. Lake herring

(Coregonus artedii).

B. The mouth is not over-

Cisco

Weight/poids:0.5-11.0 kg

1-24 lb

- widely introduced into Ontario in shallow, fairly warm waters ä
- insects larvae, crayfish, snails and plants June and July
- H: très commune dans tout l'Ontario dans les eaux peu profondes et relativement chaudes jum et juillet
  - larves d'insectes, écrevisses, escargots et plantes

sucks up bottom material for aquatic insects. warm shallow lakes and tributary rivers of clams, worms, and aquatic plant material larger lakes

printemps .... ...

# Record (Ontario) : 57.9 cm/2.44 kg 22.8 in/po/5.39 lb

H: lacs chauds et peu profonds et rivières se jetant dans des lacs plus étendus

aspire la vase du fond pour y trouver des insectes aquatiques, des escargots, des vers, et des plantes

#### White Bass Barblanc

8-12 in/po Length/longueur: 20-30 cm Record (Ontario): 1.30 kg 2.87 lb Weight/poids :to 0.7 kg 1.5 lb

clear waters near rock reefs and sand bars in lower Great Lakes area

ä

petits poissons, insectes, petites plantes et ecrevisses les régions inférieures des Grands Lucs F: printemps

H : eunx claires près des bancs de roches et de sable dans

small fish, insects, small plant material and crayfish

#### White Perch Baret

6-10 in/po Length/longueur · 15-25 cm Weight/poids: 0.2-0.5 kg 0.5-1 lb



N: insectes et poissons mai et juin

D: Lake Ontario, Lake Erie, lower Niagara River and Welland Canal

insects and fish

May and June

SE

### Freshwater Drum Malachigan

Record (Ontano) : 78.7 cm/9.34 kg 31.0 in/po/20.6 lb 18-20 in/po Length/longueur 45-50 cm Weight/poids: 0.5-1.0 kg 1.2 lb





ö

spring or early summer feed on bottom, eating snails, crayfish, fish

and insects

se nourrit au fond de l'eau d'escargots, d'écrevisses, printemps ou début de l'eté ou sabionneux

Weight/poids: average 0.45 kg moyen 1.0 lb Round Whitefish 8-16 in/po Length/longueur: 20-40 cm Ménomini rond

usually found in deep lakes in Southern Ontario and Great Lakes

bottom feeder, eating aquatic insect larvae,

clams and snails

White Sucker

Meunier noir

H : d'ordinaire, lacs profonds du sud de l'Ontario et Grands Lacs autonne

se nourrit au fond de l'eau; larves d'insectes aquatiques, coquillages et escargots

Length/longueur: 30-50 cm 12-20 in/po

Neight/poids: 0.45-0.9 kg

1-2 lb

## Redhorse Sucker

Suceur rouge

12-18 In/po Length/longueur . 30-45 cm Weight/poids: 0.45-0.9 kg Record (Ontano) . 4.00 kg 1.2 lb

sucks up bottom material for aquatic insects, throughout Ontario

snails and clams

aspire la vase du fond pour y trouver des insectes aquatiques, des escurgots et des caquillages H: tout l'Ontario F: printemps N: aspire la vase d



#### Marigane blanche WhiteCrappie

16 0 in/po/2 24 lb Record (Ontano): 40 6 cm/1.01 kg 8-12 In/bo Length/longueur. 20-30 cm



- mouths of tributary streams or weedy sheltered bays in lower Great Lakes area
  - late spring or early summer aquatic insects, small fish
- abritées et herheuses de la région inférieure des H. embauchure des cours d'eau affluents ou batev Grands Lucs
- F: fin du printemps ou debut ac vere N: insectes aquanques, petits paissons

## Ling (Burbot)

36.5 m/po/12.72 lb Record (Ontario): 92.7 cm/5.77 kg 30 In/po Length/longueur: to 75 cm



late winter or early spring fish, crayfish, freshwater shrimp and insects cool waters of lakes and rivers throughout Ontario

poissons, écrevisses, crevettes d'eau douce et insectes

### Anguille d'Amérique American Eel

Length/longueur: 61-91 cm



mainly in St. Lawrence River and Ottawa River drainage, and Lake Ontario

H - lacs clairs et herbeux et rivières lentes au sud de

Sault Ste. Marie

clear, weedy lakes and slow rivers northward to

Sault Ste. Marie

May and June

Record (Ontario) · 43.2 cm/1 71 kg 17.0 in/po/3.78 lb

7-10 in/po

Weight/poids :0.25-0.5 kg

0.5-1 lb

-ength/langueur . 18-25 cm

Marigane noire

Black Crappie

small fish, insects and crayfish

Pumpkinseed

Crapet-soleil

F: mai et juin N: petits poissoms, msectes et écrevisses

adults spawn once in Atlantic Occan in fall, then die; young return to lakes and rivers in spring fish, aquatic insect larvae, crayfish, snails. earthworms

- surtout le bassin du fleuve Saint-Laurent et de la rivière des Outaanais et lac Ontaria
  - les adultes fravent une fois dans l'océan Atlantique en autonine puis meurent; les jeunes poissons reviennent dans les lacs et rissères un printemps


## poissons, larves d'insectes aquanques, ecrevisses, escargots et vers de terre

## Poisson-castor Bowfin

Record (Ontario): 78.7 cm/6.65 kg 18-24 in/po Length/longueur . 46-61 cm Weight/poids 0.9-1.4 kg 2-3 lb

31.0 in/pa/14 66 lb

spring fish, crayfish, frogs a si



H: banes marecageuses et herbeuses des lacs et des rivières d'eau chaude

poissons, écrevisses, grenouilles

## D: clear, shallow weedy waters northward to

H: eaux claires et herbeuses au sud de Temaganni

insects, snails Temagami spring

#### Weight/poids: less than/moins de 0.2 kg 0 5 lb 11.0 in/po/1.04 lb Record (Ontario): 27.9 cm/0.47 kg Length/longueur . 18-23 cm 7-9 in/po

F: printemps N: insectes, escargots

#### **Crapet arlequin** Bluegill

Record (Ontario) : 28.2 cm/0.83kg 11.1 in/po/1 83 lb 6-12 in/po Length/longueur: 15-30 cm



- D: warm, vegetated still waters throughout Southern Ontario
  - spring and summer insects, vegetation

Laquaiche aux yeux d'or

Goldeve

Record (Ontano): 36:5 cm/0.48kg 14.4 in/po/1.06 lb

10-15 in/po

ength/longueur: 25-38 cm

- H: eaux chandes et tranquilles colonisées por des plantes dans tout le sud de l'Ontario
- printemps et été
- insectes et végétation

#### Esturgeon de lac Sturgeon

Record (Ontano) 175.3 cm/76.2 kg 69.0 in/po/168 lb Length/longueur . 90-145 cm 3-5 ft/pi Weight/poids: 4.5-36 kg 10-80 lb



F : printemps; vit longtemps et ne porvient pas à matarité avant environ 20 ans

N: se nourrit au fond de lanves d'insectes, d'escargois et d'écrevisses

bottom feeder, consuming insect larvae, snails

and cravfish


about 20 years of age

D: larger rivers and lakes, usually in depths less spring; attain great ages, not maturing until

than 30 feet

#### Eperlan arc-en-ciel Rainbow Smelt

6-10 in/po Record (Ontano) : 27.3 cm/0.15 kg 10.8 in/po/0.33 ib Length/longueur: 15-25 cm



throughout Great Lakes area

petits possons, petits organismes aqualiques, vers

## i i i i i

late April small fish, small aquatic life, worms

H: régions du N-E et du N-O de l'Ontario, souvent dans

les eaux rapides et alluviales

F: printemps N: insectes, escargots, ècrevisses et poissons


D: parts of NE & NW Ontario often in swift silty

spring insects, snails, crayfish, fish


### Laquaiche argentée Mooneye

Record (Ontano): 40.0 cm/0 65 kg 10-12 in/po Length/longueur; 25-30 cm

15.75 in/po/1.43 lb



H: rivières claires et eaux peu profondes des lacs
 F: printemps
 N: paissons, insectes, escargots et petites plantes





			English Common Name	Nom trançais	Scientific Name Nom scientifique
Fish Names <sup>1</sup>	eS <sup>1</sup>		Bloater, Hoy's Cisco	Cisco de fumage	Coregonus hoyi (Gill)
Noms des poissons <sup>1</sup>	poissons <sup>1</sup>		Whitefish, Lake Whitefish	Grand corégone	Coregonus clupeaformis (M
English Common	Nom français	Scientific Name Nom scientifique	Round Whitefish, Menominee	Menomini rond	Prosopium cylindraceum (P
Sturgeon,	Esturgeon de lac,	Acipenser fulvescens Rafinesque	Rainbow Smelt, Smelt	Éperlan arc-en-ciel. Éperlan du nord	Osmerus mordax (Mutchill)
Lake Sturgeon Longnose Gar	charbonnier Lépisonté osseux	Lepisoteus osseus (Linnaeus)	Goldeye, Winnipeg Goldeye	Laquaiche aux yeux d'or	Hiodon alosoides (Rafinesq
Bowfin, dogfish, lawyer	Poisson-castor	Amia calva Lunaeus	Mooneye	Laquaiche argentée	Hiodon tergisus (Lesueur)
Alewife	Gaspareau	Alosa pseudoharengus (Wilson)	Northern Pike,	Brochet, grand brochet	Esox lucius (Linnaeus)
Gizzard shad. Shad, sawbelly	Alose à gésier	Dorosoma cepedianum (Lesueur)	Jack		
Atlantic Salmon	Saumon de l'Atlantique	Salmo salar Linnaeus	Muskie, Muskellunge, Maskinonge, Lunge	Maskinongé	Esox masquinongy Mitchill
Pink Salmon	Saumon rose	Oncorhynchus gorbuscha (Walbaum)	Goldfish,	Poisson doré	Carassius auratus (Linnaeu
Coho Salmon	Saumon coho	Oncorhynchus kisutch (Walbaum)	Content Carp		
Chinook Salmon	Saumon quinnat	Oncorhynchus tshawytscha (Walbaum)	Carp, Millol Carp	Carpe	Cyprinus carpio Linnacus
Rainbow Trout,	Truite arc-en-ciel	Oncorhynchus mykiss (Walbaum)	Quillback Carpsucker, Quillback, Drum	Couette	Carpiodes exprimas (Lesueu
	4		Longnose Sucker	Meunier rouge	Catostomus catostomus (Fo
Brook front	Omble de fontaine	Salvelinus fontinalis (Mitchill)	White Sucker, Common Sucker	Meunier noir	Catostomus commersoni (La
Speckled Trout, Square-tail, aurora Trout			Redhorse Sucker,	Suceur rouge	Moxostroma macrolepidotu
Lake Trout, Grey Trout Laker, Namaycush	Truite de lac, touladí	Salvelinus namaycush (Walbaum)	Common Mullet		
Siscowet, fat	Siscowet	Salvelinus numaycush siscowet (Agaisstz)	Brown Bullhead, Common	Barbotte brune	Ameiurus nebulosus (Lesue
Splake, Wendigo	Truite moulac	Hybrid of Salvelinus namayeush (Walbaum) and Salvelinus fontinalis (Mitchill)	Channel Catfish, Channel Cat	Barbue de rivière	Ictalurus punctatus (Rafines

English Common Name	Nom français	Scientific Name Nom scientifique
Bloater, Hoy's Cisco	Cisco de fumage	Coregonus hoyi (Gill)
Whitefish, Lake Whitefish	Grand corégone	Coregonus clupeaformis (Mitchill)
Round Whitefish, Menominee	Menomini rond	Prosopium cylindraceum (Pallas)
Rainbow Smelt, Smelt	Éperlan arc-en-ciel. Éperlan du nord	Osmerus mordax (Muchill)
Goldeye, Winnipeg Goldeye	Laquaiche aux yeux d'or	Hiodon alosoides (Rafinesque)
Mooneye	Laquaiche argentée	Hiodon tergisus (Lesueur)
Northern Pike, Great Northern Pike, Jack	Brochet, grand brochet	Esox (ucius (Linnaeus)
Muskie, Muskellunge, Maskinonge, Lunge	Maskinongé	Esox masquinongy Muchill
Goldfish, Golden Carp	Poisson doré	Carossius auratus (Linnaeus)
Carp, Mirror Carp	Carpe	Cyprinus carpio Linnaeus
Quillback Carpsucker, Quillback, Drum	Couette	Carpiodes exprinus (Lesueur)
Longnose Sucker	Meunier rouge	Catostomus catostomus (Forster)
White Sucker, Common Sucker	Meunier noir	Catostomus commersoni (Lacépède)
Redhorse Sucker, Northern Redhorse, Common Mullet	Suceur rouge	Moxostroma macrolepidotum (Lesueur)
Brown Bullhead, Common	Barbotte brune	Ameiurus nebulosus (Lesueur)
Channel Catfish, Channel Cat	Barbue de rivière	Ictalurus punctatus (Rafinesque)

Common Eel		
Burbot, Ling, Maria, Freshwater Cod, Lawyer	Lotte	Lota lota (Linnaeus)
White Perch, Silver Perch	Baret	Morone americana (Gmelin)
White Bass, Silver Bass	Bar blanc	Morone chrysops (Rafinesque)
Rock Bass, Redeye	Crapet de roche	Ambloplites rupestris (Rafinesque)
Pumpkinseed, Common Sunfish	Crapet-soleil	Lepomis gibbosus (Linnaeus)
Bluegill, Bluegill Sunfish, Bream	Crapet arlequin	Lepomis machrochirus Rafinesque
Smallmouth Bass, Black Bass	Achigan à petite bouche	Micropterus dolomieui Lacépède
Largemouth Bass, Largemouth, Black Bass, Green Bass	Achigan à grande bouche	Micropierus salmoides Lacépède
White Crappie, Crappie	Marigane blanche	Pomoxis annularis Rafinesque
Black Crappie, Crappie, Calico Bass	Marigane noire	Pomoxis nigromaculatis (Lesueur)
Yellow Perch, Perch, Lake Perch	Perchaude	Perca flavescens (Mitchill)
Sauger, Sand Pickerel Sand Pike	Doré noir	Stizostedion canadense (Smith)
Walleye, Yellow Walleye, Pickerel, Yellow Pickerel, Wall- eyed Pike, Pike-Perch	Doré	Stizostedion vireum (Muchill)
Freshwater Drum, Sheepshead, Drum	Malachigan	Aplodinotus grunniens Rafinesque

Anguilla rostrata (Lesueur)

Anguille d'Amérique

American Eel, Eel,

The names of fish are as contained in "Freshwater Fishes of Canada" by W. B. Scott and E.J. Crossman, Bulletin 1847: Fisheries Research Board of Canada, 1973.
 Les noma des poissons sont tirés de «Freshwere Fishes of Canada» par W.B. Scott et E.J. Crossman, Bulletin 184 de l'Office des recherches sur les pêcheries du Canada. 1973.

## Addresses

## Ministry of the Environment

(from area codes 705/807)

Hwy. 101 E., P.O. Bag 3080

Timmins District Office, Ontario Govt. Complex. South Porcupine, PON 1H0

Tel.: 705/235-1500

Thunder Bay District Office.

435 James St. S., Suite 331,

Thunder Bay, P7E 6S7 : 1-800-875-7772

Tel.: 807/475-1315

: toll-free: 1-800-565-4923 Tel.: Toronto: 416/325-4000 Public Information Centre 35 St. Clair Ave. W., Toronto, M4V 1P5

: toll-free: 1-800-268-6060 Fel.: Toronto: 416/325-3000 Spills Action Centre

Regional, District and Area Offices

## Central Region

Metro Toronto District Office, 5775 Yonge St., 8th floor, Central Region Office, North York, M2M 4J1 : 1-800-810-8048 Tel.: 416/326/6700

Halton-Peel District Office, 1182 North Shore Blvd. E., Burlington, L7R 3Z9 " floor,

: 1-800-335-5906 Tel.: 905/637-4150

York-Durham District Office, 230 Westney Rd. S., 5th floor, Tel.: 905/427-5600 Ajax L1S 715

Southwestern Region

: 1-800-376-4547

(from area code 519) London Regional Office, : 1-800-265-7672 985 Adelaide St. S., Tel.: 519/661-2200 London, N6E 1V3

## Eastern Region

Kingston Regional Office, Box 820, 133 Dalton Ave., Tel.: 613/549-4000 Kingston, K7L 4X6

Belleville Area Office, Belleville, K8N 1G1 470 Dundas St. E., Belleville Mall,

(from area code 613) Cornwall Area Office,

: 1-800-860-2763

: 1-800-860-2763 Fel.: 613/933-7402 Cornwall, K6H 3P1 113 Amelia St.,

(from area code 613)

: 1-800-267-0974 Tel.: 613/548-6911

: 1-800-267-0974

(from area codes 613/705/905)

Tel.: 613/962-9208

Box 820, 133 Dalton Ave., Kingston District Office, Kingston, K7L 4X6

(from area codes 613/705/905)

Ministry of Natural Resources

(from area codes 705/807)

1-800-380-6615

## Natural Resources Information Centres

Toronto:

General Inquiry: 416/314-2000 French Inquiry: 416/314-1665

General Inquiry: 705/755-2000 Peterborough:

Regional and area offices

## Northwest Region

SouthCentral Region

Regional Office - Peterborough, 300 Water St., 4th floor, South P.O. Box 7000, l'ower, Regional Office - Thunder Bay, 435 S. James St., Suite 221, Thunder Bay, P7E 6S8 Fel.: 807/475-1261

Peterborough, K9J 8M5 Algonquin Park Office,

Tel.: 705/755-2500

Box 219,

Atikokan, P0T 1C0 Tel.: 807/597-6971 Atikokan Office, 108 Saturn Ave.,

479 Government Rd. (Hwy.17), Dryden, P8N 2Z4 Dryden Office, Box 730,

Fel.: 807/223-3341

Tel.: 613/637-2780 Whitney, K0J 2M0

Aurora, Greater Toronto Area, 50 Bloomington Rd., RR #2 Tel.: 905/713-7400 Aurora, L4G 3G8

Barrie District Office, : 1-800-890-8511 54 Cedar Pointe Dr., Tel.: 705/726-1730 Barrie, L4N 5R7 Unit 1203.

Owen Sound Area Office, (from area code 519) Owen Sound, N7T 7X1 : 1-800-265-3783 Tel.: 519/371-2901 1180-20th St. E.,

: 1-800-387-7784 Samia District Office, Tel.: 519/336-4030 1094 London Rd., Samia, N7S 1P1

250 Windsor Ave., 6th floor, : 1-800-387-8826 Windsor Area Office, Windsor, N9A 6V9 Tel.: 519/254-2546

West Central Region

119 King St. W., 12th floor, Hamilton Regional Office, Tel.: 905/521-7640 Hamilton, L8P 4Y7

Guelph District Office, : 1-800-668-4557 Tel.: 519/826-4255 I Stone Road W., Guelph, NIG 4Y2

: 1-800-265-8658

119 King St. W., 9th floor. Hamilton District Office, : 1-800-668-4557 Hamilton, L8P 4Y7 Fel.: 905/521-7650

301 St. Paul St., 9th floor St. Catharines, L2R 3M8 Niagara District Office, : 1-800-263-1035 Fel.: 905/704-3900

Ortawa District Office. 1-800-860-2195 Tel.: 613/521-3450 Ottawa, KIV 7P2 2435 Holly Lane,

(from area codes 613/705/905) 300 Water St., Robinson Place. Peterborough District Office, Peterborough, K9J 8M5 : 1-800-558-0595 Fel.: 705/755-4300

## Northern Region

(from area codes 705/807) Thunder Bay Regional Office. 135 James St. S., Suite 331, Thunder Bay, P7E 6S7 1-800-875-7772 Tel.: 807/475-1205

Kenora Area Office, Tel.: 807/468-2718 808 Robertson St., Kenora, P9N 1X9 P.O. Box 5150.

(from area code 807) : 1-888-367-7622

North Bay Area Office, : 1-800-609-5553 North Bay, P1B 2H3 Fel.: 705/476-1001 Northgate Plaza, 1500 Fisher St.,

(from area codes 705/807) Sault Ste. Marie Area Office, Sault Ste. Marie, P6A 2A8 : 1-800-965-9990 Tel.: 705/949-4640 747 Queen St. E.,

199 Larch St., Suite 1101, Sudbury District Office, 1-800-890-8516 Tel.: 705/564-3237 Sudbury, P3E 5P9

(from area codes 705/807)

Fort Frances, P9A 1J4 Fort Frances Office, Fel.: 807/274-5337 208 Beamish Ave., Geraldton Office. 922 Scott St... Box 640.

30x 500, Hwy. 28,

Bancroft Office.

Geraldton, POT 1M0 Fel.: 807/854-1030

el.: 807/934-2233 Ignace, POT 1T0 gnace Office. 30x 448.

rel.: 807/468-2501 808 Robertson St., Kenora, P9N 3X9 Kenora Office, Box 5080,

5 Wadsworth, Box 970. rel.: 807/887-5000 Nipigon, POT 230 Nipigon Office,

227 Howey St., Box 5003, Red Lake, P0V 2M0 Fel.: 807/727-2253 Red Lake Office,

Sioux Lookout, P0V 2T0 Sioux Lookout Office, Fel.: 807/737-1140 Prince St., Box 309,

Kemptville, K0G 1J0

Fel.: 613/258-8204

Terrace Bay, POT 2W0 Tel.: 807/825-3205 Terrace Bay Office, Box 280,

Thunder Bay, P7E 6S8 Thunder Bay Office, Fel.: 807/475-1471 435 S. James St., Suite B001.

Fel.: 519/773-9241 Aylmer, N5H 2S8 53 Talbot St. W.. Avlmer Office,

R.R. 2, Hwy. 11 N. at High Falls Tel.: 613/332-3940 Bracebridge Office, Bancroft, KOL 1C0

023 Richmond St., Box 1168, Bracebridge, P1L 1W9 Tel.: 705/645-8747 Chatham, N7M 5J5 Chatham Office,

00 Don St., Box 819, rel.: 519/482-3428 Clinton, NOM 1L0 Clinton Office,

Tel.: 519/354-7340

Tel.: 519/658-9355 Guelph, NIG 4Y2 Kemptville Office, Stone Rd. West. Postal Bag 2002, Concession Rd., Guelph Office.

Ontario Government Building, Beachgrove Complex, .el.: 613/531-5700 798 King St. N., Kingston, K7L 5S8 Kingston Office.

Midhurst (Huronia) Office, 2284 Nursery Rd.,

Midhurst, LOL 1X0 Fel.: 705/725-7500

Minden, KOM 2K0 Fel.: 705/286-1521 Hwv. 35 Bypass, Minden Office.

Vineland Station, LOR 2E0 4890 Victoria Ave. N., 'el.: 905/562-4147 Niagara Office, P. O. Box 5000.

Owen Sound, N4K 2Z1 Owen Sound Office, 1450 7th Ave. E.,

Tel.: 519/376-3860 Parry Sound Office,

Parry Sound, P2A 1S4 Fel.: 705/746-4201 Bay St.,

Riverside Dr., Box 220, Pembroke, K8A 6X4 Tel.: 613/732-3661 Pembroke Office,

300 Water St., P. O. Box 7000, Peterborough Office,

Peterborough, K9J 8M5 Tel.: 705/755-2001

Postal Bag 70, Old Troy Rd., Tel.: 613/478-2330 Tweed, KOK 3J0 Iweed Office,

## Northeast Region

Regional Office - South Porcupine, Ontario Government Complex, Hwy. 101 E., P.O. Bag 3020. South Porcupine, PON 1H0 Fel.: 705/235-1157

Blind River, POR 1B0 Tel.: 705/356-2234 Blind River Office, 62 Queen Ave.,

Sault Ste. Marie, P6A 3H3 sault Ste. Marie Office, Tel.: 705/949-1231 64 Church St...

767 Hwv. 69 S.. Suite 5. Sudbury, P3G 1E7 Sudbury Office,

Tel.: 705/564-7823

Timmins, P4N 3W2 Tel.: 705/267-7951 896 Riverside Dr., Timmins Office.

Hwy. 101, Box 1160, Tel.: 705/856-2396 Wawa, POS 1K0 Wawa Office,

internet: www.hc-sc.gc.ca Tel.: 613/957-2991 Health Canada

Canadian Food Inspection Agency Tel.: 905/795-9666

The Ontario Federation of Peterborough, K9J 8L5 Internet: www.ofah.org Anglers and Hunters. Jel.: 705/748-6324 P.O. Box 2800,

## Adresses

## Ministère de l'Environnement

Téléphone : (Toronto) 416 325-4000 Centre d'information du Ministère : 1 800 565-4923 35, avenue St. Clair ouest Foronto ON M4V 1P5

Centre d'intervention en cas de déversement Téléphone : (Toronto) 416/325-3000 : 1 800 268-6060

Bureaux régionaux, de district et de secteur

## Région de l'Est

Bureau régional de Toronto Téléphone : 416 326-6700

Région du Centre

North York ON M2M 4J1 5775, rue Yonge, 8e étage

: 1 800 267-0974 Bureau régional de Kingston Féléphone : 613 549-4000 Kingston ON K7L 4X6 133, avenue Dalton Case postale 820

Belleville Mall, 470, rue Dundas est Bureau de secteur de Belleville : 1 800 860-2763 Féléphone : 613 962-9208 Belleville ON K8N 1G1

Bureau de district de Halton-Peel 1182, boulevard North Shore est

: 1 800 810-8048

Bureau de secteur de Cornwall : 1 800 860-2763 Féléphone : 613 933-7402 Cornwall ON K6H 3P1 113, rue Amelia

Bureau de district de York-Durham 230, chemin Westney sud, 5e étage

: 1800 376-4547

Région du Sud-Ouest 985, rue Adelaide sud

Téléphone : 905 427-5600

Ajax ON L1S 7J5

: 1 800 335-5906

Téléphone : 905 637-4150

Burlington ON L7R 3Z9

rez-de-chaussée

3ureau de district de Kingston Kingston ON K7L 4X6 133, avenue Dalton Case postale 820

Téléphone : 613 548-6911

: 1 800 267-0974

: 1800 265-7672

Téléphone : 519 661-2200 Bureau régional de London

London ON N6E 1V3

Chapleau Office, 190 Cherry St., Chapleau, POM 1K0 Tel.: 705/864-1710

Cochrane Office, 2 Third Ave., Box 730, Cochrane, POL ICO Tel.: 705/272-4365 Espanola Office, 148 Fleming St., Box 1340, Espanola, P0P 1C0 Tel.: 705/869-1330

Gogama Office, Box 129. Gogama, P0M 1W0 Tel.: 705/894-2000 Hearst Office, 613 Front St., Box 670, Hearst, POL 1N0 Tel.: 705/362-4346 Kapuskasing Office, R.R. 2, Kapuskasing, PSN 2X8 Tel.: 705/335-6191

Kirkland Lake Office. Box 129, Hwy. 66 & 112, Kirkland Lake, POK 1T0 Tel.: 705/642-3222 Manitouwadge Office, Box 309, Manitouwadge, P0T 2C0 Tel.: 807/826-3225

Moosonce Office, Revillion Rd., Box 190, Moosonee, POL 1Y0 Tel.: 705/336-2987 North Bay Office, 3301 Trout Lake Rd., North Bay, P1A 4L7 Tel.: 705/475-5550

Bureau de district de Barrie 54, Cedar Pointe Drive, unite 1203 Barrie ON LAN 5R7 Féléphone : 705 726-1730

: 1 800 890-8511

Bureau de secteur d'Owen Sound 1180, 20e rue est Owen Sound ON NTT 7X1 Téléphone : 519 371-2901 : 1800 265-3783

Bureau de district de Sarnia 1094, chemin London Sarnia ON NTS 1P1 Téléphone : 519 336-4030 : 1 800 387-7784 Bureau de secteur de Windsor 250, avenne Windsor, 6e étage Windsor ON N9A 6V9 Téléphone : 519 254-2546 : 1800 387-8826

## Région du Centre-Ouest

Bureau régional de Hamilton 119, rue King ouest, 12e étage Hamilton ON L8P 4Y7 Téléphone : 905 521-7640 : 1 800 668-4557 Bureau de district de Guelph I, rne Stone ouest Guelph ON N1G 4Y2 Téléphone : 519 826-4255 : 1800 265-8658 Bureau de district de Hamilton 119, nue King ouest, 9e étage Hamilton ON L8P 4Y7 Téléphone : 905 521-7650 : 1 800 668-4557

Bureau de district de Niagara 301, rue St. Paul. 9e étage St. Catharines ON L2R 3M8 Téléphone : 905 704-3900

Bureau de district d'Ottawa 2435, Holly Lane Ottawa ON KIV 7P2 Téléphone : 613 521-3450

: 1-800 860-2195

Bureau de district de Peterborough 300. rue Water Peterborough ON K9J 8M5 Téléphone : 705 755-4300 : 1-800 558-0595

### Région du Nord

Bureau régional de Thunder Bay 435, rue James sud. bureau 331 Thunder Bay ON PTE 657 Téléphone : 807 475-1205 : 1 800 875-1772

Bureau de secteur de Kenora Case postale 5150 808, rue Robertson Kenora ON PON 189 Téléphone : 1888 367-7622 Bureau de secteur de North Bay Northgate Plaza 1500, rue Fisher North Bay ON PIB 2H3 Téléphone : 705 476-1001 : 1800 609-5553 Bureau de secteur de Sault Ste. Marie 747, rue Queen est Sault Ste. Marie 01 P6A 2A8 Téléphone : 1809 965-9990

Bureau de district de Sudbury 199, rue Larch, bureau 1101 Sudbury, ON P3E 5P9 Tèléphone : 705 564-3237 : 1 800 890-8516

435, rue James sud, bureau 331 Thunder Bay ON P7E 6S7 Téléphone : 807 475-1315 Bureau de district de hunder Bay

: 1 800 875-7772

South Porcupine ON PON 1H0 Bureau de district de Timmins : 1 800 380-6615 Téléphone : 705 235-1500 Case postale 3080 Route 101 est

## Ministère des Richesses naturelles

: (Peterborough): 705 755-2000 Téléphone: (Toronto): 416 314-1665 · Centre d'information du Ministère

Bureaux de secteur et de district

## Région du Nord-Ouest

Phunder Bay ON P7E 6S8 Féléphone : 807 475-1261 Bureau régional de 435, rue James sud **Fhunder Bay** 

Téléphone : 807 597-6971 Atikokan ON POT 1C0 Bureau d'Atikokan 108, avenue Saturn

479, chemin Government Bureau de Dryden route 17)

Féléphone : 807 223-3341 Dryden ON P8N 2Z4 Case postale 730

Fort Frances ON P9A 1J4 Téléphone : 807 274-5337 Bureau de Fort Frances 922, rue Scott

Téléphone : 705 235-1157 Case postale 3080 South Porcupine Route 101 est

Téléphone : 705 356-2234 62, rue Queen

Bureau de Chapleau 190, rue Cherry

Téléphone : 705 272-4365 Cochrane ON POL 1C0 Bureau de Cochrane

Région du Nord-Est Bureau régional de South Porcupine ON P0N 1H0

Blind River ON POR 1B0 Bureau de Blind River

Téléphone : 705 864-1710 Chapleau ON POM 1K0

2, 3e avenue, case postale 730

Téléphone : 705 267-7951 Fimmins ON P4N 3W2 896. Riverside Drive Burcan de Timmins

Wawa ON POS 1K0 Case postale 1160 Bureau de Wawa Route 101

Téléphone : 705 856-2396

## Région du Centre-Sud

Peterborough ON K9J 8M5 Téléphone : 705 755-2500 300, rue Water, 4e étage Bureau régional de Case postale 7000 Peterborough

Téléphone : 613 637-2780 Bureau du parc Algonquin Whitney ON K0J 2M0 Case postale 219

Bureau d'Aurora et de la région

Teléphone : 905 713-7400 50, chemin Bloomington Aurora ON L4G 3G8 ouest R.R. 2 de Toronto

Téléphone : 519 773-9241 Aylmer ON N5H 2S8 353, rue Talbot ouest Bureau d'Aylmer

Téléphone : 613 332-3940 Route 28, case postale 500 Bancroft ON KOL 1C0 Bureau de Bancroft

Bracebridge ON PIL 1W9 Téléphone : 705 645-8747 Bureau de Bracebridge R.R. 2, route 11 nord

Owen Sound ON N4K 2Z1 Féléphone : 519 376-3860 Bureau d'Owen Sound 450 7e avenue est

Parry Sound ON P2A 1S4 Téléphone : 705 746-4201 Bureau de Parry Sound 7. rue Bay

Léléphone : 613 732-3661 Pembroke ON K8A 6X4 Bureau de Pembroke Case postale 220 Riverside Drive

Peterborough ON K9J 8M5 Féléphone : 705 755-2001 Bureau de Peterborough Case postale 7000 300, rue Water

Téléphone : 613 478-2330 Tweed ON KOK 3JO Bureau de Fweed Chemin Old Troy Sac postal 70

nternet: www.hc-sc.gc.ca Féléphone: 613 957-2991 Santé Canada

gence canadienne d'inspection éléphone : 905 795-9666 des ailments

Peterborough ON K9J 8L5 Féléphone : 705 748-6324 nternet: www.ofah.org Ontario Federation of Anglers and Hunters case postale 2800

Bureau de Geraldton 208, avenue Beamish ouest Case postale 640 Geraldton ON POT IMO Telephone : 807 854-1030

Bureau d'Ignace Case postale 448 Ignace ON POT 1T0 Téléphone : 807 934-2233 Bureau de Kenora 808, rue Robertson Case postale 5080 Kenora ON P9N 3X9 Téléphone : 807 468-2501 Bureau de Nipigon 5, rue Wadsworth Case postale 970 Nipigon ON P0T 2J0 Téléphone : 807 887-5000 Bureau de Red Lake 227, rue Howey Case postale 5003 Red Lake ON POV 2M0 Téléphone : 807 727-2253 Bureau de Sioux Lookout Rue Prince, case postale 309 Sioux Lookout ON POV 2TO Téléphone: 807 737-1140

Bureau de Terrace Bay Case postale 280 Terrace Bay ON P0T 2W0 Téléphone : 807 825-3205 Bureau de Thunder Bay 435, rue James sud Thunder Bay ON P7E 6S8 Téléphone : 807 475-1471

Bureau d'Espanola 148, rue Fleming, case postale 1340 Espanola ON POP ICO Téléphone : 705 869-1330 Bureau de Gogama 2000, avenue Low, case postale 129 Gogama ON POM 1W0 Téléphone : 705 894-2000

Bureau de Hearst 613, rue Front, case postale 670 Hearst ON POL INO Téléphone : 705 362-4346

Bureau de Kapuskasing R.R.2 Kapuskasing ON P5N 2X8 Téléphone : 705 335-6191

Téléphone : 705 335-6191

Bureau de Kirkland Lake Intersection des routes 66 et 112 Kirkland Lake ON POK 1T0 Téléphone : 705 642-3222

Bureau de Manitouwadge Case postale 390 Manitouwadge ON P0T 2C0 Téléphone : 807 826-3225

Bureau de Moosonee Case postale 190 Moosonee ON POL 1Y0 Téléphone : 705 336-2987 Bureau de North Bay 3301, chemin Trout Lake North Bay ON PIA 4L7 Téléphone : 705 475-5550 Bureau de Sault Ste. Marie 64, rue Church Sault Ste. Marie ON P6A 3H3 Téléphone : 705 949-1231

Bureau de Sudbury 3767, route 69 sud, bureau 5 Sudbury ON P3G·1E7 Téléphone : 705 564-7823

Bureau de Chatham 1023, rue Richmond ouest Case postale 1168 Chatham ON N7M 515 Téléphone : 519 334-7340

Bureau de Clinton 100, rue Don Case postale 819 Clinton ON NOM ILO Téléphone : 519 482-3428

Burcau de Guelph I, rue Stone ouest Guelph ON NIG 4Y2 Téléphone : 519 658-9355 Bureau de Kemptville Sac postal 2002 Chemir Concession Kemptville ON KOG 1J0 Téléphone: 613 258-8204 Bureau de Kingston Edifice de gouvernement de Complexe Beachgrove 789. ne King nord Kingston OM K7L 5S8 Kingston ON 613 531-5700 Bureau de Midhurst (Huronie) 2284, chemin Nursery Midhurst ON LOL IX0 Téléphone : 705 725-7500 Bureau de Minden Voie d'evitement de la route 35 Minden ON KOM 2K0 Téléphone : 705 286-1521 Bureau de Niagara 4890, ne Victoria nord Case postale 5000 Vineland Station ON LOR 2E0 Téléphone : 905 562-4147

#### Notes

#### Notes

Veuillez noter que pour certains endroits des renseignements sur la consommation peuvent être donnés pour des espèces de poissons qu'il est interdit d'avoir en sa possession en vertu des règlements de la pêche de l'Ontario. La même restriction s'applique aux poissons de certaines tailles. Les pêcheurs devraient consulter la dernière parution du *Résumé des règlements de la pêche sportive en Ontario* pour s'assurer que la pêche est permise sur un plan d'eau en particulier, et qu'il est permis de conserver tous les poissons capturés. On peut obtenir ces publications ens'adressant au Centre d'information du ministère des Richesses naturelles (édifice Macdonald, 900 rue Bay, bureau M1-73, Toronto (Ontario) M7A 2C1, aux bureaux locaux du ministère des Richesses naturelles et aux endroits où l'on délivre des permis de pêche).

Guide de	consommation du poisson gibier
Symbole	Consommation recommandée
Q1	jusqu'à huit repas par mois*
4	maximum de quatre repas par mois
2	maximum de deux repas par mois
1	maximum d'un repas par mois
400-4	éviter de consommer ce poisson

<sup>\*</sup>Les femmes en âge de procréer et les enfants de moins de 15 ans ne devraient manger que du poisson représenté par le symbole . \_\_\_\_ et pas plus de quatre fois par mois.

Par repas, on entend une portion de 227 grammes de poisson (huit onces).

#### Contaminants analysés

Le chiffre qui figure à côté du nom de l'espèce de poisson désigne le contaminant ou le groupe de contaminants pour lequel le poisson a été analysé.

- 1 Mercure
- 2 Mercure, BPC, mirex/photomirex et pesticides
- 3 BPC, mirex et pesticides
- 4 Mercure, BPC et mirex
- 5 Mercure, autres métaux, BPC, mirex/photomirex et pesticides
- 6 Mercure et autres métaux
- 7 Dioxines et furannes
- 8 Mercure, BPC, mirex/photomirex, pesticides, chlorophénols et chlorobenzènes
- 9 Hydrocarbures aromatiques polycyliques (HAP)

Vous trouverez à la page 3 un guide d'utilisation des tableaux. L'index des emplacements figure à la page 178.

#### Guide de consommation du poisson gibier de l'Ontario

1999-2000

Vingtième édition revue et augmentée

© 1999, Imprimeur de la Reine pour l'Ontario Reproduction autorisée à des fins non commerciales à condition d'en indiquer la source ISSN 0826-9653

Cet ouvrage à tirage limité est distribué au : Centre d'information Ministère de l'Environnement 135, avenue St. Clair ouest Toronto (Ontario) M4V 1P5

Distribution gratuite

PIBS 590B09

Illustration de la page couverture de Curtis Atwater





#### Message de l'honorable Norman W. Sterling,

#### ministre de l'Environnement

En veillant à la qualité de l'environnement en Ontario, nous protégeons la santé publique, stimulons l'investissement et la croissance économique, et profitons des nombreuses possibilités offertes sur le plan des loisirs et du tourisme.

Le Guide de consommation du poisson gibier de l'Ontario a été publié pour la première fois en 1977 afin de fournir des directives sur la consommation du poisson gibier pêché dans les eaux ontariennes. Le guide, qui est préparé tous les deux ans par le ministère de l'Environnement et le ministère des Richesses naturelles, découle des plus importants programmes d'analyse et d'établissement de directives en Amérique du Nord.

Le guide renferme une liste de plus de 1 600 emplacements qui ont fait l'objet d'analyses, les espèces de poissons et les contaminants analysés, ainsi que toute restriction quant à la quantité de poisson à consommer par mois.

Les interdictions et les restrictions imposées quant à l'usage de substances, telles que le DDT, les BPC, le mirex, le toxaphène, le chlordane et la dieldrine, ont eu une grande importance pour un certain nombre d'emplacements où les niveaux de pollution étaient élevés dans les années 1970.

Il y a désormais un moins grand nombre de restrictions quant à la consommation de poissons du lac Ontario; la teneur en BPC du touladi du lac Huron a diminué de plus de 75 pour 100; la teneur en mercure de la perchaude du lac Sainte-Claire affiche une baisse de 90 pour 100; et toutes les réductions de consommation associées au DDT ont été supprimées.

Il faut tout de même faire attention à l'espèce de poisson que l'on consomme, la fréquence de consommation et les eaux dans lesquelles le poisson a été pêché. En suivant les directives du guide, on peut consommer du poisson sans avoir à s'inquiéter d'effets nocifs pour la santé.

Le ministère de l'Environnement a à coeur de protéger la qualité de l'air, des eaux et des terres de l'Ontario. Grâce à des programmes prioritaires, tels que le Programme de surveillance de la contamination du poisson gibier, la Fondation ontarienne de régénération des Grands Lacs et le programme Air pur Ontario, associés à l'imposition de pénalités plus sévères aux pollueurs, nous contribuons à faire de la province un endroit de prédilection pour vivre, travailler et élever une famille.

Notre ministère ne fait pas cavalier seul sur le plan de la protection de l'environnement. Divers groupes et Ontariennes et Ontariens dévoués contribuent au succès de ces programmes prioritaires et de bien d'autres programmes, notamment le Partenariat pour la protection des lacs du ministère.

À titre de ministre de l'Environnement de l'Ontario, j'ai le plaisir de remercier tous nos partenaires de l'excellent travail qu'ils accomplissent et qui a pour effet d'améliorer la qualité de vie dans toute la province.

#### Table des matières

Nouveaux conseils importants dans l'édition de 1999	1
Comment les mises en garde sont-elles établies ?	1
Tableaux de mises en garde	2
Comment se servir du guide ?	2
Conseils à l'intention des enfants et des femmes en âge de procré	er 2
Le Programme de surveillance de la contamination du poisson gi	bier 5
Choix des emplacements à analyser	5
Choix des espèces à analyser	6
Prélèvement des poissons à analyser	6
Analyse supplémentaire des lieux de pêche	6
Analyse des poissons	7
Comment nettoyer et conserver le poisson	7
Comment remettre les prises à l'eau	8
Parasites	8
Tumeurs	8
Polluants présents dans la chair des poissons	9
Substances inorganiques	10
Produits chimiques organiques de sources industrielles	10
Pesticides	11
Dioxines et furannes	12
Autres polluants	12
Les cinq polluants généralement mis en cause	12
Évolution du degré de contamination	14
Sud de l'Ontario	18
Nord de l'Ontario	74
Grands Lacs	150
Index des emplacements	178
Identification des poissons	182
Noms des poissons	190
Adresses	- 192
Guide de consommation du poisson gibier Cou	verture intérieure

#### Préface

Tant les personnes qui consultent le Guide pour la première fois que les personnes qui le connaissent bien devraient lire le texte qui suit avant de consulter les tableaux. De nouveaux conseils importants à l'intention des femmes en âge de procréer et des enfants de moins de 15 ans paraissent au plat intérieur de la couverture ainsi qu'à la section intitulée « Nouveaux conseils importants dans l'édition de 1999 ».

On trouvera dans cette vingtième édition du *Guide de consommation du poisson gibier de l'Ontario* des mises en garde relatives à la consommation des poissons de pêche sportive provenant de plus de 1 600 zones de pêche de l'Ontario.

Le Guide paraît tous les deux ans. Une version électronique est offerte au site Web du ministère de l'Environnement, à l'adresse www.ene.gov.on.ca. Si des changements importants sont apportés entre deux éditions, le ministère de l'Environnement les publie par l'entremise de son centre d'information et de son site Web. Il informe aussi les médias. En outre, le public peut obtenir les données les plus récentes en communiquant avec le bureau du Programme de surveillance de la contamination du poisson gibier, au (416) 235-6220 ou au 1 800 820-2716, ou encore par courrier électronique à l'adresse sportfish@ene.gov.on.ca.

Les poissons sont capturés par des employés du ministère des Richesses naturelles et du ministère de l'Environnement, qui les expédient au laboratoire du ministère de l'Environnement, à Toronto, où ils sont analysés pour déterminer s'ils recèlent des polluants (mercure, BPC, mirex, DDT, dioxines et autres). Les tableaux du *Guide* sont établis à partir des données d'analyse; les mises en garde sont établies d'après la taille, l'espèce et la provenance des

poissons, en fonction des normes de santé établies par le gouvernement fédéral (Santé Canada).

Le programme d'échantillonnage et d'analyse est un travail continu. Le personnel qui lui est attaché divise son temps entre : 1) la collecte de données sur les poissons de nouveaux lacs et cours d'eau et 2) la collecte de données additionnelles sur les poissons de lacs et cours d'eau déjà étudiés, mais dont l'état des eaux peut avoir changé depuis la dernière collecte de données. En étudiant, pendant plusieurs années, la même espèce de poissons d'une zone de pêche donnée, les scientifiques peuvent noter les tendances et déterminer l'efficacité des mesures antipollution prises à cet endroit.

Pour signaler un cas de pollution ou une hécatombe de poissons, communiquez soit avec le bureau du ministère de l'Environnement le plus près, soit avec le Centre d'intervention en cas de déversement (page 192).

On peut obtenir des renseignements sur les permis de pêche, les règlements de la pêche sportive, les limites de prises, les périodes d'ouverture de la pêche, les parcs provinciaux et la chasse en s'adressant au bureau approprié du ministère des Richesses naturelles (page 192).

Pour obtenir des renseignements détaillés sur un endroit de pêche ciblé par le Programme de surveillance, ou pour obtenir de plus amples renseignements sur l'édition 1999 du *Guide* ou une édition antérieure, communiquez avec le :

Programme de surveillance de la contamination du poisson gibier Direction de la surveillance environnementale Ministère de l'Environnement 125, chemin Resources Etobicoke ON M9P 3V6 Tél.: 416 235-6220 ou 1 800 820-2716 Courriel: sportfish@ene.gov.on.ca

INTRODUCTION

### Nouveaux conseils importants dans l'édition de 1999

Le femmes en âge de procréer et les enfants de moins de 15 ans ne devraient manger que des poissons représentés sur les tableaux par le symbole d'un poisson blanc, et ne devraient pas en manger plus de quatre fois par mois. Ces personnes devraient réduire encore davantage leur consommation de poisson gibier si elles mangent régulièrement (une fois par semaine ou plus souvent) du poisson de pêche commerciale. Elles ne devraient pas manger du tout de poisson gibier si elles consomment régulièrement du requin, de l'espadon ou du thon frais (du thon autre que du thon en boîte). Ces nouveaux conseils ne sont pas adressés au reste de la population.

Pour de plus amples renseignements à ce sujet, consultez la section intitulée « Conseils à l'intention des enfants et des femmes en âge de procréer ».

#### Révision de quelques directives

Santé Canada revoit régulièrement ses données toxicologiques et modifie les directives de consommation lorsqu'il y a lieu. Santé Canada a renforcé les directives qui ont trait au mercure et au mirex/ photomirex. Ces changements ont été incorporés à l'édition de 1999.

La plupart des mises en garde relatives à la consommation du poisson pêché dans les eaux ontariennes sont attribuables au mercure. La consommation de nombreuses espèces du lac Ontario est soumise à des restrictions en raison du mirex/photomirex. On trouvera une description de ces polluants à la section intitulée « Polluants présents dans la chair des poissons ».

#### Comment les mises en garde sont-elles établies ?

Les mises en garde sont établies d'après les lignes directrices élaborées par Santé Canada. Par des études et un examen périodique des données sur la toxicité de nombreuses substances, Santé Canada établit la dose journalière admissible de nombreux polluants. Une fois la dose admissible établie, les toxicologues évaluent l'importance relative des principales voies d'exposition aux polluants ciblés (p. ex., air, eau et nourriture).

Le ministère de l'Environnement fait ensuite toutes sortes de calculs pour déterminer si des poissons sont propres à la consommation. Les poissons représentés dans les tableaux par un poisson blanc sont très peu contaminés. Une femme en âge de procréer ou un enfant de moins de 15 ans qui en consommerait quatre repas par mois ne dépasserait pas la dose journalière admissible des polluants ciblés. Le reste de la population peut en consommer huit repas par mois sans dépasser la dose journalière admissible des polluants ciblés.

On ne devrait pas consommer du tout les poissons représentés par le symbole d'un poisson noir, car un seul repas par mois équivaut à plus de la dose journalière admissible établie pour un ou plusieurs polluants.

Les cercles marqués d'un chiffre désignent des poissons dont le degré de contamination se situe entre celui des espèces marquées d'un poisson blanc et celui des espèces marquées d'un poisson noir. Ils indiquent le nombre de repas par mois que l'on peut consommer sans dépasser la dose journalière admissible établie pour un ou plusieurs des polluants ciblés (sauf pour les femmes en âge de procréer et les enfants de moins de 15 ans, qui ne devraient pas en consommer du tout).

INTRODUCTION

Il est important de souligner que les analyses sont effectuées sur les tissus non adipeux du filet dorsal (ni arêtes ni peau). Les mises en garde portent donc sur cette partie du poisson. Le poisson en entier, les darnes ou les parties grasses peuvent renfermer une quantité accrue de polluants organiques (BPC, mirex, DDT, dioxines et furannes), puisque ceux-ci ont tendance à s'accumuler dans les tissus adipeux. Il est par conséquent recommandé de ne manger que le filet du muscle dorsal, sans arêtes ni peau.

#### Tableaux de mises en garde

Les poissons d'une espèce et d'une longueur données présentent généralement le même degré de contamination dans la plupart des rivières et des lacs de petites ou de moyennes dimensions. Par conséquent, un seul tableau suffit. Ce n'est pas le cas toutefois des grands lacs et des grandes rivières, où le degré de contamination peut varier énormément dans un même plan d'eau.

Les données sur les poissons de pêche sportive des Grands Lacs sont présentées par blocs ou régions. La concentration d'un polluant dans la chair des poissons d'une espèce et d'une longueur données ne devrait pas varier à l'intérieur d'un même bloc.

Les blocs ont été établis avec l'aide d'ichtyobiologistes connaissant bien le milieu halieutique local et d'après les analyses effectuées sur des poissons capturés dans plusieurs plans d'eau adjacents. Lorsqu'il y a une différence minime entre le degré de contamination de plusieurs spécimens d'une même espèce à l'intérieur d'un bloc, les directives de consommation pour cette espèce à l'intérieur du bloc sont établies en fonction du spécimen le plus contaminé. Lorsque la population de poissons ou le degré de contamination varie à l'intérieur d'un bloc, celui-ci est divisé en sections comportant des mises en garde distinctes. Des analyses sont effectuées régulièrement à plusieurs endroits d'un même bloc pour confirmer que la pollution y est relativement homogène et qu'il n'y a pas de différence majeure entre le degré de pollution d'une section du bloc par rapport à une autre.

Les tableaux sur les Grands Lacs sont précédés d'un plan indiquant la démarcation des blocs.

#### Comment se servir du Guide

#### À qui s'adresse le Guide?

Le Guide s'adresse aux pêcheurs (et à leur famille) qui consomment une quantité modérée de poisson gibier. Les personnes qui suivent les conseils peuvent manger leurs prises en toute quiétude, du moment qu'elles n'en consomment pas plus de huit repas par mois (quatre repas pour les femmes en âge de procréer et les enfants de moins de 15 ans).

De nombreux poissons représentés par le symbole d'un poisson blanc peuvent être consommés sans danger plus souvent que huit fois par mois. La limite de huit repas par mois s'appuie sur des sondages effectués auprès des amateurs de pêche sportive qui ont dit ne pas consommer de poisson gibier plus souvent que cela. Les personnes qui mangent du poisson gibier plus de huit fois par mois devraient communiquer avec le bureau du Programme de surveillance de la contamination du poisson gibier au numéro mentionné dans la préface.

#### Conseils à l'intention des enfants et des femmes en âge de procréer

Les directives de Santé Canada ont été établies pour protéger la santé de toute la population, y compris celle des personnes les plus vulnérables. En général, les enfants et les femmes en âge de procréer sont considérés comme les personnes les plus vulnérables. Il est donc normal que

les mises en garde soient plus strictes pour ces personnes que pour le reste de la population. Santé Canada a renforcé dernièrement ses directives sur l'absorption de mercure. L'Ontario a donc changé les mises en garde relatives à la consommation du poisson gibier contaminé par le mercure.

Il est recommandé aux femmes en âge de procréer (c.-à-d. les femmes enceintes ou qui songent à le devenir et les mères qui allaitent) et aux enfants de moins de 15 ans de ne pas manger de poissons désignés par le symbole d'un poisson blanc plus de quatre fois par mois, et de ne pas manger du tout de poissons des autres catégories.


Les personnes qui mangent régulièrement du poisson acheté dans une épicerie devraient restreindre davantage leur consommation de poisson gibier.

#### Comment lire les tableaux

Les tableaux du *Guide* renferment des renseignements sur la consommation du poisson gibier en fonction du degré de contamination, de l'espèce, de la taille et de l'endroit.

Le nom des plans d'eau et leurs coordonnées sont tirés du *Répertoire géographique du Canada (Ontario)*. La description comprend la latitude et la longitude des plans d'eau, ce qui permet aux pêcheurs d'en déterminer l'emplacement approximatif au moyen de la Carte routière officielle de l'Ontario, où latitude et longitude sont indiquées dans la marge. Les pêcheurs peuvent ensuite avoir recours à des cartes plus précises pour trouver l'emplacement exact de l'endroit. L'index du *Guide* donne la liste alphabétique des emplacements analysés.

Voici la légende des tableaux. L'exemple ci-dessous est un lac hypothétique nommé « lac Deep ».



#### Emplacement des plans d'eau

- Les tableaux sont divisés en trois régions : sud de l'Ontario, nord de l'Ontario et Grands Lacs. La région figure au haut de la page.
- 2 Le nom de l'emplacement.
- 3 Sa latitude et sa longitude.
- Le canton, le comté ou le district territorial.

#### Espèces analysées

Les espèces analysées sont habituellement celles qui sont particulièrement susceptibles de présenter une concentration élevée de polluants ou les espèces les plus communes du plan d'eau (lire la section intitulée « Choix des espèces à analyser »).

#### Longueur du poisson

La longueur totale du poisson est mesurée à partir du bout de la mâchoire jusqu'à l'extrémité de la queue. Elle est exprimée en centimètres et en pouces (entre parenthèses).

#### Polluants analysés

Le chiffre indique le polluant ou groupe de polluants pour lequel le poisson a été analysé.

- 1. Mercure
- 2. Mercure, BPC, mirex/photomirex et pesticides
- 3. BPC, mirex/photomirex et pesticides
- 4. Mercure, BPC et mirex
- Mercure, autres métaux, BPC, mirex/photomirex et pesticides
- 6. Mercure et autres métaux
- 7. Dioxines et furannes
- 8. Mercure, BPC, mirex/photomirex, pesticides, chlorophénols et chlorobenzènes
- 9. Hydrocarbures aromatiques polycyliques (HAP)

Le fait qu'on ait cherché un groupe particulier de polluants ne signifie pas forcément que le poisson contiendra toutes ces substances. Par exemple, un poisson analysé pour le groupe 2 peut contenir uniquement du mercure et aucune trace de BPC, de mirex, de photomirex ou de pesticides.

À certains endroits, en particulier dans les lacs intérieurs, les analyses portaient sur la concentration de mercure seulement, puisqu'il est le seul polluant pour lequel il y a lieu de limiter la consommation

#### Symboles utilisés

Les symboles suivants s'appuient sur les directives de Santé Canada en ce qui concerne l'ingestion des plusieurs polluants ciblés parfois présents dans le poisson de pêche sportive. Ces symboles indiquent le nombre maximal de repas par mois.

- Pas plus de huit repas par mois (population générale\*).
- La consommation de ces poissons fait l'objet d'une mise en garde (pas plus de quatre repas par mois).

- La consommation de ces poissons est plus restreinte encore (pas plus de deux repas par mois).
- 11 1 Pas plus de un repas par mois.
- Il ne faut pas manger du tout de ce poisson.
- \* Les femmes en âge de procréer et les enfants de moins de 15 ans ne devraient consommer que les poissons représentés par le symbole d'un poisson blanc, mais ne devraient pas en manger plus de quatre fois par mois.
- Par repas, on entend une portion de 227 grammes de poisson (huit onces) pour un adulte de taille moyenne (60 kg).
   Cette portion devrait être diminuée ou augmentée proportionnellement, selon le poids de la personne.

#### Exemple:

Un pêcheur attrape un doré de 40 cm (16 po) dans le lac Deep et veut savoir si ce poisson est bon à manger. Il doit :

 repérer le lac Deep dans les tableaux du Guide :

Species/ Espèces	15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 >75 (6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) >(30)
Walleye' Doré'	4 2 -

- noter que le doré mesurant entre 35 et 45 cm (14-18 po) est marqué du symbole (4).
- Le pêcheur sait maintenant qu'il ne faut pas consommer ce poisson plus de quatre fois par mois. Les femmes en âge de procréer et les enfants de moins de 15 ans ne devraient pas en manger du tout.

INTRODUCTION 5

#### Consommation de poissons de provenances ou de catégories différentes

On peut consommer en un mois des poissons pêchés à différents endroits et représentés par un symbole différent. Pour savoir combien de fois on peut en manger, il faut convertir les repas de poissons de différentes catégories en un total mensuel de 100 % (voir le tableau ci-dessous).

#### Le Programme de surveillance de la contamination du poisson gibier

#### Choix des emplacements à analyser

Étant donné que l'Ontario compte plus de 250 000 lacs, d'innombrables rivières et

	Population générale		Femmes en âge de procréer et enfants de moins de 15 ans	
Catégorie	N <sup>bre</sup> de repas	Pourcentage que représente chaque repas	N <sup>bre</sup> de repas	Pourcentage que représente chaque repas
CA	8	12,5%	4	25%
4	4	25%	0	-
<b>2</b>	2	50%	0	-
1	1	100%	0	
464	0	-	0	-

À titre d'exemple, pour la population générale, quatre repas de poissons désignés par le symbole  $\subset \bowtie$  représentent 50 % (quatre fois 12,5 %) du total mensuel. On pourrait donc prendre ce mois-là deux autres repas de poissons de la catégorie 4 (deux fois 25 %) ou un autre repas de poissons de la catégorie 2 (une fois 50 %).

Les femmes en âge de procréer et les enfants de moins de 15 ans ne peuvent manger que du poisson représenté par le symbole \(\simega \text{ et pas plus de quatre fois par mois.}\)

ruisseaux et quantité de lieux de pêche sur les Grands Lacs, il ne serait ni pratique ni économique de les analyser tous.

On peut décider d'analyser un emplacement pour une ou plusieurs des raisons suivantes :

- il s'agit d'une zone de pêche populaire ;
- il existe à proximité une source connue ou probable de pollution ;
- c'est une source importante de nourriture pour les habitants du lieu (cas, généralement, des lacs voisins de réserves autochtones);
- une aire de loisirs est sur le point d'y être aménagée ;
- il fait partie d'un programme d'étude à long terme des polluants présents dans la chair du poisson.

Le choix des plans d'eau est un processus continu auquel le public est invité à participer.

#### Choix des espèces à analyser

La plupart des lacs et cours d'eau contiennent diverses espèces de poissons. Lorsqu'il s'agit de choisir les espèces à analyser, il faut noter que toutes n'accumulent pas nécessairement un polluant donné à une concentration semblable.

Ainsi, à taille égale, un poisson d'une certaine espèce peut avoir une concentration de polluants beaucoup plus faible qu'un poisson d'une autre espèce. Cela tient à des différences sur les plans de l'alimentation, de l'habitat, de la croissance et de la physiologie.

C'est ainsi que la teneur en mercure d'un poisson comme le doré ou le brochet sera probablement plus élevée, à taille égale que celle d'une espèce comme le grand corégone.

En effet, le doré et le brochet, qui sont à l'extrémité de la chaîne alimentaire, sont de gros carnivores qui se nourrissent de poissons plus petits susceptibles de présenter eux aussi une forte concentration de mercure.

Le corégone, par contre, se nourrit à un niveau inférieur de la chaîne alimentaire, d'insectes et d'invertébrés aquatiques qui contiennent moins de mercure que les petits poissons.


La pratique est donc, quand on étudie les poissons d'une aire donnée pour déterminer leur teneur en mercure, de choisir les gros carnivores, car ils présenteront les concentrations les plus élevées. Si l'analyse des carnivores révèle de faibles concentrations, il n'y aura probablement pas lieu d'analyser d'autres espèces.

Lorsqu'on recherche des polluants organiques tels les BPC et le mirex, il convient d'étudier les espèces à chair très grasse, comme le saumon, la truite de lac, l'éperlan et la perchaude, car ces polluants ont tendance à s'accumuler dans les tissus adipeux. Encore une fois, si les espèces à

chair grasse ne renferment pas de grandes quantités de polluants, les espèces à chair mois grasse n'auront probablement pas besoin d'être analysés.

#### Prélèvement des poissons à analyser

Les poissons sont prélevés par le personnel du ministère des Richesses naturelles, qui les prend au filet selon diverses méthodes. Autant que possible, l'échantillon comprend 20 poissons de chaque espèce, dont la longueur et le poids sont représentatifs de la gamme de tailles de cette espèce pour le plan d'eau à l'étude. On note la longueur, le poids et le sexe de chaque poisson. Un filet du muscle dorsal sans arêtes ni peau est prélevé (voir illustration), emballé et surgelé avant d'être expédié au laboratoire du ministère de l'Environnement, à Toronto.



#### Analyse supplémentaire des lieux de pêche

Depuis la seconde moitié des années 70, les responsables du Programme de surveillance de la contamination du poisson gibier ajoute de nouveaux lieux de pêche tous les ans.

Dans le cadre de ce programme, on réanalyse aussi des lacs et rivières, s'il y a lieu. Dans les régions éloignées des activités humaines, là où les poissons sont relativement à l'abri de la pollution, toute restriction de la consommation se limite habituellement aux endroits où on a relevé une concentration élevée de mercure chez les grands et vieux individus d'espèces carnivores, telles le doré et le brochet. Le

mercure, dans ces régions, provient en grande partie de sources naturelles qui ne changent pas beaucoup avec le temps; par conséquent, la concentration de mercure chez les poissons varie très peu. Dans les régions polluées par les activités humaines, les polluants possibles sont beaucoup plus nombreux et leur accumulation chez les poissons sera souvent proportionnelle au degré de pollution.

Les emplacements à réanalyser sont

répartis en trois groupes :

- Les emplacements où la concentration d'un ou de plusieurs polluants est anormalement élevée ou change subitement. Les poissons y sont analysés à intervalles de un à trois ans, selon leur popularité auprès des pêcheurs ou selon qu'ils constituent ou non une source importante de nourriture pour les habitants de la région.
- Les emplacements où la concentration de polluants est relativement stable, mais qui ont la faveur des pêcheurs à la ligne. Ces endroits sont analysés au moins tous les cinq ans.
- Tous les autres emplacements, le plus souvent des endroits éloignés des grandes sources de pollution où le taux de contamination des poissons est constant. Les poissons de ces endroits sont analysés quand les ressources le permettent.

#### Analyse des poissons

Non seulement le filet du muscle dorsal, sans arêtes ni peau, donne-t-il les résultats les plus probants, mais c'est également la partie la plus savoureuse de la plupart des poissons.

L'analyse permettant de déterminer la présence de polluants se fait au laboratoire du ministère de l'Environnement par diverses méthodes, selon le ou les polluants auxquels on s'intéresse.

### Comment nettoyer et conserver le poisson

Si l'on désire conserver et consommer le poisson que l'on a pris, il est important de le garder dans le meilleur état possible jusqu'au moment de l'apprêter. On doit mettre un poisson fraîchement pêché sur de la glace ou le réfrigérer dans les plus brefs délais pour éviter qu'il ne se gâte. Ensuite, il faut le vider, le nettoyer et le réfrigérer le plus tôt possible.

Voici une des méthodes les plus couramment employées pour vider, découper en filets et dépouiller le poisson :

- Couper la paroi ventrale, de la fente anale à la tête, et retirer les viscères.
- Retrancher la tête et couper les nageoires.
- Poser le poisson à plat sur la planche à découper. À l'aide d'un couteau à lame fine bien affûtée, trancher la peau et la chair qui se trouve derrière la tête jusqu'à l'arête centrale. Puis fendre le poisson d'un bout à l'autre de la partie dorsale en glissant le couteau le long de l'arête centrale jusqu'à la queue.
- Détacher l'autre côté de la même manière.
- Pour enlever les arêtes, poser le filet sur la planche, le côté peau dessous. En insérant la lame sous les arêtes, les détacher du filet en y laissant le moins de chair possible. Retrancher ensuite la nageoire pelvienne ainsi que le gras de la partie ventrale du filet.
- Poser le filet sur la planche, le côté peau dessous. Le couteau bien à plat, glisser celui-ci entre la peau et la chair, de la queue à la tête, en remontant par petites saccades. On obtient ainsi un filet sans peau ni arêtes. Rincer ensuite à l'eau froide et faire cuire, réfrigérer, congeler ou mariner.

#### Comment remettre les prises à l'eau

Un certain nombre de pêcheurs pratiquent la pêche sportive pour vivre l'émotion de la prise, et remettent le poisson à l'eau. Si vous décidez de ne pas garder un poisson, voici quelques mesures àprendre pour lui donner toutes les chances de survie :

- 1. Il est important de faire vite. Enlever l'hameçon le plus tôt possible et relâcher le poisson. Un poisson qui a été manipulé trop longtemps ne pourra reprendre ses forces. S'il est pris en eau profonde, il doit être ramené lentement vers la surface pour qu'il puisse se faire aux changements de pression et de température.
- 2. Garder le poisson submergé le plus longtemps possible, car il ne peut respirer hors de l'eau. Ne pas le laisser se débattre contre le sol ou les roches. Quelques pouces d'eau suffisent pour amortir les coups.
- 3. Il est essentiel de manipuler le poisson avec précaution et avec les mains humides. Ne pas lui mettre les doigts dans les yeux ou les branchies. Il ne faut pas serrer les petits poissons, mais les tenir par la lèvre inférieure. Un filet pourra faciliter la tâche, mais il faut le garder sous l'eau.
- 4. Retirer l'hameçon le plus rapidement possible à l'aide d'une pince à bec long. Si l'hameçon s'est enfoncé profondément, couper la ligne et laisser l'hameçon là où il est. Il se dissoudra et ne nuira pas au poisson. Il ne faut surtout pas essayer d'arracher l'hameçon.
- 5. Pour ranimer un poisson, le tenir à la verticale dans l'eau, face au courant. Lui faire reprendre sa respiration en le déplaçant de l'avant à l'arrière pour que l'eau puisse s'infiltrer dans les branchies. Cela peut prendre quelques minutes. Relâcher le poisson quand il commence à se débattre.

#### **Parasites**

Il arrive parfois qu'un pêcheur prenne un poisson qui est infesté de vers ou de larves ou qui a des kystes ou nodules dans la chair. En nettoyant le poisson, il peut découvrir des vers dans la région intestinale ou des moisissures sur la peau, les nageoires ou les ouïes. La présence de ces parasites est tout à fait normale, car ils font partie de l'écosystème dans lequel évoluent les poissons. Même si elles ne sont pas appétissantes, les parties comestibles qui contiennent des parasites ne présentent aucun danger pour la santé lorsqu'elles sont bien cuites.

Parmi les parasites les plus répandus chez les poissons, mentionnons les taches noires de l'achigan et de la perchaude, les sangsues, les poux et les douves des ouïes.

#### **Tumeurs**

Les pêcheurs prennent parfois des poissons qui présentent des excroissances. des tumeurs, des plaies ou des lésions. En général, celles-ci sont dues à des infections virales ou bactériennes. On trouve parfois des anomalies du foie ou des intestins chez les espèces communes telles la carpe noire et la barbotte brune; elles sont le résultat d'une infection parasitaire ou d'une tumeur. Les effets possibles de ces maladies sur les poissons et le rôle incertain de la pollution dans leur apparition ont mené à des recherches sur la cause de ces anomalies. Parmi les excroissances d'origine virale qu'on observe sur le poisson gibier, il y a la lymphocystite, le lymphosarcome et le sarcome cutané.

La lymphocystite, maladie virale qui touche surtout le doré et la perchaude, est une maladie très répandue au Canada. Le virus infecte la peau du poisson et se transmet d'un individu à l'autre au cours des migrations printanières, à l'occasion de la fraie. Il provoque l'apparition de protubérances blanchâtres en forme de

chou-fleur. La lymphocystite ne tue pas le poisson. Des études ont en effet révélé que le poisson atteint pouvait ne plus présenter d'excroissances dès le printemps suivant.

Le sarcome cutané est une autre maladie virale qui s'attaque au doré en infectant ses cellules et provoquant la croissance de tumeurs juste au-dessous de la peau. Ces protubérances s'enlèvent avec la peau du poisson.

Une étude récente effectuée par le ministère de l'Environnement et le ministère des Richesses naturelles a révélé que les dorés qui présentent des lésions cutanées telles que la lymphocystite et le sarcome cutané ne présentent pas une concentration de polluants plus élevée que les dorés non atteints.

Le lymphosarcome est un virus qui afflige le maskinongé et le brochet. Il se transmet au moment de la fraie, mais les lésions qu'il entraîne varient avec les saisons et l'évolution de la maladie. Au printemps, les individus atteints ont d'épaisses taches blanches d'où ils éliminent le virus ; ces desquamations vont infecter d'autres poissons. Plus tard dans l'année, les taches peuvent se résorber et former des lésions couperosées ou même reprendre l'apparence d'une peau normale. Le virus qui est à l'origine de la maladie infecte les globules blancs du poisson et se répand dans tout l'organisme sur une période allant d'un été à plusieurs années. Le lymphosarcome peut entraîner la mort du poisson.

On a relevé des tumeurs ressemblant à des verrues sur les lèvres et la peau de poissons communs dans certaines régions des Grands Lacs. Ces tumeurs disparaissent chez les poissons placés dans des aquariums de laboratoire et sont vite remplacées par de nouvelles excroissances, ce qui suppose une origine virale de la maladie.

Selon des études effectuées des côtés canadien et américain des Grands Lacs, ces tumeurs seraient plus fréquentes dans les secteurs pollués. Là où le niveau de pollution est particulièrement élevé, on observe aussi des tumeurs du foie et des intestins.

Les études nous portent à croire que la pollution serait directement responsable des tumeurs du foie et indirectement responsable des tumeurs cutanées.

Comme l'eau est souvent plus chaude dans les régions polluées, elle attire les poissons en plus grand nombre et augmente le risque d'infection virale.

On effectue actuellement des recherches plus poussées pour déterminer si la pollution est en cause; la plupart de ces recherches sont menées ou subventionnées par les gouvernements ontarien et canadien.

Bien qu'une infection virale ou bactérienne rende le poisson moins appétissant, il ne semble pas que la consommation de poisson infecté présente un quelconque risque pour la santé. Nous recommandons toutefois d'user de prudence.

### Polluants présents dans la chair des poissons

De nombreuses substances, telles que le mercure, se trouvent naturellement dans l'air, l'eau et les aliments; à des concentrations normales, elles ne posent aucun risque pour l'environnement ou la santé. Des substances synthétiques, comme les BPC, le mirex et les dioxines, sont également présentes dans le milieu.

Sont décrites dans la section qui suit quelques-unes des nombreuses substances que l'on peut tenter de déceler dans la chair du poisson gibier en Ontario, ainsi que la concentration donnant lieu à une mise en garde. Les mises en garde établies à l'intention des pêcheurs ontariens sont

fondées sur les doses journalières admissibles que prescrit Santé Canada. Pour obtenir de plus amples renseignements sur ces substances et leur effet sur la santé, communiquez avec le bureau du Programme de surveillance de la contamination du poisson gibier au numéro mentionné dans la préface.

#### Substances inorganique Mercure

Le mercure est un métal naturel qui se trouve à de faibles concentrations dans l'air, l'eau, les roches et le sol ainsi que dans les matières animales et végétales.

Le mercure était naguère très utilisé dans l'industrie, mais les mesures prises par l'industrie et le gouvernement, à la fin des années 60 et au début des années 70, ont permis d'en éliminer pratiquement tous les rejets de sources industrielles. Cependant, la pollution résiduelle par le mercure est toujours manifeste à quelques endroits de l'Ontario. En outre, une quantité relativement importante de mercure, de sources anthropique et naturelle, s'introduit dans le milieu aquatique par les précipitations.

Le mercure se fixe aux particules en suspension dans l'eau et se dépose au fond, où il est converti en méthylmercure par des microorganismes. Ce composé est rapidement absorbé par les poissons, soit directement avec l'eau qui traverse leurs branchies ou indirectement par les organismes dont ils s'alimentent. Comme les poissons éliminent le mercure très lentement, celui-ci s'accumule graduellement dans leurs tissus.

Santé Canada a récemment révisé à la baisse la dose journalière admissible de mercure que peuvent ingérer les enfants et les femmes en âge de procréer. La nouvelle dose journalière admissible n'est établie que temporairement, en attendant la fin d'une étude de longue durée réalisée auprès de gros mangeurs de poisson qui habitent les îles Seychelles. Les mises en garde relatives au poisson gibier contaminé par du mercure sont émises dès que la concentration du mercure dépasse 0,45 partie par million. Il est conseillé aux enfants et aux femmes en âge de procréer de ne pas manger du tout de poisson recélant plus de 1,57 partie par million de mercure.

#### Autres métaux

On trouve parfois du cuivre, du nickel, du zinc, du cadmium, du manganèse, du chrome, de l'arsenic et du sélénium dans les tissus de poissons, mais à une concentration si faible qu'il n'est pas nécessaire d'émettre des mises en garde.

#### Produits chimiques organiques de sources industrielles Biphényles polychlorés (BPC)

Les BPC sont un groupe de composés organochlorés dont l'usage commercial remonte à la fin des années 20. Comme ils ne se trouvent pas dans la nature, leur présence est invariablement associée à l'activité humaine.

Les BPC persistent dans l'environnement pendant des années et s'accumulent dans l'écosystème aquatique. Ainsi, dans certains plans d'eau de l'Ontario, des gros carnivores à tissus particulièrement adipeux, tels le saumon et la truite (mais généralement pas le doré et le brochet, qui ont une chair plus maigre) ont stocké des BPC à des concentrations suffisantes pour que soient établies des restrictions de consommation à leur égard. Il est maintenant interdit d'utiliser des BPC dans la fabrication de nouveaux produits. Aujourd'hui, on les trouve uniquement dans le fluide isolant de transformateurs et de condensateurs électriques. L'imposition de règlements rigoureux en matière d'entreposage et d'élimination des BPC et de l'équipement contaminé par les BPC a permis de limiter le rejet de ces composés

dans la nature et a contribué à en réduire la quantité dans le milieu aquatique.

Les mises en garde relatives à la consommation du poisson gibier contaminé par des BPC sont émises dès que la concentration de ces substances dépasse 0.5 partie par million. Le poisson gibier recélant plus de 4 parties par million de BPC est impropre à la consommation.

#### Mirex et photomirex

Le mirex est un hydrocarbure chloré qui était utilisé comme pesticide dans le sud des États-Unis, mais qui n'a jamais été enregistré à cette fin au Canada.

La présence de mirex a surtout été décelée dans les poissons du lac Ontario. Les sources : une ancienne usine de transformation du mirex de Niagara Falls (New York) et une usine d'Oswego (New York). Le Plan de gestion des toxiques de la rivière Niagara propose des mesures correctrices à cet effet. Dans le milieu naturel, une partie du mirex se transforme en un composé appelé photomirex. Dans le milieu aquatique, le mirex et le photomirex se comportent comme les BPC en ce qu'ils persistent longtemps dans l'environnement et se concentrent dans les tissus adipeux.

Santé Canada a établi des directives différentes pour le mirex et le photomirex. En ce qui concerne le mirex, les mises en garde sont émises dès que la concentration dans la chair du poisson gibier dépasse 0,07 partie par million; le poisson est impropre à la consommation s'il recèle plus de 0,56 partie par million. Pour le photomirex, les mises en garde sont émises dès que la concentration dépasse 0,013 partie par million; le poisson est impropre à la consommation s'il renferme plus de 0,100 partie par million.

#### Pesticides DDT

Le DDT a été mis au point pendant la Deuxième Guerre mondiale. Son emploi s'est largement répandu par la suite comme insecticide à des fins agricoles et sanitaires. Le DDT, comme les BPC et le mirex, se décompose lentement dans le milieu naturel.

Cette substance se trouve à des concentrations beaucoup moindres dans la chair des poissons depuis que son emploi a été réglementé il y a une vingtaine d'années. Les concentrations actuelles ne justifient aucune restriction de la consommation.

#### Toxaphène

Le toxaphène est un insecticide extrêmement persistant dans le milieu aquatique. Il est interdit au Canada depuis 1974 et son usage est restreint aux États-Unis depuis 1982.

Les mises en garde relatives à la consommation du poisson gibier sont émises dès que la concentration de toxaphène dépasse 0,2 partie par million; le poisson est impropre à la consommation s'il recèle plus de 1,6 partie par million de toxaphène.

Le toxaphène a été décelé dans la chair de poissons du lac Supérieur et de certaines sections nord du lac Huron à des concentrations justifiant des mises en garde.

#### Autres pesticides

Dans le cadre du Programme de surveillance de la contamination du poisson gibier, plusieurs produits antiparasitaires largement utilisés en Amérique du Nord sont surveillés régulièrement. Il s'agit de l'hexachlorobenzène et de pesticides tels 12 INTRODUCTION

le lindane, l'heptachlore, l'aldrine et le chlordane. Les concentrations relevées aux stations d'échantillonnage de l'Ontario n'atteignent pas un niveau tel qu'il faille restreindre la consommation du poisson.

#### Dioxines et furannes

Les dioxines et les furannes sont des résidus issus de plusieurs procédés industriels et des sous-produits de la combustion incomplète. Ces substances n'ont jamais été intentionnellement synthétisées.

Bien qu'il existe 210 formes de dioxines et de furannes, 17 seulement sont toxiques. Le ministère de l'Environnement surveille la présence de ces 17 substances dans la chair du poisson gibier. Les concentrations décelées dans les poissons sont multipliées par un facteur d'équivalence toxique afin d'obtenir une valeur qui représente la toxicité totale du poisson relativement à la forme de dioxine la plus toxique, soit la 2,3,7,8 TCDD.

Les recommandations pour la consommation du poisson gibier contaminé par les dioxines et les furannes sont fondées sur le seuil de 10 parties par billion de 2,3,7,8 TCDD. Le poisson gibier recélant plus de 81 parties par billion est impropre à la consommation.

#### Autres polluants

Le Programme de surveillance de la contamination du poisson gibier vise à contrôler le plus grand nombre possible de substances qui pourraient poser un risque pour la santé des consommateurs de poisson gibier.


Le laboratoire du ministère de l'Environnement a mis au point, dernièrement, des façons de mesurer la concentration des différents BPC dont l'effet nocif pour le poisson est semblable à celui des dioxines. Parmi les autres

substances qui feront l'objet d'une surveillance dans le cadre du programme, notons les chlorophénols, les chlorobenzènes et les hydrocarbures aromatiques polycycliques (HAP). À l'heure actuelle cependant, ces substances n'ont été décelées qu'occasionnellement dans les poissons et à des concentrations trop faibles pour susciter des inquiétudes.

#### Les cinq polluants généralement mis en cause

Les analyses portent très souvent sur tout un éventail de polluants, mais la plupart des mises en garde ont pour cause cinq polluants ou groupes de polluants : le mercure, les BPC, le mirex, le toxaphène et les dioxines. Les diagrammes en secteurs ci-après donnent le pourcentage des mises en garde attribuables à chacun des cinq polluants dans les Grands Lacs ontariens et les plans d'eau qui les relient.


#### Polluants limitant la consommation du poisson provenant du lac Supérieur



Les mises en garde visant la truite de lac, le grand corégone et le saumon quinnat sont habituellement attribuables au toxaphène; celles visant le brochet et le doré ont pour cause le mercure. Au total, 37.4% des directives sur la consommation du poisson gibier du lac Supérieur donnent lieu à des mises en garde.


INTRODUCTION 13

#### Polluants limitant la consommation du poisson provenant du lac Huron (y compris la baie Géorgienne, le chenal nord et la rivière St. Mary's)




En général, les mises en garde relatives à la truite, au saumon, à la carpe et à la barbue de rivière mettent en cause des BPC. Les mises en garde visant les autres espèces sont habituellement attribuables au mercure. Au total, 21.1% des directives sur la consommation du poisson gibier du lac Huron donnent lieu à des mises en garde.

#### Polluants limitant la consommation du poisson provenant du lac Sainte-Claire et des rivières Sainte-Claire et Détroit




Au total, 37.4% des directives sur la consommation du poisson gibier donnent lieu à des mises en garde.

#### Polluants limitant la consommation du poisson provenant du lac Érié




Au total, 17.0% des directives donnent lieu à des mises en garde — le plus petit pourcentage de tous les Grands Lacs. Les BPC sont surtout mis en cause.

#### Polluants limitant la consommation du poisson provenant du lac Ontario (y compris la rivière Niagara et le fleuve Saint-Laurent)



Les différentes espèces de truites et de saumons qui vivent dans le lac Ontario recèlent souvent en même temps des BPC, du mirex et des dioxines à des concentrations qui justifient des restrictions quant à leur consommation (ce sont surtout les BPC qui sont mis en cause). Lorsque des mises en garde visent la consommation du doré, du brochet, de l'achigan et de la perchaude, ce n'est généralement pas en raison des BPC, du mirex/photomirex et des dioxines, mais en raison du mercure. Au total, 43% des directives sur la consommation du poisson gibier du lac Ontario donnent lieu à des mises en garde.

#### Polluants limitant la consommation du poisson provenant des plans d'eau intérieurs



Rares sont les plans d'eau des terres intérieures qui ont été exposés à pesticides et autres composés organiques, lesquels causent la plupart des mises en garde visant la consommation des poissons des Grands Lacs. Par conséquent, 99 % des mises en garde sont attribuables au mercure. Au total, 42.6% des directives sur la consommation du poisson gibier des plans d'eau autres que les Grands Lacs donnent lieu à des mises en garde.

## Évolution du degré de contamination

La persistance d'un polluant dans le milieu aquatique varie selon la substance. Certaines substances se décomposent et se transforment en sous-produits inoffensifs ou peu toxiques en quelques minutes; d'autres nécessitent pour cela plusieurs années. On voit donc pourquoi il faut souvent des années de recherche et de collecte de données pour savoir, avec un certain degré d'exactitude, si la pollution par des substances persistantes tels les BPC et le DDT prend du recul ou de l'avance. Les données recueillies grâce au Programme de surveillance sont particulièrement efficaces pour déceler la hausse ou la baisse de contamination du poisson gibier sur plusieurs années.

Le Programme de surveillance étant sur pied depuis plusieurs années, on a pu faire une observation intéressante : la concentration, dans la chair des poissons, de BPC, de DDT et de mercure finit par diminuer lorsque le gouvernement et l'industrie interviennent pour enrayer la source de pollution, ou du moins en réduire les effets.


Le mercure est présent dans la chair des poissons partout en Ontario. Parmi tous les polluants faisant l'objet d'une surveillance, le mercure est celui qui donne lieu au plus grand nombre de mises en garde. Les grandes sources industrielles de mercure, notamment les usines de chlore et de soude caustique et les usines de pâtes et papiers, avaient pratiquement été éliminées au début des années 70. Toutefois, le mercure provenant, entre autres, du brûlage de combustibles fossiles et transporté dans l'atmosphère peut toujours s'introduire dans le milieu aquatique par les précipitations.

Le poisson gibier en aval du lac Sainte-Claire avait été contaminé, en 1970, en raison des rejets de mercure d'une usine de chlore et de soude caustique de Sarnia. On avait dû interrompre la pêche commerciale et conseiller aux pêcheurs sportifs de ne pas consommer leurs prises. Le gouvernement de l'Ontario avait au même moment pris des mesures pour mettre fin aux rejets industriels de mercure.

La contamination par le mercure a diminué de façon spectaculaire depuis 1970, lorsqu'on a commencé à analyser annuellement la chair du poisson gibier du lac Sainte-Claire. On peut maintenant consommer sans crainte des poissons de plusieurs tailles différentes. La figure 1 donne la concentration moyenne annuelle du mercure décelé dans le doré du lac Sainte-Claire entre 1970 et 1997.

La concentration du mercure dans la chair du poisson provenant des plans

Figure 1 Lac Sainte–Claire mercure dans le doré de 45 cm



l'achigan à grande bouche
Mercure (ppm)

0,5

■ 1977 △ 1989
● 1983 □ 1996

0,4

0,3

0,2

0,1

20

25

30

35

Longueur (cm)

40

45

50

Figure 2

Lac Rice-mercure dans

d'eau ontariens autres que les Grands Lacs ne varie généralement pas beaucoup au fil du temps chez une espèce donnée. À titre d'exemple, on peut voir à la figure 2 que la concentration du mercure dans la chair de l'achigan à grande bouche provenant du lac Rice (secteur de Kawartha, dans le sud de l'Ontario) a très peu changé entre 1977 et 1996.


La concentration du mercure dans la chair du poisson est liée à plusieurs facteurs. Elle est généralement plus élevée chez les poissons longtemps exposés à du mercure. Les tableaux 2 et 4 l'illustrent clairement. On peut voir, en effet, que la concentration du mercure augmente avec la taille des poissons.

Le degré de contamination de la nourriture que consomment les poissons

est un autre facteur déterminant. Les menés et d'autres petits poissons recèlent plus de mercure que les insectes aquatiques et les organismes invertébrés. Par conséquent, des prédateurs comme le doré et le brochet, qui se nourrissent d'autres poissons, sont généralement plus contaminés par le mercure que des espèces comme le grand corégone qui se nourrissent d'organismes occupant un maillon inférieur de la chaîne alimentaire. On peut voir à la figure 3 que le grand corégone du lac Ball est bien moins contaminé que le doré et le brochet.

La concentration du mercure varie énormément chez des poissons d'une


#### Figure 3 Lac Ball mercure dans trois espèces



même espèce et d'une même longueur, mais provenant d'un endroit différent. La figure 4 montre à quel point la concentration de mercure peut varier chez des dorés provenant de trois plans d'eau naturels (non pollués par des rejets industriels) de l'Ontario. Les différences ont pour causes les caractéristiques physiques, chimiques et biologiques des plans d'eau.

En plus de son Programme de surveillance de la contamination du poisson gibier, le ministère de l'Environnement administre le Programme des jeunes poissons de l'année, qui permet de prédire assez tôt les conséquences probables des pollutions sur le poisson gibier. Le Ministère analyse la chair de menés à queue à taches noires, de menés à nageoires rouges et de jeunes perchaudes, généralement plus sédentaires que les espèces de poisson gibier. Par une surveillance continue des jeunes poissons de l'année à de nombreuses zones de pêche des Grands Lacs, les scientifiques peuvent prédire si l'état des eaux est en voie de s'améliorer ou de s'aggraver.

# Figure 4 Mercure dans trois plans d'eau naturels



#### La prudence sur l'eau : un message de la Police provinciale de l'Ontario et de la Garde côtière canadienne

Saviez-vous que les pêcheurs sportifs sont parmi les plaisanciers du Canada qui risquent le plus de périr des suites d'un accident lié à la navigation ?

Deux facteurs sont principalement associés aux accidents mortels liés à la navigation : le fait de ne pas porter de gilet de sauvetage et la consommation d'alcool.

Les pêcheurs prévoyants connaissent — et observent — les règles gouvernant la navigation de plaisance et la consommation d'alcool. Pour en savoir plus, communiquez avec la Police provinciale de l'Ontario.

À compter du 1<sup>er</sup> avril 1999, l'Ontario aura de nouveaux règlements en ce qui concerne l'âge des personnes autorisées à piloter une embarcation, la puissance des moteurs et la preuve de compétences que devront fournir certaines personnes. Pour de plus amples renseignements à ce sujet, adressez-vous à la Garde côtière canadienne, au 1 800 267-6687, ou visitez son site Web à l'adresse www.ccg-gcc-gc.ca.

Pêcheur prudent, pêcheur longtemps.

